

# TRAVEL & HOTEL MANAGEMENT SYSTEM

NAME OF STUDENT : SAYAM SANYAL.

REG. NO : 797989.

LEVEL : A

DATE OF SUBMISSION OF PROJECT :

UNDER THE GUIDENCE OF SRI **SAIKAT SENGUPTA** SUBMITTED  
IN PARTIAL FULFILMENT OF THE REQUIREMENT FOR  
QUALIFYING DOEACC A LEVEL.

:

**NAME & ADDRESS OF THE ACCREDITED  
INSTITUTE:**

**NATIONAL INSTITUTE OF ELECTRONICS &  
INFORMATION TECHNOLOGY (NIELIT)  
(FORMALLY DOEACC SOCIETY, KOLKATA)**

**JADAVPUR UNIVERSITY CAMPUS**

**KOLKATA – 700 032**

**PERFORMA OF COVERING LETTER TO THE PROJECT REPORT**

The Deputy Director (Registration Section),  
NIELIT BHAWAN,  
Plot No : 8,  
PSP Pocket, Sector – 8,  
Dwarka, New Delhi-110077

Sir,

I am submitting my A Level Project for evaluation. Details of my Registration and postal address, etc is as under:

Regn. No: 797989

Level-A

Name : SAYAM SANYAL

Father's Name : BIJOY KUMAR SANYAL

Address:

(a) Residential Address: 7- BRAHMAPUR G.O.V.T SCHEME  
P.O- BANSDRONI KOLKATA - 700070

Tele No: +91 9073123790  
(Country Code) (City Code) (Telephone number)

(b) Office Address: DO

Tele No: +91 8961600528  
(Country Code)(City-Code) (Telephone number)

Fax: \_\_\_\_\_  
(Country-Code) (City-Code) (Telephone number)

E-mail Address (Please in block letters only) : SAYAMSANYAL@GMAIL.COM

# **CONTENTS**

1. INTRODUCTION
2. ACKKNOWDGEMENT
3. OBJECTIVE & SCOPE OF THE SYSTEM
4. THEORETICAL BACKGROUND
5. DEFINITION OF THE PROBLEM
6. SYSTEM ANALYSIS& DESIGN VIS-A-VIS USER REQUIREMENT
  - 6.1. PURPOSE
  - 6.2. SCOPE
  - 6.3. NEED FOR THE PROPOSED SYSTEM
  - 6.4. FEASIBILITY STUDY
    - 6.4.1. TECHNICAL FEASIBILITY
    - 6.4.2. FINANCIAL FEASIBILITY
    - 6.4.3. OPERATIONAL FEASIBILITY
  - 6.5. USER PROFILE
    - 6.5.1. SYSTEM DESCRIPTION
    - 6.5.2. SYSTEM DESIGN
    - 6.5.3. SYSTEM REQUIREMENT ANALYSIS
    - 6.5.4. DEVELOPER RESPONSIBILITIES

## ***SYSTEM DESIGN***

7. SYSTEM PLANING(PERT CHART)
8. DETAILS OF HARDWARE & SOFTWARE, METHODOLOGYUSED FOR TESTING,  
SYSTEM REQUIREMENT SPECIFICATION
  - 8.1. HARDWARE USED FOR PROJECT DEVELOPMENT
  - 8.2. SOFTWARE USED FOR PROJECT DEVELOPMENT
  - 8.3. HARDWARE REQUIRED FOR USING THE PROJECT
  - 8.4. SOFTWARE REQUIRED AT THE SERVER SIDE
  - 8.5. HARDWARE REQUIRED AT THE CLIENT SIDE
9. SYSTEM MAINTAINANCE & EVALUATION

- 10. LOGICAL DESIGN OF THE SYSTEM
  - 10.1. DFD
    - 10.1.1. Context Level DFD
    - 10.1.2. First Level DFD
    - 10.1.3. Second Level DFD of Booking Process
  - 10.2. ERD
  - 10.3. Process Involved
    - 10.3.1. Diagram of SDLC
  - 10.4. Database Designing
    - 10.4.1. Table Structure
  - 10.5. Software Testing
    - 10.5.1. Unit Testing
    - 10.5.2. Integration Testing
    - 10.5.3. Validation Testing
    - 10.5.4. Methodology Used For Testing
  - 10.6. Limitation of Project
- 11. OPERATIONAL OR USER MANUAL
- 12. INPUT & OUTPUT SCREEN DESIGN
- 13. SYSTEM IMPLEMENTATION AND CODING
- 14. LIST OF ABBREVIATIONS
- 15. REFERENCES
  - 15.1. BIBLIOGRAPHY
  - 15.2. WEBSITE

# **1. INTRODUCTION**

A technical institution which operates in a manual system often has to manage student project related data which includes application for project of different courses, guide allocation, updating student record, project submission form, fees clearance certificate issue etc.

Therefore we have tried to develop a system which shall be responsible for managing Student's project related data. This system is also responsible for the maintenance and development of the student project management system. This holds data about all current and past students continuing project and also of those who had discontinued project. The system provides all the eligibility criteria required for starting a project. The system also provides some suggested project topics and software platforms and automatically allocates a project guide on the basis of selected software platform and the number of student who shall work with that particular software platform.

In brief when a student of that institution is applying for project, the system checks whether he/she is eligible for performing project or not. The details of every student eligible for performing project are kept in a database and the system automatically generates a unique student-id along with a password for each student eligible for project. The project maintains register and provides all sorts of data required for a particular project. A student can also discontinue his/her project with a proper reason. After completion of project a student can submit the same through a project submission form. On the basis of project submitted by a student the project administrator issues a certificate and can award grades to the students according to their respective projects. A student can view his/her certificate issued by the project administrator through the system.

## **2. ACKNOWLEDGEMENT**

Developing a software package for field complaint analysis is no doubt a scientific step forward, which has helped me to learn and gain experience that will put light to my succeeding career.

For this I am glad to express my deepest sense of gratitude and regards to my respected project guides **Mr. Saikat Sengupta** for providing me with all the resources as and when required and allowing me to pursue the project in “PHP” in front end and “MYSQL” as backend.

Inspite of their busy schedules, their frequent, valuable advice and master suggestions at every stage lead to a systematic completion of this project.

I would also like to express my sincere thanks to my beloved friends and all other faculty and staff of **NIELIT CENTRE, KOLKATA** cooperation in achieving the goal of this project. I convey my greatest regards and thanks to **Mr. Bhaskar Banerjee** educational Head of NIELIT Centre, Kolkata.

Finally I express my gratitude to all my well wishers whose blessings are always preserved with me to achieve higher goals and without their inspiration this work could never have been synthesized.

### **3.OBJECTIVE AND SCOPE OF THE SYSTEM**

- Unlike most travel reporting systems which have evolved in a piecemeal fashion overtime, SS Travels has been design specifically to allow travelers to address the five major objectives of traveling. These objectives are -

**Scope:** In adherence with the rule framed by the NIELIT relating to the restrictions imposed on the volume and time invested in a project for A-level computer course, the scope of the project has been limited to handling “**Tour & Hotel Management System**”.

In feature as and when the need, further module may be developed and integrated with the system.

#### **This system would comprise:-**

- Maintaning database of different customers by administrator.
- Allowing the customer to register themselves.
- Enabling the register customers to booking a tour package.
- Enabling the register customers to cancel his/her booking.
- Search hotel details through location.
- Search tour package through location.
- Customer can pay online through Debit card/NEFT.
- Travel policy maximize travel policy compliances in all areas including best fares,allowances & approval.
- Trip details the simple things are often the most important . The Tour Management System will record trip details such as traveler name, cost, locally required information. This data is used for the remainder of the booking & stord for later reporting.
- Expense reconciliation using sophisticated, enhanced data all approved train, hotel & car expenses are automatically reconciled against actual expenses. Only exeptions are required to be managed individually. A major cost & labour saving tool as well as a valuable security control.

### **4.THEORETICAL BACKGROUND**

## **4.1.THE THREE-TIER ARCHITECTURE MODEL OF A WEB**

### **DATABASE APPLICATION:**

- ❖ Client Tier
- ❖ Middle Tier
- ❖ Database Tier

## **4.2. ADVANTAGES OF THE 3-TIER ARCHITECTURE**

### **APPROACH:**

- The ability to separate logical components of an application ensures that applications are easy to manage and understand.  
i.e. experts can be employed that specialize in one of the layers e.g. user interface design.
- Because communication can be controlled between each logical tier of an application, changes in one tier, do not have to affect the client component i.e. a change from one DBMS to another would only require a change to the component in the data access layer with little or no effect on the business/logic (middle) or UI layer.
- Specific tools and technologies suited to each layer can be deployed (and may evolve at a different pace)

## **4.3.WEB-ORIENTED 3-TIER ARCHITECTURE-TOOLS &**

### **TECHNOLOGIES:**

The three-tier architecture is conceptual. In practice, there are different implementations of web database applications that fits this architecture. The most common implementation has the web server (which includes the scripting engine that processes the scripts and carries out the actions they specify) and the database management system installed on one machine.

## **HTTP:The Hypertext Transfer Protocol**

The three-tier architecture provides a conceptual framework for web database applications. The web itself provides the protocols and network that connect the client and middle tiers of the application: It provides the connection between the web browser and the web server. HTTP allows resources to be communicated and shared over the Web. Most web server and web browsers communicate using the current version, HTTP/1.1. book, but it's important to understand the problems HTTP presents for web database applications.

### **a)Thickening the Client in the Three-Tier Model**

Given that a web database application built with a three-tier architecture doesn't fit naturally with HTTP, why use that model at all? The answer mostly lies in the popularity and standardization of web browsers: any user who has a web browser can use the web database application, and usually without any restrictions. This mean an application can be delivered to any number of diverse, dispersed users who use any platform, operating system, or browser software. This advantage is so significant that our focus in this book is entirely on the three-tier solutions that use a web browser as the client tier.

Web browsers are thin clients. This means almost no application logic is included in the client tier. The browser simply sends HTTP requests for is included in the client tier. The browser simply sends HTTP requests for resources and then displays the responses, most of which are HTML pages. This thin client model means you don't have to build, install, or configure the client tier, but that you do need to build almost all of your application to run in the middle tier.

You can thicken the client tier to put more work on the browser. Using popular technologies such as Java, JavaScript, and Macromedia Flash. You can develop application components that process data independently of the web server or pre process data before sending it to the server.

### **b)The Middle Tier**

The middle tier has many roles in a web database application. It brings together the other tiers, drives the structure and content of the data displayed to the user, provides security and authentication, and adds state to the application. It's the tier that integrates the web with the database server.

### **c)The Database Tier**

The database tier stores and retrieves data. It's also responsible for managing updates, allowing simultaneous (concurrent) access from web servers, providing security, ensuring the integrity of data, and providing support services such as data backup. Importantly, a good database tier must allow quick and flexible access to millions upon millions of facts. Managing data in the database tier requires complex software. Fortunately, most database management systems(DBMSs) or servers are designed so that the software complexities are hidden. An understanding of the underlying architecture of the database server is unimportant to most users.

In this book, we use the My SQL server to manage data. It has a well-deserved reputation for speed. It can manage many millions of facts, it's very scalable, and particularly suited to the characteristics of web database applications. Also, like PHP and Apache, My SQL is open source software. However, there are downsides to My SQL that we discuss later in this section.

The first step in successful web database application development is understanding system requirements and designing database. In this section, we focus on the database tier and introduce database software by contrasting it with other techniques for storing data.

There are other server choices for storing data in the database tier. These includes search engines, document management systems, and gateway services such as email software. Our discussions in this book focus on the My SQL server in the database tier.

## **4.4.Some Web Based Terms:**

### **Open Source**

Whether or not being open source is the reason these technologies are so popular has often been debated, but PHP, My SQL, and Apache are the three most commonly used tools in their categories. What can be said, though, is that being open source means that they have been developed in the community by terms of programmers writing the features they themselves want and need, with the original code available for all to see and change. Bugs can be found and security breaches can be prevented before they happen. There's another benefits: all these programs are free to use. There's no worrying about having to purchase additional licenses if you have to scale up your website and add more servers. And you don't need to check the budget before deciding whether to upgrade to the latest versions of these products.

### **4.4.1.The Apache Web Server**

In addition to PHP, My SQL, Java Script, and CSS, there's actually a fifth hero in the dynamic Web: the web server. In the case of this book, that means the Apache web server. We've discussed a little a web server does during the HTTP server/client exchange, but it actually does much more behind the scenes.

For example, Apache doesn't serve up just HTML files-it handles a wide range of files, from images and flash files to MP3 audio files, RSS (Really Simple Syndication)feeds, and more. Each element a Web client encounters in a HTML page is also requested from the server, which then serves it up.

But these objects don't have to be static files, such as GIF images. They can all be generated by programs such as PHP scripts. That's right: PHP can even create images and other files for you, either on the fly or in advance to serve up later. To do this, you normally have modules either precompiled into Apache or PHP or called up at the runtime. One such module is the GD library(short for Graphics Draw), which PHP uses to create and handle graphics.

## **PHP**

PHP(recursive acronym for PHP: Hypertext Pre-processor) is a widely-used open source general-purpose scripting language that is especially suited for web development and can be embedded into HTML. The product was originally named Personal Home Page Tools, and many people still think that's what the acronym stands for, but as it expanded in

scope, a new and more appropriate(albeit GNU-ishly recursive) name was selected by community vote. PHP is currently in its sixth major rewrite, called PHP6 or just plain PHP.

Zeev Suraski and Andi Gutmans rewrote the parser in 1997 and formed the based of PHP 3, changing the language's name to the recursive acronym PHP: Hypertext Pre-processor.

PHP is a server-side scripting language, usually used to create web applications in combination with a web server, such as Apache. PHP can also be used to create command-line scripts akin to Perl or shell scripts, but such use is much less common than PHP's use as a web language. Strictly speaking, PHP has nothing to do with layout, events, on-the-fly document Object Model(DOM) manipulation, or really anything about the look and feel of a web page. In fact, most of what PHP page will not necessarily be able to tell that it was not written purely in Hypertext Mark up Language(HTML), because the result of PHP is usually HTML.

## **MySQL**

My SQL (pronounced My Ess Q EI) is an open source, SQL relational database management system(RDBMS) that is free for many uses(more detail on that later). Early in this history, My SQL occasionally faced opposition because of its lack of support for some core SQL constructs such as sub selects and foreign keys. Ultimately, however, My SQL found a board, enthusiastic user base for its liberal licensing terms, perky performance, and ease of use. Its acceptance was aided in party by the wide variety of other technologies such as PHP, Perl, Python, and the like that have encouraged its use through stable, well-documented modules and extensions. Databases are generally useful, perhaps the most consistently useful family of software products(the "Killer product ")in modern computing. Like many competing products, both free and commercial, My SQL isn't a database until you give it some structure and form. You might think of this as the difference between a database and an RDBMS (that is, RDBMS plus user requirements equal a database).

There's lots more to say about My SQL, but then again, there's lots more space in which to say it.

### **4.4.3. Cross-platform compatibility**

PHP and My SQL run native on every popular flavour of Linux/Unix (including Mac OS X)and Microsoft Windows. A huge percentage of the world's Hypertext Transfer Protocol(HTTP)serves run on one of these two classes of operating systems.

PHP is compatible with the leading web servers: Apache HTTP Server for Linux/Unix and Windows and Microsoft Internet Information Server. It also works with

several lesser-known servers. Specific web server compatibility with My SQL is not required, since PHP will handle all the dirty work for you.

## **XAMPP**

Many people known from their own experience that it's not easy to install an Apache web server and it gets harder if you want to add My SQL, PHP and Perl.

The distribution for Windows 2000, 2003, XP, Vista, 7 and 8. This version contains: Apache, My SQL, PHP+PEAR, Perl, mod\_php, mod\_perl, mod\_ssl, Open SSL, php My Admin, Webalizer, Mercury Mail Transport System for win32 and Netware systems v3.32, Ming, Filezilla FTP Server, mycrypt, eAccelerator, SQLite and WEB-DAV+mod\_auth\_mysql.

XAMPP is a compilation of free software (comparable to a Linux distribution), It's free of charge and it's free to copy under the terms of the GNU General Public License.

## **5. DEFINITION OF PROBLEM**

As users adopt new technologies some of the system analyst's work will be devoted to integrating traditional system with new ones to ensure a useful context. Organizations have long recognized the importance of managing key resources such as people & raw materials. Information has now moved to its rightful place as a key resource. Decision makers now understand that information is

not just a by-product of conducting business; rather, it fuels business & can be the critical factor in determining the success or failure of a business. The ready availability of networked computers, around with access to the internet & the web, as created an information explosion throughout society in general & business in particular.

So, on the verge of the technological explosion we always want to built such a website that imbued not only the customer satisfaction but also explore this huge information according to customer's desire. As an 'A' level project, there is some regulation we have to follow, among the limitations if we analysis this project then there is lots of possibilities to customize according to user specification system.

But one way we can say this website is meant to be the best in its field & as per as fulfillment of the user requirement system, it is really helpful if we implement it professionally through web hosting.

### **Main Feature of the Project:**

- User account creation,
- User account deletion,
- User account updating,
- User tour record,
- Holidays booking,
- Hotel booking,
- NEFT/ DEBIT CARD payment,
- Tour details,
- Tour Package details,
- Hotel ac/non-ac room selection,
- Tour Conduction details.

### **Limitation of Manual System:**

- There is a risk of making mistake manually by the user & if & when a mistake is committed it may be difficult to find out & rectify the mistake without intensive checking.
- Maintaining customer information maybe difficult in manual system.
- In manual system customer satisfaction cannot be achieved fully.
- Handling huge amount of data & information simultaneously for processing purpose become very difficult.
- Searching detail information about tour package in manual system is time consuming.
- Manual system is much slower.

## **6. System Analysis & Design Vis-a-vis User Requirement:**

- This system is all about the converting the **Travel** system from manual to online.
- Customer can book **Tour packages** after login to the site.

- Administrator can block customers, edit tour packages, announce holiday offer.
- After booking & making payment customer get a copy of payment status.
- Admin can see all transaction reports.

## **6.1. PURPOSE:**

Online Tour & Hotel Management System tries to enhance access to care & improved the continuity & efficiency of service. Depending on the specific setting & locale, case managers are responsible for a variety of tasks, ranging & linking clients to services themselves.

### **Main Objective:**

- To travel anywhere visiting this site.
- Advance booking for hotel.
- Tour Packages are lower rate due to less overhead.

## **6.2.SCOPE:**

This product has great future scope. Online Tour & Hotel Management software developed on & for the Windows & later version environments. This project also provides security with the use of login-id & password, so that any unauthorized users cannot use your account. The only authorized customers will have proper access. Authority can access the software.

## **6.3. NEED FOR THE PROPOSED SYSTEM:**

The online travelling is an easy to maintain, ready to run, affordable & reliable cost saving to from Software Associates suite for small, medium & large travel agency.

## **Features & Benefits:**

- Providing Security.
- Low cost.
- Basic computer knowledge required.
- Configurable and extensible application UI design.

The proposed system can be used even by the native users and it does not required any education level, experience and technical expertise in computer field but it will be of good use if the user has good knowledge of how to operate a computer.

## **6.4.FEASIBILITY STUDY:**

A feasibility study is a short, focused study, which aims to answer a number of questions:

Does the system contribute to the overall objective of the organization?

Can the system be implemented using correct technology and within given cost and schedule constrains?

Can the system be integrated with systems which are already in place?

### **6.4.1. TECHNICALFEASIBILITY:**

- Is the project feasibility within the limits of current technology?
- Does the technology exist at all?
- Is it available within given resource constraints (i.e., budget, schedule)?

### **6.4.2.FINANCIAL FEASIBILITY:**

- Is the project possible, given resource constraints/
- Are the benefits that will accrue from the new system worth the cost?
- What is the saving that will result from the system, including tangible ones?

- What are the development and operational costs?

### **6.4.3. OPERATIONAL FEASIBILITY:**

Define the urgency of the problems and the acceptability of any solution; if the system is developed, will it be used? Includes people oriented and social issues: such as manpower problems, labor objection, manager resistance.

Organizational conflicts and policies; also external issues, including social acceptability, legal aspects and government regulations.

### **6.5. USER PROFILE:**

Three level of users:

- Administrator
- Customer
- Employee

#### **6.5.1. SYSTEM DESCRIPTION:**

This is fully comprised system. It has three kinds of user- mainly Administrator, Customer & Employee. Administrator controls the whole sections and has access to all pages. Employee can update or delete existing pages of the website and has access to all pages and can give feedback to customer quarries. Customer are two types- unregister & register. The customers who have not registered, they cannot book Tour Packages. They can only browse the webpage. The registered customers can book the Tour Packages as well as browse other services.

#### **6.5.2. SYSTEM DESIGN:**

In the system design “what is to be done” is converted “how to do it”. It describes how to develop the logical design of the system. The inputs to the system design phase are functional specification of the system and details about the computer configuration. During

these phase the logic of the program is designed, files or database are designed and program implementation plan are drawn up. To maintain proper documentation of the system the following items have been supplied in the following pages: **Context diagram, DFD, ERD & Case Diagram.**

### **6.5.3. SYSTEM REQUIREMENT ANALYSIS:**

All software application can be collectively called Data processing. These term contains a key of our understanding of software requirements. Software is built to process data, to transform data from one form to another, i.e. to accept input, manipulate it in some way and produce output.

### **6.5.4. DEVELOPER RESPONSIBILITIES:**

The developer is responsible for:

- Developing the system.
- Installing the software on the client's site.
- Maintaining the system for stipulated period.

## **7. SYSTEM PLANING(PERT CHART)**

System planning is one of the important tasks for a system analyst to develop a system. System planning must determine how each task fits into the process. This includes starting how long a task will take and defining its start and completion times. Moreover a pplan defines the sequence in which tasks are carried out. To make a plan, requires estimates of

the effort needed to complete each of the required tasks. These estimates are then used to allocate resources to a task and in turn determine how long it will take.

## **PERT Chart:**


PERT is a method to analyze the involved tasks in completing a given project, especially the time needed to complete each tasks, and to identify the minimum time needed to complete the total project.

PERT was developed primarily to simplify the planning and scheduling of large and complex projects. It was developed for the U.S.Navy Special Projects Office in 1957 to support the U.S.Navy's Polaris nuclear submarine project. It was able to incorporate uncertainty by making it possible to schedule a project while not knowing precisely the details and durations of all activities. It is more of an event-oriented technique rather than start- and completion-oriented, and is used more in projects where time is the major factor rather than cost. It is applied to very large-scale, one-time, complex, non-routine infrastructure and Research and Development projects. An example of this was for the 1968 Winter Olympics in Grenoble which applied PERT from 1965 until the opening of the 1968 Games.

This project model was the first of its kind, a revival for scientific management, founded by Frederick Taylor (Taylorism) and later refined by Henry Ford (Fordism). DuPont's critical path method was invented at roughly the same time as PERT.

## **Advantages:**

- PERT chart explicitly defines and makes visible dependencies (precedence relationships) between the work breakdown structure (commonly WBS) elements.
- PERT facilitates identification of the critical path and makes this visible.
- PERT facilitates identification of early start, late start, and slack for each activity.
- PERT provides for potentially reduce project duration due to better understanding of dependencies leading to improved overlapping of activities and tasks where feasible.



## **8. DETAILS OF HARDWARE & SOFTWARE, METHODOLOGY USED FOR TESTING, SYSTEM REQUIREMENT SPECIFICATION**

System requirement are expressed in a software requirement document. The Software Requirement Specification(SRS) is the official statement of what is required of the system developers. This requirement document includes the requirement definition and the requirement specification. The software requirement document is not a design document. It should set out what the system should do without specifying how it should be done. The requirement set out in this document is complete and consistent.

**The software specification document satisfies the following:-**

- It specifies the external system behaviors.
- It specifies constraints on the implementation.
- It is easy to change.
- It serves as reference tool for system maintainers.
- It record forethought about the life cycle of the system.
- It characterizes acceptable response to undesired events.

### **8.1. HARDWARE USED FOR PROJECT DEVELOPMENT**

- Personal Computer.
- Pentium based CPU.
- 1 GB of RAM.
- 10 GB of free Hard Disk space.

### **8.2. SOFTWARE USED FOR PROJECT DEVELOPMENT**

- Windows OS.
- MySQL by Oracle.
- Apache Webserver.
- PHP.
- Web Browser(such as Mozilla Firefox, Internet Explorer).

### **8.3. HARDWARE REQUIRED FOR USING THE PROJECT**

- Personal Computer.
- 1.3 Ghz Processor or above.
- 2 GB RAM or Above.
- Internet Connection.

### **8.4. SOFTWARE REQUIRED AT THE SERVER SIDE**

- Windows OS.
- MySQL DBMS.
- Apache Webserver.
- PHP Interpreter.

### **8.5. HARDWARE REQUIRED AT THE CLIENT SIDE**

- Internet enables PC / Laptop / Smart Phone / Tablet.

## 9. System Maintenance & Evaluation

Maintenance is an activity that commences after the software is developed and deployed. Software need to be maintained not because some of its components "wear out" and need to be replaced, but because there are often some residual errors remaining in the system which must be removed later as they are discovered. Maintenance can be defined by describing four activities that are undertaken after a program is released for us. The four different activities are correction, adaption, enhancement and prevention.

### **Correction:**

Correction is technique to ensure that data is transmitted without errors, even across unreliable media or networks. It is generally agreed for large systems as the current one. Maintenance activities related to fixing of errors fall under corrective maintenance. Here, in the end-users are advise to reduce any further erroneous result generated by the developed software after its installation.

### **Adaption:**

Maintenance is also needed due to change in the environment or the requirement of a system. The introduction of a software system affects the work environment. This change in environment (example: CPU, Operating System, Business Rules) often changes what is desired from the system. There might also be changes in the input data, the system maintenance activities related to such modification fall under adaptive maintenance.

### **Enhancements:**

As software is used, the customer/user will recognize additional function that will provide benefit. Perfective maintenance or enhancement extends the software beyond its original functional requirement.

### **Prevention:**

Computer software deteriorates due to change and because of this, preventive maintenance, often called software reengineering and must be conducted to enable the software to serve the needs of its end users. In essence, preventive maintenance makes change to computer program so that they can be more easily corrected, adapted and enhanced.

## **10. Detail Life Cycle of the Project:**

### **10.1 Data Flow Diagram (DFD):**

Data Flow Diagrams (DFD) helps us in identifying existing business processes. It is a technique we benefit from particularly before we go through business process re-engineering.

At its simplest, a data flow diagram looks at how data flows through a system. It concerns things like where the data will come from and go to as well as where it will be stored. But you won't find information about the processing timing (e.g. whether the processes happen in sequence or in parallel).

We usually begin with drawing a **context diagram**, a simple representation of the whole system. To elaborate further from that, we drill down to a **level 1 diagram** with additional information about the major functions of the system. This could contain to evolve to become a level 2 diagram when further analysis is required. Progression to level 3,4 and so on is possible but anything beyond level 3 is not very common. Please bear in mind that the level of detail asked for depends on your process change plan.

### **Diagram Notations**

Now we'd like to briefly introduce to you a few diagram notations which you'll see in the tutorial below.

### **External Entity**

An external entity can represent a human, system or subsystem. It is where certain data comes from or goes to. It is external to the system we study, in terms of the business process. For this reason, people use to draw external entities on the edge of a diagram.

### **Process**

A process is a business activity or function where the manipulation and transformation of data takes place. A process can be decomposed to finer level of details, for representing how data is being processed within the process.


## **Data Store**

A data store represents the storage of persistent data required and/or produced by the process. Here are some examples of data stores: membership forms, database table, etc.


## **Data Flow**

A data flow represents the flow of information, with its direction represented by an arrow head that shows at the end(s) of the flow connector.


## CONTEXT LEVEL DFD



### FIRST LEVEL DFD



## SECOND ( 2<sup>nd</sup> ) LEVEL DFD BOOKING



## **10.2. Entity Relationship Diagram (ERD):**

In software engineering, an **Entity-Relationship Model (ERM)** is an abstract and conceptual representation of data. Entity Relationship modelling is a abstract modelling method, used to produce a type of conceptual schema or semantic data model of a system, often a relation database, and its requirements in a top-down fashion. Diagrams created using this process are called entity relationship diagrams, or ER diagrams or ERD for short. This is introduced by Peter Chen. The basic notations used to create an ERD are as follows:

### **Entity**

An entity is an object. This is represented as rectangle.


### **Attribute**

Attribute are shown using labelled ellipse.

### **Relation**

Relationships are indicated with diamonds connecting objects.

### Entity Relationship Diagram (ERD)



## 10.3. Process Involved

**A.** To develop software the following steps are adapted:

The first phase of the Software Development Life Cycle is the System Analysis phase, which has been a sub phase namely, Problem Definition, feasibility Study and System Study. We depict three sub phases below:

1) First of all the problem clearly defined. For this purpose first we set the system boundary and then the existing problems of the system are identified. Next we identify the main objective of the system i.e. needs and information requirements of the system. Then the components/elements of the system are identified. Next we spend some times in understanding the role and inter relationship of elements with other elements of the same system. Thus we recognize the whole problem and drew a rough specification.

2) We conduct feasibility study and submit the feasibility report to the appropriate authorized person.

3) After meeting the feasibilities we start System Study with the help of brainstorming and observation and developed the Software Requirement Specification as a fruitful output of the system Analysis phase. The SRS is submitted to the user-site to make it approved by the users.

**B.** The 2nd phase of Software Development Life Cycle is the Design & Implementation phase, which has been sub divided in three sub-phases namely Design, Program Development, Testing & Designing. These are describe as following:

1. From the outcome of the System Analysis phase we design a context level DFD, which is actually a gist depicting the flow of data between " an entity and process" and "a process and a data-storage". From this diagram we generate DFDs.

2. Before we start coding, here designing the database is essential. So we design the database appropriately containing all elements of the system. Then we chose the appropriate programming language and the Front End. The database itself is kept at he back end. Next the front end is designed. After that program code generation is started. During generation of code, simultaneous unit testing is performed.


3. After coding, software is tested several times. By several technique. While box testing guarantees that every line of code of software is executed at least once. Black box testing whether all the functional requirements of system are fulfilled.

**C.**The final phase of SDLC is Maintenance which has two sub-phases: namely Evaluation & Maintenance. They are describe as following:

1. First of all feedback is taken and accordingly it is ensured whether the software meets every requirements of the user. The efficiency of the software is determined in terms of performance, reliability and control changeability. These are the tasks done in software evaluation sub-phases.

2. Minor changes & revision are made in reports or output formats. Some corrections are also made within this sub-phase to fulfil further user requirements appropriately, if the user uncovers some deficiencies to the software. The software should be given support in order to make it consistent with the change in technology. The maintenance phase is facilitated with the four activities namely correction, adaption, enhancement and prevention.

### 10.3.1 DIAGRAM OF SDLC



## 10.4. DATABASE DESIGNING

A database design is a collection of stored data organized in such a way that the data requirements are satisfied by the database. The general objective is to make information access easy, quick, inexpensive and flexible for the user. There are also some specific objectives like controlled redundancy from failure, privacy, security and performances.

A collection of related records make up a table. To design and store data to the needed forms database tables are prepared. Two essential settings for a database are:

- **Primary Key:** The field that is unique for all the record occurrences.
- **Foreign Key:** The field used to set relation between tables. Normalization is a technique to avoid redundancy in the tables.

### 10.4.1. TABLES USED IN PROJECT

#### 1. Administrator\_details

| <u>Field Name</u> | <u>Data Type</u> | <u>Size</u> | <u>Constraints</u> | <u>Description</u>       |
|-------------------|------------------|-------------|--------------------|--------------------------|
| adm_id            | Int              | 11          | Primary Key        | Administrator id         |
| adm_name          | Varchar          | 30          | Null               | Administrator name       |
| adm_mob           | Varchar          | 15          | Null               | Administrator mobile no. |
| adm_email         | Varchar          | 30          | Null               | Administrator email id   |

## 2. Booking\_details

| <u>Field Name</u> | <u>Data Type</u> | <u>Size</u> | <u>Constraints</u> | <u>Description</u>                                                            |
|-------------------|------------------|-------------|--------------------|-------------------------------------------------------------------------------|
| bk_id             | Int              | 11          | Primary Key        | Booking id                                                                    |
| c_id              | Int              | 11          | Foreign Key        | Customer id<br>(refers to c_id of<br>customer_details table)                  |
| tc_id             | Int              | 11          | Foreign Key        | Tour conduction id (refers<br>tot c_id of<br>tourconduction_details<br>table) |
| tp_id             | Int              | 11          | Foreign Key        | Tour package id (refers to<br>tp_id of<br>tourpackage_details table)          |
| bk_person         | Int              | 3           | Null               | Booking person                                                                |
| bk_date           | Date             |             | Null               | Booking date                                                                  |
| start_date        | Date             |             | Null               | Booking start date                                                            |
| end_date          | Date             |             | Null               | Booking end date                                                              |

## 3. Cancellation\_details

| <u>Field Name</u> | <u>Data Type</u> | <u>Size</u> | <u>Constraints</u> | <u>Description</u>                                                         |
|-------------------|------------------|-------------|--------------------|----------------------------------------------------------------------------|
| can_id            | Int              | 11          | Primary Key        | Cancellation id                                                            |
| c_id              | Int              | 11          | Foreign Key        | Customer id (refers<br>to c_id of<br>customer_details<br>table)            |
| hbk_id            | Int              | 11          | Foreign Key        | Hotel Booking id<br>(refers to hbk_id of<br>hotelbooking_details<br>table) |
| pmt_id            | Int              | 11          | Foreign Key        | Payment id (refers<br>to pmt_id of<br>payment_details<br>table)            |
| can_charge        | Double           |             | Null               | Cancellation<br>Charge                                                     |
| ref_amt           | Double           |             | Null               | Refund Amount                                                              |

#### 4. Contact us

| <u>Field Name</u> | <u>Data Type</u> | <u>Size</u> | <u>Constraints</u> | <u>Description</u> |
|-------------------|------------------|-------------|--------------------|--------------------|
| enq_id            | Int              | 11          | Primary key        | Enquiry id         |
| f_name            | Varchar          | 40          |                    | Full name          |
| Addr              | Varchar          | 100         |                    | Address            |
| mob_no            | Int              | 14          |                    | Mobile number      |
| Email             | Varchar          | 70          |                    | Email id           |
| Query             | Varchar          | 400         |                    | Enquiry            |

#### 5. Customer\_details

| <u>Field Name</u> | <u>Data Type</u> | <u>Size</u> | <u>Constraints</u> | <u>Description</u>     |
|-------------------|------------------|-------------|--------------------|------------------------|
| c_id              | Int              | 11          | Primary key        | Customer id            |
| <u>c_name</u>     | Varchar          | 50          | Null               | Customer name          |
| c_addr            | Varchar          | 70          | Null               | Customer address       |
| c_mob             | Varchar          | 15          | Null               | Customer mobile        |
| c_gen             | Varchar          | 10          | Null               | Customer gender        |
| c_email           | Varchar          | 40          | Null               | Customer email id      |
| c_dob             | Varchar          | 20          | Null               | Customer date of birth |
| c_pswd            | Varchar          | 20          | Null               | Customer password      |

#### 6. Hotelbooking\_details

| <u>Field Name</u> | <u>Data Type</u> | <u>Size</u> | <u>Constraints</u> | <u>Description</u>                                     |
|-------------------|------------------|-------------|--------------------|--------------------------------------------------------|
| hbk_id            | Int              | 11          | Primary key        | Hotel Booking id                                       |
| c_id              | Int              | 11          | Foreign Key        | Customer id (refers to c_id of customer_details table) |
| h_id              | Int              | 11          | Foreign Key        | Hotel id (refers to h_id of hotel_details table)       |
| rm_type           | Varchar          | 10          |                    | Room type                                              |
| str_date          | Date             |             | Null               | Booking start date                                     |
| end_date          | Date             |             | Null               | Booking end date                                       |
| bk_date           | Date             |             | Null               | Booking date                                           |

## 7. Hotel\_details

| <u>Field Name</u> | <u>Data Type</u> | <u>Size</u> | <u>Constraints</u> | <u>Description</u>                                |
|-------------------|------------------|-------------|--------------------|---------------------------------------------------|
| h_id              | Int              | 11          | Primary key        | Hotel id                                          |
| h_name            | Varchar          | 50          | Null               | Hotel name                                        |
| h_loc             | Varchar          | 70          | Null               | Hotel location                                    |
| h_city            | Varchar          | 30          | Null               | Hotel city                                        |
| st_id             | Int              | 11          | Foreign Key        | State id (refers to st_id of state_details table) |
| h_rate            | Varchar          | 7           |                    | Hotel rate                                        |
| h_desc            | Varchar          | 400         |                    | Hotel description                                 |

## 8. Login\_details

| <u>Field Name</u> | <u>Data Type</u> | <u>Size</u> | <u>Constraints</u> | <u>Description</u>                                     |
|-------------------|------------------|-------------|--------------------|--------------------------------------------------------|
| login_id          | Int              | 11          | Primary key        | Login id                                               |
| c_id              | Int              | 11          | Foreign Key        | Customer id (refers to c_id of customer_details table) |
| email_id          | Varchar          | 40          | Null               | Customer email id                                      |
| pswd              | Varchar          | 30          | Null               | Customer password                                      |

## 9. Payment\_details

| <u>Field Name</u> | <u>Data Type</u> | <u>Size</u> | <u>Constraints</u> | <u>Description</u>                                              |
|-------------------|------------------|-------------|--------------------|-----------------------------------------------------------------|
| pmt_id            | Int              | 11          | Primary key        | Payment id                                                      |
| c_id              | Int              | 11          | Foreign key        | Customer id (refers to c_id of customer_details table)          |
| hbk_id            | Int              | 11          | Foreign key        | Hotelbooking id(refers to hbk_id of hotelbooking_details table) |
| pmt_amt           | Double           |             |                    | Payment amount                                                  |
| pmt_date          | Date             |             |                    | Payment date                                                    |
| pmt_status        | varchar          | 30          | Null               | Payment status                                                  |
| pmt_type          | varchar          | 30          | Null               | Payment type                                                    |

## 10. place\_details

| <u>Field Name</u> | <u>Data Type</u> | <u>Size</u> | <u>Constraints</u> | <u>Description</u>                                |
|-------------------|------------------|-------------|--------------------|---------------------------------------------------|
| p_id              | Int              | 11          | Primary key        | Place id                                          |
| st_id             | int              | 11          | Foreign key        | State id (refers to st_id of state_details table) |
| p_name            | varchar          | 100         | Null               | Place name                                        |
| p_details         | varchar          | 1200        | Null               | Place details                                     |

### 11. state details

| <u>Field Name</u> | <u>Data Type</u> | <u>Size</u> | <u>Constraints</u> | <u>Description</u> |
|-------------------|------------------|-------------|--------------------|--------------------|
| st_id             | Int              | 11          | Primary key        | State id           |
| st_name           | varchar          | 30          | Null               | State name         |
| st_details        | varchar          | 700         | Null               | State details      |

### 12. tourconduction details

| <u>Field Name</u> | <u>Data Type</u> | <u>Size</u> | <u>Constraints</u> | <u>Description</u>                                                                  |
|-------------------|------------------|-------------|--------------------|-------------------------------------------------------------------------------------|
| tc_id             | Int              | 11          | Primary key        | Tourconduction id                                                                   |
| strt_date         | varchar          | 12          | Null               | Tour start date                                                                     |
| tp_id             | Int              | 11          | Foreign key        | Tourpackage id<br>(refers to tp_id of<br>tourpackage_details<br>table)              |
| tc_status         | Int              | 2           | Foreign key        | Tourconduction<br>status (refers to tc_id<br>of<br>tourconduction_details<br>table) |

### 13. touristspot details

| <u>Field Name</u> | <u>Data Type</u> | <u>Size</u> | <u>Constraints</u> | <u>Description</u>                                        |
|-------------------|------------------|-------------|--------------------|-----------------------------------------------------------|
| ts_id             | Int              | 11          | Primary key        | Touristspot id                                            |
| ts_name           | varchar          | 200         | Null               | Touristspot name                                          |
| ts_details        | varchar          | 700         | Null               | Touristspot<br>details                                    |
| p_id              | Int              | 11          | Foreign key        | Place id (refers to<br>p_id of<br>place_details<br>table) |
| ts_img            | varchar          | 50          | Null               | Touristspot image                                         |

#### 14. tourpackage details

| <u>Field Name</u> | <u>Data Type</u> | <u>Size</u> | <u>Constraints</u> | <u>Description</u>                                |
|-------------------|------------------|-------------|--------------------|---------------------------------------------------|
| tp_id             | Int              | 11          | Primary key        | Tourpackage id                                    |
| tp_name           | varchar          | 100         | Null               | Tourpackage name                                  |
| tp_dtls           | varchar          | 400         | Null               | Tourpackage details                               |
| tp_cost           | varchar          | 10          | Null               | Tourpackage cost                                  |
| tp_dur            | varchar          | 30          | Null               | Tourpackage duration                              |
| st_id             | Int              | 11          | Foreign key        | State id (refers to st_id of state_details table) |
| p_id              | Int              | 11          | Foreign key        | Place id (refers to p_id of place_details table)  |

## 10.5. SOFTWARE TESTING

Software Testing is an empirical investigation conducted to provide stakeholders with information about the quality of the product or service under test, with respect to the context in which it is intended to operate. Software Testing also provides an objective, independent views of the software to allow the business and understand the risk at implementation of the software. Test techniques include, but are not limited to, the process of executing a program or application with the intent of finding software bugs. It can also be stated as the process of validating and verifying that a software program/product meets the business and technical requirements that guided its design and development, so that it works as expected and can be implemented with the same characteristics.

Software Testing, depending on the testing method employed, can be implemented at any time in the development process, however the most test effort is employed after the requirements have been defined and coding process has been completed.

### 10.5.1. UNIT TESTING:

The primary goal of unit testing is to take the smallest piece of testable software in the application, isolate it from the remainder of the code and determine whether it behaves exactly as you expect. Each unit is tested separately before integration them into modules to test the interfaces between modules. Unit testing has proven its value in that a large percentage of detected are identified during its use.

Unit testing is software verification and validation method where the programmer gains confidence that individual units of source code are fit for use. A unit is the smallest testable part of an application. In procedural programming a unit may be individual program, function, procedure etc., while in object oriented programming, the smallest unit is class, which may belong to a base/super class, abstract class or derived/child class.

Ideally, each test case is independent from the others: substitute like method stubs, mock objects, fake and test harnesses can be used to assist testing a module in isolation. Unit tests are typically written and run by software developers to ensure that code meets its design and behaves as intended. Its implementation can vary from being very manual (pencil and paper) to being formalized as part of build automation.

## 10.5.2. INTEGRATION TESTING:

Integration Testing, also known as integration and testing (I & T), is a software development process which program units are combined and tested as groups in multiple ways. In this context, a unit is defined as the smallest testable part of an application. Integration testing can expose problems with interfaces among program components before trouble occurs in real-world program execution.

In this approach, all or most of the developed modules are coupled together to form a complete software system or major part of the system and then used for integration testing. The big bang method is very effective for saving time in the integration testing process. However, if the test cases and their results are not recorded properly, the entire integration process will be more complicated and may prevent the testing team from achieving the goal of integration testing.

A type of big bang Integration testing is called Usage Model testing. Usage Model Testing can be used in both software and hardware integration testing. The basis behind this type of Integration testing is to run user-like workloads in integrated user-like environments. In doing the testing in this manner, the environment is proofed, while the individual components are proofed indirectly through their use. Usage Model testing takes an optimistic approach to testing, because it expects to have few problems with the individual components. The strategy relies heavily on the component developers to do the isolated unit testing for their product. The goal of the strategy is to avoid redoing the testing done by the developers and instead flesh-out problems caused by the interaction of the components in the environment. For integration testing, Usage Model testing can be more efficient and provides better test coverage than traditional focused functional integration testing. To be more efficient and accurate, care must be used in defining the user-like workloads for creating realistic scenarios in exercising the environment. This gives confidence that the integrated environment will work as expected for the target customers.

### 10.5.3. VALIDATION TESTING

At the validation level, testing focuses on user visible actions and user recognizable output from the system. Validation testing is said to be successful when software functions in a manner that can be reasonably expected by the customer. Two type of validation testing-

- Alpha testing is simulated or actual operational testing by potencial users/customer or an independent test team at the developer's site. Alpha testing is often employed for off-the-shelf software as a form of internal acceptance testing, before the software goes to beta testing.
- Beta testing comes after Alpha testing. Versions of the software known as beta version, are released to a limited audience outside of the programming team. The software is released to groups of people so that further testing can ensure the product has few faults or bugs. Sometime, beta versions are made available to the open public to increase the feedback field to a maximal number of future users.
- Gray box testing is the combination of black box and white box testing. Intention of this testing is to find out defects related to bad design or bad implementation of the system.

## 10.5.4. Methodology Used For Testing

### Login

| Test Case No | Test Case Scenario  | Expected output         | Actual Output           | Remarks |
|--------------|---------------------|-------------------------|-------------------------|---------|
| 1            | Usertype left blank | Usertype does not match | Usertype does not match | Ok      |
| 2            | Email-id left blank | Email-id does not match | Email-id does not match | Ok      |
| 3            | Password left blank | Password does not match | Password does not match | Ok      |

The image shows three sequential screenshots of a web application's login page. Each screenshot has a title 'Login' and a link 'New User? Create Account' with a 'Sign-Up' button. Below this is a 'User Type' section with three radio buttons: 'Administrator', 'Customer', and 'Employee'. The first screenshot shows the 'Administrator' radio button selected. The second screenshot shows the 'Administrator' radio button selected and the 'Username' field filled with 'sayamsanyal@gmail.com'. The third screenshot shows the 'Administrator' radio button selected and the 'Username' field filled with 'arr@gmail.com'. All three screenshots show the 'Email-id' and 'Password' fields as empty text inputs, followed by a 'signin' button.

The image shows a JavaScript alert box with a title bar that says 'localhost says'. The message inside the box is 'usertype,email or password does not match'. There is a blue 'OK' button at the bottom right of the box.

## Contact Us

| Test Case No | Test Case Scenario   | Expected output           | Actual Output             | Remarks |
|--------------|----------------------|---------------------------|---------------------------|---------|
| 1            | Full Name left blank | Please fillout this field | Please fillout this field | Ok      |
| 2            | Address left blank   | Please fillout this field | Please fillout this field | Ok      |
| 3            | Mobile No left blank | Please fillout this field | Please fillout this field | Ok      |
| 4            | Email-id left blank  | Please fillout this field | Please fillout this field | Ok      |
| 5            | Query left blank     | Please fillout this field | Please fillout this field | Ok      |

### Your Feedback

**User Name \***  
Full Name

**Address \***  
Address

**Email id \***  
Email Id

**Mobile Number \***  
Mobile Number

**Query \***  
Type your Query Text

Submit

### Your Feedback

**User Name \***  
Full Name

**Address \***  
Address

**Email id \***  
Email Id

**Mobile Number \***  
Mobile Number

**Query \***  
Type your Query Text

Submit

## Cancellation Form

| Test Case No | Test Case Scenario | Expected output | Actual Output | Remarks |
|--------------|--------------------|-----------------|---------------|---------|
|              |                    |                 |               |         |

|   |                                             |                    |                    |    |
|---|---------------------------------------------|--------------------|--------------------|----|
| 1 | Going for cancella--<br>-tion without login | Please login first | Please login first | Ok |
|---|---------------------------------------------|--------------------|--------------------|----|

## Customer Registration Form


| Test Case No | Test Case Scenario   | Expected output           | Actual Output             | Remarks |
|--------------|----------------------|---------------------------|---------------------------|---------|
| 1            | Full Name left blank | Please fillout this field | Please fillout this field | Ok      |
| 2            | Mobile No left blank | Please fillout this field | Please fillout this field | Ok      |
| 3            | Email-id left blank  | Please fillout this field | Please fillout this field | Ok      |
| 4            | Password left blank  | Please fillout this field | Please fillout this field | Ok      |

## Tour Packages

| Test Case No | Test Case Scenario                        | Expected output    | Actual Output      | Remarks |
|--------------|-------------------------------------------|--------------------|--------------------|---------|
| 1            | User going to book packages without login | Please login first | Please login first | Ok      |

## Tour Conduction

| Test Case No | Test Case Scenario                            | Expected output    | Actual Output      | Remarks |
|--------------|-----------------------------------------------|--------------------|--------------------|---------|
| 1            | User going to click on book now without login | Please login first | Please login first | Ok      |



## Hotel Booking

| Test Case No | Test Case Scenario                     | Expected output    | Actual Output      | Remarks |
|--------------|----------------------------------------|--------------------|--------------------|---------|
| 1            | User going to book hotel without login | Please login first | Please login first | Ok      |

## 10.6. LIMITATION OF PROJECT

- ❖ This project is limited to the implementation of academic Interest.
- ❖ It requires further enhancement for this implementation in online.
- ❖ Because of the timing constraints we couldnot provide all the features that we wanted. The online payment system has not been fully implemented, currently we are accepting only the option for NEFT/DEBIT CARD. Therefore the administrator has to intervene. In future we would like to make this process automatic without involvement of the administrator.

## 11. OPERATIONAL OR USER MANUAL

- In browser we first write url  
<http://localhost/project%20final/php/home.php>
- Then automatically home page is opened.
- Click on **New User? Create Account** option for create new user.
- Existing users can Login & view all pages & book Hotels or Tour packages.
- Click on Explorable Places to see States -> Places -> Tourist Spots.
- Click on Tour Package details to see available tour packages.
- Click on Tour Conduction to see tour dates of tour packages.
- Click on the Hotel Booking option to view the hotel page location-wise.
- To see ac/non-ac rooms click on hotel names.
- For booking a tour package or hotel click Book Now Button.
- Then one payment page is opened.
- On the payment details form provide authenticated data and choose payment mode and finally Submit Button.
- For contact with us click Contact Us on Home page.
- For cancel booking click Home -> Rules of Cancellation -> Cancellation Form.
- To know About us click Home -> About us like fig:-3.

## 12. INPUT OUTPUT SCREEN DESIGN

Fig -1. Home Page







Fig -2. Login Page



**Fig -3. Logout Page**



**Fig -4. State Page**




Fig -5. Places Page



Fig -6. Touristspot Page




Fig -7. Tour Packages Page





Fig -8. Tour Date Page



**Fig -9. Package Booking Details Page**

HOME EXPLORABLE PLACES PACKAGE TOUR DETAILS CONTACT US

## Booking Form

Log Out

### CUSTOMER BOOKING INFORMATION

CUSTOMER ID: 3  
Package Name: DELHI  
BOOKING DATE: 1/1/2018

CLEAR SUBMIT

**Fig -10. Tour Packages Payment Page**

HOME EXPLORABLE PLACES PACKAGE TOUR DETAILS CONTACT US

## Payment Form

Log Out

### CUSTOMER PAYMENT INFORMATION

Customer Id: 3  
Payment Amount: Rs 12400  
PAYMENT DATE: \* 1/1/2018  
PAYMENT TYPE: \*  
☒ NEFT  
☐ DEBIT CARD

CLEAR CONFIRM

Fig -11. Tour Conduct Page

| Date       | Tour Package        | Duration          | Price    | Action |
|------------|---------------------|-------------------|----------|--------|
| 04/04/2018 | ANDAMAN             | 7 Days 6 Nights   | Rs.12000 | Select |
| 07/04/2018 | DELHI               | 10 Days 9 Nights  | Rs.12400 | Select |
| 16/10/2018 | ANDAMAN             | 7 Days 6 Nights   | Rs.12000 | Select |
| 30/05/2018 | RAJASTHAN-BIKANIR   | 14 Days 13 Nights | Rs.16700 | Select |
| 07/05/2018 | SHIMLA-KULU-MANALI  | 11 Days 10 Nights | Rs.12700 | Select |
| 07/10/2018 | ARAKU-VISAKHAPATNAM | 7 Days 6 Nights   | Rs.10000 | Select |

Fig -12. Hotel Booking details

CUSTOMER ID:  
BOOKING PERSON:  
BOOKING DATE:  
CHECK-IN:  
CHECK-OUT:

CLEAR

CONFIRM


Fig -13. Cancellation Details page

The screenshot displays the 'SS TRAVELS & HOTEL BOOKING' website. The navigation bar includes links for HOME, EXPLORABLE PLACES, PACKAGE TOUR DETAILS, and CONTACT US. A 'Log Out' button is visible in the top left. The main heading is 'BOOKING CANCELLATION FORM'. The form is set against a background of railway tracks receding into the distance. It contains two columns of input fields: the left column for 'CUSTOMER ID', 'HOTEL BOOKING ID', 'PAYMENT ID', 'CANCELLATION CHARGE', and 'REFUND AMOUNT' (with a 'CLEAR' button); and the right column for 'HOTEL BOOKING ID', 'PAYMENT ID', 'CANCELLATION CHARGE', and 'REFUND AMOUNT' (with a 'SUBMIT' button).


Fig -14. Customer Registration Form

The screenshot displays the 'Customer Form' section of the website. The navigation bar includes links for HOME, PACKAGE TOUR DETAILS, HOTEL BOOKING, and CONTACT US. The main heading is 'Customer Form'. The form is set against a pink and orange abstract background with glowing circles. It contains two columns of input fields: the left column for 'NAME', 'ADDRESS', 'Mobile', 'GENDER', 'E-mail Id', 'D.O.B', and 'PASSWORD' (with a 'CLEAR' button); and the right column for 'Full Name', 'Mobile Number', 'E-mail Id', and 'Password' (with a 'SUBMIT' button). The 'GENDER' section has radio buttons for 'MALE' and 'FEMALE', with 'MALE' selected. The 'D.O.B' section has dropdown menus for day, month, and year, with '1', '1', and '2020' selected respectively.

**Fig -15. About Us**



**Fig -16. Contact Us**



## **13. SYSTEM IMPLEMENTATION AND PROGRAM CODE**

## Home.php

### Source Code

```
<!DOCTYPE html>
<html lang="">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>index</title>
<link rel="stylesheet" type="text/css" href="..css/slink.css>
<style>

body{
background:url(..image/bg10.jpg);
background-attachment: fixed;
background-size: cover;
}

.note{
position: relative;
top:200px;
margin: 0 auto;
text-align: center;
height: 50px;
line-height: 50px;
}

.note a{
font-family: sans-serif;
font-size:26px;
letter-spacing: 5px;
text-decoration: none;
color:gold;
padding: 20px 50px;
background: linear-gradient(#292929,#000);
border-radius: 8px;
box-shadow: 0px 0px 4px 2px gold,0px 0px 20px gold;
transition: all 0.6s;
}

.note:hover a
{
color:gold;
```

```

background: linear-gradient(coral,gold);
box-shadow: 0px 0px 4px 2px #292929,inset 0px 0px 20px #292929;
color:#292929;
}
</style>
</head>

<body>
<nav>
<li><a href="about_us.php">About us</a></li>
<li><a href="contact_us.php">Contact Us</a></li>
<li><a href="state1.php">Explorable Places</a></li>
<li><a href="tourpackages.php">Tour Package Details</a></li>
<li><a href="tourconductions_details.php">Tour Conduction</a></li>
<li><a href="states.php">Hotel Booking</a></li>

</nav>
<header>
<h2>SS TRAVELS & HOTEL BOOKING</h2>

<div class="container">
<div class="left"></div>
<div class="right">
<div class="title"><h3>Login</h3></div>

<form method="post" action="cust_details.php" class="box">
<p>New User? Create Account</p>
<input type="submit" value="Sign-Up">
</form>

<div class="formbox">
<form method="post" action="login_form.php">
<p>User Type</p>

<div class="pos"><input type="radio" name="user_type" value="A">Administrator </div>
<div class="pos"><input type="radio" name="user_type" value="C">Customer</div>
<div class="pos"><input type="radio" name="user_type" value="E">Employee</div>

<p>Username</p>
<input type="text" id="user" name="user" placeholder="Email-id">
<p>Password</p>
<input type="password" id="pass" name="pass" placeholder="Password">
<input type="submit" name="" value="signin">
</form>

</div>
</div>

```

</header>

<div class="note" style="margin:10px" ><a href="[rules of cancellation.php](#)">Rules Of  
Cancellation</a></div>

</body>

</html>

## slink.css

```
*{
margin: 0;
padding: 0;
}

nav{
width: 100%;
height: 60px;
line-height: 60px;
background: linear-gradient(#000,#333);
position: fixed;
z-index: 5;
}

nav ul
{
list-style: none;
}

nav li{
display: inline-block;
margin: 0 2%;
padding: 0 1.5%;
transition:all 0.6s;
}

nav li:hover{
background: linear-gradient(#666,transparent);
}
nav li:hover a{
color: darkorange;
}

nav a{
text-decoration: none;
color:#efefef;
font-size: 14px;
font-family: sans-serif;
text-transform: uppercase;
transition:all 0.6s;
}

header{
height:100vh;
padding-top: 50px;
display: block;
margin: 0 auto;
```

```

z-index: 0;
box-sizing: border-box;
}

.container .left
{
width:50%;
float: left;
height: 550px;
background: url(../image/mugbg.png);
background-size: cover;
box-sizing: border-box;
}

header h2{

margin: 20px auto;
z-index: 12;
font-family: sans-serif;
font-size: 2em;
color: #efefef;
padding-top: 50px;
text-align: center;
text-shadow: 4px 3px 2px #000;
}

.container{
position: relative;
width: 70%;
height: 550px;
background: #fff;
margin: 0 auto;
top:20%;
border:2px solid #fff;
box-shadow: 0 15px 40px rgba(0,0,0,0.5);
}

.container .right
{
width:50%;
float: right;
height: 550px;
box-sizing: border-box;
}

.formbox p
{
margin: 20px 0;
padding: 0;
font-weight: bold;
color:#e67e22;
}

```

```
.formbox input{
margin-bottom: 20px;
}
```

```
.formbox p,.box p
{
margin: 10px 0;
padding: 0;
font-weight: bold;
color:#e67e22;
}
```

```
.box p{
text-align: center;
}
.formbox input, .box input, {
margin-bottom: 20px;
```

```

}
.formbox
{ margin: 0 auto;
width: 100%;
padding: 30px;
box-sizing: border-box;
height: 600px !important;
}
```

```
.formbox input,.box input {
margin-bottom: 10px;
width: 100%;
}
```

```
.box input{
position: relative;
left: 20%;
margin: 0 auto;
width: 60%;
}
```

```
.formbox input[type="text"],
.formbox input[type="password"]
{
border: none;
border-bottom: 2px solid #e67e22;
outline: none;
height: 30px;
}
```

```
.formbox input[type="text"]:focus
.formbox input[type="password"]:focus
```

```

{
border-bottom: 2px solid orangered;
}

.box a
{
padding: 10px 20px;
text-decoration: none;
margin-left: 5%;
border-radius: 8px;
box-shadow: 0px 0px 14px 3px #e67e22;
height: 40px;
color: #efefef;
border: none;
outline: none;
height: 40px;
}
.formbox input[type="submit"], .box input[type="submit"], .box a

{
border: none;
outline: none;
height: 40px;
color: #efefef;
margin-top: 20px;

background-color: #292929;
}

.formbox input[type="submit"]:hover{
background-color: #e67e22;
}

.right .title
{
text-align: center;
color: #444;
font-family: sans-serif;
padding: 20px 0;
font-weight: normal;
}

.formbox input[type="radio"]
{
margin: 0;
display: inline-block;
margin-bottom: 15px;
}

.pos{
display: inline-block;
margin: 0 20px;
font-family: sans-serif;
}

```

## Login\_form.php

### Source Code

```
<?php
    session_start();

?>

<html>
<head>
</head>
<body>
<?php

$user=$_POST["user"];
$pass=$_POST["pass"];
$user_type=$_POST["user_type"];
$flag=0;

$link = mysqli_connect("localhost", "root", "", "travel_hotel_book");

/* check connection */
if (mysqli_connect_errno()) {
    printf("Connect failed: %s\n", mysqli_connect_error());
    exit();
}
$query="select ";

if($user_type=="C"){
    $query .= "c_id, c_name from customer_details where c_email='$user' and c_pswd='$pass'";
}
else if($user_type=="A"){
    $query .= "emp_id, emp_name from employee_details where emp_email='$user' and
emp_pswd='$pass' and emp_type='A'";
}
else if($user_type=="E"){
    $query .= "emp_id, emp_name from employee_details where emp_email='$user' and
emp_pswd='$pass' and emp_type='E'";
}
// echo "$query<br>";
if ($result = mysqli_query($link, $query)) {
    /* fetch associative array */
    while ($row = mysqli_fetch_row($result)) {

        //echo "c_id is $row[0]";
        if(!isset($_SESSION['c_id'])){
            $_SESSION['c_id']=$row[0];
            $_SESSION['c_name']=$row[1];
        }
    }
}
```

```

        $flag=1;
    }
    /* free result set */
    mysqli_free_result($result);
}

/* close connection */
mysqli_close($link);
if($flag==1){
?>
<script type="text/javascript">
        /*alert("Login Successful");*/
        window.location.href="home.php";
</script>
<?php
} else {

?>
<script type="text/javascript">
alert("usertype,email or password does not match");
window.location.href="home.php";
</script>
<?php
}
?>
</body>
</html>

```

## About\_us.php

### Source code

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>About Us</title>

<link rel="stylesheet" type="text/css" href="..css/slink.css>
<style type="text/css">

body{
background:url(..image/unsplash1.jpg);
background-attachment: fixed;
background-size: cover;
}

.about{
position: relative;

z-index: 3;
top:60px;
}

.about h2
{
position: relative;
text-align: center;
font-family: sans-serif;
font-size: 3.5em;
color: crimson;
text-shadow: 4px 3px 2px #000;
}

.about p{
margin: 5% ;
font-family: sans-serif;
font-size: 18px;
line-height: 30px;
}

.banner h1{

margin: 0 auto;
position: relative;
top: 40px;
```

```

height: 100px;
line-height: 100px;
background: url(../image/cover.jpg) ;
background-size: cover;
background-position: center;
color: #efefef;
font-size: 50px;
padding: 10px 0;
font-family: sans-serif;
font-weight: normal;
text-align: center;
margin-bottom: 2%;
}
</style>
</head>
<body background="../image/s1.jpg">
<nav>
<ul>
<li><a href="home.php"><b>Home</b></a></li>
<li><a href="state1.php"><b>Explorable Places</b></a></li>
<li><a href="tourpackages.php"><b>Package Tour Details</b></a></li>
<li><a href="states.php"><b>Hotel Booking</b></a></li>
</ul>
</nav>

<div class="banner">
<h1>SS TRAVELS & HOTEL BOOKING</h1>
</div>
<div class="about">
<h2>About Us</h2>
<p>SS Tours & Travels, the vanguard of Indian Tourism Industries. Over years and decades this organisation has conducted thousands of tour programmes earning lofty blessings of countless tourists. The fame of this organisation is not confined to this region only, it has spread in various states of India and even among the non residents. Because of its familiarity.</p>
<p>Besides, this very name has also found place in various writings of newspapers like Anandobazaar Patrika, Bartoman Patrika, Protidin also echoed this organisation in their very many writings. The list of clientele of "JP Tours & Travels" includes large number of celebrities through generations. The capital of endearing loves, warm affection and profound goodwill of innumerable tourists just prompt us even today after seventy six years to stride ahead further with determination to offer still better and more attractive services.</p>
<p>Thanks For Visiting Our Page.</p>
</div> </body></html>

```

## Cust\_details.php

### Source Code

```
<html>
<head>
<meta charset="utf-8">
<title>Contact Us</title>
<link rel="stylesheet" type="text/css" href="..css/slink.css>
<style type="text/css">

header{
background:url(..image/s3.jpg);
background-attachment: fixed;
background-size: cover;
height: auto;
padding: 10% 0;
}

.container{
position: relative;
width: 65%;
}

.container,.formbox
{
height: 550px;
}

.container .left, .container .right{
height: inherit;
}

.formbox{
padding: 40px;
}

.formbox input{
margin-bottom: 10px;
width: 100%;
}

.formbox input[type="text"]
```

```

{
border: none;
border-bottom: 2px solid #e67e22;
outline: none;
height: 30px;
}

.formbox input[type="text"]:focus
{
border-bottom: 2px solid orangered;
}

.formbox input[type="submit"]
{
border: none;
outline: none;
height: 40px;
color: #efefef;
margin-top: 20px;
background-color: #292929;
}

.formbox input[type="submit"]:hover{
background-color: #e67e22;
}

.banner h1{

margin: 0 auto;
position: relative;
top: -75px;
height: 100px;
line-height: 100px;
background: url(../image/cover.jpg) ;
background-size: cover;
background-position: center;
color: #efefef;
font-size: 50px;
padding: 10px 0;
font-family: sans-serif;
font-weight: normal;
text-align: center;

```

```

margin-bottom: 2%;
}
header h2{
position:relative;
left:-35%;
text-align: center;
top:10%;
margin: 0 auto;
z-index: 12;
font-family: sans-serif;
font-size: 1.5em;
color: #292929;
text-shadow:none;
}
.formbox p
{
margin: 5px 0;
padding: 0;
font-weight: bold;
color:#e67e22;
}
</style>
</head>
<body>
<nav>
<ul>
<li><a href="home.php">Home</a></li>
<li><a href="places.php">Package Tour Details</a></li>
<li><a href="tourpackages.php">Hotel Booking</a></li>
<li><a href="states.php">Contact Us</a></li>
</ul>
</nav>
<header>
<div class="banner">
<h1>Customer Form</h1>
</div>
<br>
<div style="font-size:36px; text-align:center; line-height:34px"><i><center>Customer Registration

```

```
Form</center>
</i></div><br>
<center><form action="customer_details.php">
<table align="center" width="70%" border="0" cellspacing="7" cellpadding="7">
<tr>
<td>NAME:</td>
<td><input type="text" name="m_name" id="m_name" placeholder="Full Name"
required/></td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>ADDRESS:</td>
<td colspan="2"><textarea name="addr" cols="30" rows="1" placeholder="Address" required>
</textarea></td>
<td>&nbsp;</td>
</tr>
<tr>
<td>Mobile:<td><input type="text" id="m_mob" name="m_mob" placeholder="Mobile Number"
required/></td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>GENDER:</td>
<td>
<input type="radio" name="gen" value="male" checked="checked" />
MALE&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~
<input type="radio" name="gen" value="female" />
FEMALE</td>
</tr>
<tr>
<td>E-mail Id: </td>
<td><input type="email" name="email" placeholder="E-mail Id" required/></td>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td>D.O.B:</td>
```

```

<td>
<select name="DD">
<script type="text/javascript">
for(i=0; i<31; i++){
document.write("<option>" + (i+1) + "</option>");
}
</script>
</select>
<select name="MM">
<script type="text/javascript">
for(i=0; i<12; i++){
document.write("<option>" + (i+1) + "</option>");
}
</script>
</select>
<select name="YY">
<script type="text/javascript">
for(i=2020; i>=1955; i--){
document.write("<option>" + i + "</option>");
}
</script>
</select></td>

</tr>

<tr>
<td>PASSWORD:</td>
<td><input type="text" name="pswd" id="pswd" placeholder="Password" required/></td>
</tr>

<tr>
<td><center><input type="reset" value="CLEAR" class="buttons"/></center></td>
<td><center><input type="submit" value="SUBMIT" class="buttons"/></center></td>
</tr>
</table>
<form/></center>
</body>
</html>

```

## Contact\_us.php

### Source Code

```
<!doctype html>
<html>
<head>
<meta charset="utf-8">
<title>Contact Us</title>
<link rel="stylesheet" type="text/css" href="..css/slink.css>
<style type="text/css">

header{
background:url(../image/s3.jpg);
background-attachment: fixed;
background-size: cover;
height: auto;
padding: 10% 0;
}

.banner h1{

margin: 0 auto;
position: relative;
top: -75px;
height: 100px;
line-height: 100px;
background: url(../image/cover.jpg) ;
background-size: cover;
background-position: center;
color: #efefef;
font-size:50px;
padding: 10px 0;
font-family: sans-serif;
font-weight: normal;
text-align: center;
margin-bottom: 2%;
}

header h2{
position:relative;
```

```

text-align: center;
top:0%;
margin: 0 auto;
z-index: 12;
font-family: sans-serif;
font-size: 1.5em;
color: #292929;
text-shadow:none;
}

.formbox p
{
margin: 5px 0;
padding: 0;
font-weight: bold;
color:#e67e22;
}

</style>
</head>
<body>
<nav>
<ul>
<li><a href="home.php">Home</a></li>
<li><a href="places.php">Explorable Places</a></li>
<li><a href="tourpackages.php">Package Tour Details</a></li>
<li><a href="states.php">Hotel Details</a></li>
</ul>
</nav>
<header>
<div class="banner">
<h1>Contact Us</h1>
</div>

<div class="container">
<div class="left"></div>
<div class="right">
<h2>Your Feedback</h2>
<div class="formbox">
<form method="post" action="#">

```

```
<p>User Name
<span class="req">* &nbsp;&nbsp;&nbsp;</span></p>
<input type="text" name="user" placeholder="Full Name" required>
<p>Address
<span class="req">* &nbsp;&nbsp;&nbsp;</span></p>
<input type="text" name="address" placeholder="Address" required>
<p>Email id
<span class="req">* &nbsp;&nbsp;&nbsp;</span></p>
<input type="text" name="email" placeholder="Email Id" required>
<p>Mobile Number
<span class="req">* &nbsp;&nbsp;&nbsp;</span></p>
<input type="text" name="mobile" placeholder="Mobile Number" required>
<p>Query
<span class="req">* &nbsp;&nbsp;&nbsp;</span></p>
<input type="text" name="query" placeholder="Type your Query Text" required>
<br>
<input type="submit" name="" value="Submit">
</form>
</div>
</div>
</div>
</header>
</body>
</html>
```

## State1.php

### Source Code

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>States</title>
<link rel="stylesheet" type="text/css" href="..css/slink.css>
<style type="text/css">
body{
background:url(..image/unsplash11.jpg);
background-attachment: fixed;
background-size: cover;
}
#container{
width:1000;
margin:auto;
padding:0px;
/*background-color:#FFF;*/
}
table{
margin-top: 5%;
width: 100%;
text-align: justify;
}
img{
width:200px;
height:200px;
}
td.lf{
width:150px;
margin-left:0px;
padding-left:0px;
text-align:center;
}
td p{
```

```

margin: 10px;
font-size: 18px;
text-align: justify;
}
td.rt{
background:linear-gradient(rgba(110,182,40,1),transparent);
padding:20px;
margin: 15px;
font-size:20px;
color:#000000;
text-align: justify;
}
td a{
text-decoration: none;
color:firebrick;
line-height: 50px;
display: block;
transition: all 0.6s;
font-size: 14px;
font-family: sans-serif;
}
td a:hover
{
color: deeppink;
background: khaki;
}
.data{
width:600px;
break-after:right;
text-wrap:unrestricted;
}
</style>
</head>
<body>

<nav >
<ul>
<li><a href="home.php">Home</a></li>

```

```

<li><a href="tourpackages.php">Package Tour Details</a></li>
<li><a href="states.php">Hotel Booking</a></li>
<li><a href="contact_us.php">Contact Us</a></li>
</ul>
</nav>
<div class="banner">
<h1>Discover By States</h1>
</div>
<br/><br/>
<div id="container" >

<table align=center ><tr><td class="lf"> <a href="places.php?val=1"><br>Andaman & Nicobar Island</a></td><td class="rt"><p>In
Andaman and Nicobar Islands, Port Blair is the capital city of this Union Territory of India, located
in the east coast of Southern Andaman Island and serves as the main gateway to enter the
Andaman and Nicobar Islands.</p></td>
<td class="lf"> <a href="places.php?val=2"><br>Andhrapradesh</a></td><td class="rt"><p>The State of Andhra Pradesh comprises like
scenic hills, forests, beaches and temples. Also known as The City of Pearls, Hyderabad is one of
the most developed cities in the country and a modern hub of information technology, IT and
biotechnology.</p></td></tr>
<tr><td class="lf"> <a href="places.php?val=3"><br>Delhi</a></td><td class="rt"><p>Delhi is the capital union territory of India. A fine blend of
old and new, Delhi is a melting pot of cultures and religions. Sir Derp Derpington declared Delhi as
contributing in fields of Architecture, landmarks etc. Delhi has been the capital of numerous
empires that ruled India, making it rich in history.</p></td>
<td class="lf"> <a href="places.php?val=4"><br>Gujarat &
Rajasthan</a></td><td class="rt"><p>Gujarat, the seventh largest state in India, located in the
western part of India with a coastline of 1600 km. Gujarat offers scenic beauty from Great Rann of
Kutch to the hills of Satpura. Gujarat is the sole home of the pure Asiatic Lions and is considered
to be one of the most important protected areas in Asia.</p></td></tr>
</table>

</div>
</body>
</html>

```

## Places.php

### Source Code

```
<html>
<head>
<meta charset="utf-8">
<title>Contact Us</title>
<link rel="stylesheet" type="text/css" href="..css/slink.css>
<style type="text/css">

body{
background:url(..image/starfish.jpg);
background-attachment: fixed;
background-size: cover;
}
#container{
width:80%;
margin:15px auto;
padding:0px;
}
img{
width:140px;
height:150px;
}
td.lf{
width:150px;
margin-left:0px;
padding-left:0px;
background-color:#999900;
text-align:center;
}
td.mid
{
width:270px;
margin-left:0px;
padding:0px 5px;
background:linear-gradient(#CCC,transparent);
```

```

text-align:center;
font-size:12px;
font-family:Arial, Helvetica, sans-serif;
}
td.rt{
width:50px;
background:linear-gradient(#339000,transparent);
padding:20px;
font-size:14px;
color:#000000;
}
.rtt
{
width:260px;
height:90px;
margin:0px;
padding:0px 5px;
padding-bottom:10px;
text-align:justify;
word-break:break-all;
word-wrap:break-word;
text-wrap:unrestricted;
-ms-word-break:break-all;
-ms-word-wrap:break-word;
-ms-text-wrap:unrestricted;
-webkit-word-break:break-all;
-webkit-word-wrap:break-word;
-webkit-text-wrap:unrestricted;
}
#logout{
position:absolute;
z-index:900;
top:125px;
left:910px;
width:90px;
height:30px;
backface-visibility:visible;
}

```

```

h1{
margin: 0 auto;
position: relative;
top: 10px;
height: 100px;
line-height: 100px;
background: url(../image/cover.jpg) ;
background-size: cover;
background-position: center;
color: #efefef;
font-size:50px;
padding: 10px 0;
font-family: sans-serif;
font-weight: normal;
text-align: center;
margin-bottom: 2%;
}

.data{
width:600px;
break-after:right;
text-wrap:unrestricted;
}

table{
margin-top: 5%;
width: 100%;
text-align: justify;
}

.box a
{
padding: 10px 20px;
text-decoration: none;
margin-left: 5%;
border-radius: 8px;
box-shadow:0px 0px 14px 3px #e67e22;
height: 40px;
color:#efefef;
}
</style>

```

```

</head>
<body>
<nav>
<ul>
<li><a href="home.php">Home</a></li>
<li><a href="places.php">Package Tour Details</a></li>
<li><a href="tourpackages.php">Hotel Details</a></li>
<li><a href="contact_us.php">Contact Us</a></li>
</ul>
</nav>
<header>
<div class="banner">
<h1>Explorable Places</h1>
</div>
<br/><br/>
<div id="container" >

<table width=1000px align=center ><tr><td class="lf"> <a href="touristspots_details.php?val=1">
<br>PORT BLAIR</a></td><td class="rt"><div class="rtt">PORT
BLAIR<br><b>Port Blair</b> is the largest town and a municipal council in Andaman district in
the Andaman Islands and the capital of the Andaman and Nicobar Islands,a union territory of
India.</div></td>
<td class="lf"> <a href="touristspots_details.php?val=2">
<br>VISAKHAPATNAM/VIZAG</a></td><td class="rt"><div
class="rtt">VISAKHAPATNAM/VIZAG<br><b>The golden beaches at Visakhapatnam</b>, the one
million year old limestone caves at Borra, picturesque Araku Valley, hill resorts of Horsley Hills,
river Godavari racing through a narrow gorge at Papi Kondalu, waterfalls at Ettipotala, Kuntala
and rich bio-diversity at Talakona, are some of the natural attractions of the
state.</div></td></tr>
<tr><td class="lf"> <a href="touristspots_details.php?val=3">
<br>NEW DELHI-AGRA-MATHURA-VRINDAVAN</a></td><td
class="rt"><div class="rtt">NEW DELHI-AGRA-MATHURA-VRINDAVAN<br><b>Delhi</b> is the
capital union territory of India. New Delhi is famous for its British colonial architecture and tree-
lined boulevards. Delhi is home to numerous political landmarks, national museums, Islamic
shrines, Hindu temples.</div></td>
<td class="lf"> <a href="touristspots_details.php?val=4">
<br>AHMEDABAD-JAIPUR-BIKANER-JAISALMIR.</a></td><td
class="rt"><div class="rtt">AHMEDABAD-JAIPUR-BIKANER-JAISALMIR.<br><b>Ahmdabad</b> is
the largest city and former capital of the western Indian state of Gujarat. it is the sixth-largest city
and seventh-largest metropolitan area of India.
<b>Jaipur</b> is the capital and largest city of the Indian state of Rajasthan in Northern India.
<b>Bikaner</b> is a city in the northwest of the state of Rajasthan in northern

```

```

India.</div></td></tr>
<tr><td class="lf"> <a href="touristspots_details.php?val=5">
<br>SHIMLA-KULU-MANALI-AMRITSAR</a></td><td
class="rt"><div class="rtt">SHIMLA-KULU-MANALI-AMRITSAR<br/><b>Shimla</b> is the capital
city of Himachal Pradesh India.
<b>Kulu</b> is the capital town of the Kullu District in the Indian state of Himachal Pradesh.
<b>Manali</b> is a hill station nestled in the mountains of the Indian state of Himachal Pradesh.
<b>Amritsar</b> is one of the largest cities of the Punjab state in India.</div></td>
<td class="lf"> <a href="touristspots_details.php?val=6">
<br>SRINAGAR</a></td><td class="rt"><div
class="rtt">SRINAGAR<br/><b>Srinagar</b> is the summer capital of the Indian state of Jammu
and Kashmir. It lies in the Kashmir Valley on the banks of the Jhelum River, a tributary of the
Indus. The city is famous for its gardens, lakes and houseboats. It is also known for traditional
Kashmiri handicrafts and dried fruits.</div></td></tr>
</table>
</div>
</body>
</html>

```

## Touristspots\_details.php

### Source Code

```
<html>
<head>
<meta charset="utf-8">
<title>Contact Us</title>
<link rel="stylesheet" type="text/css" href="..css/slink.css>
<style type="text/css">
body{
background:url(..image/starfish.jpg);
background-attachment: fixed;
background-size: cover;
}
.banner h1{

margin: 0 auto;
position: relative;
top: 0px;
height: 100px;
line-height: 100px;
background: url(..image/cover.jpg) ;
background-size: cover;
background-position: center;
color: #efefef;
font-size:50px;
padding: 10px 0;
font-family: sans-serif;
font-weight: normal;
text-align: center;
margin-bottom: 2%;
}
table{
margin:5% auto;
width: 90%;
text-align: justify;
```

```

}
td img
{
width: 200px;
height: 150px;
padding: 10px;
}
.lf{
padding: 20px;
width: 60%;
font-size: 20px;
text-align: left;
line-height: 25px;
background:linear-gradient(rgba(110,182,40,1),transparent);
}
.box a
{
padding: 10px 20px;
text-decoration: none;
margin-left: 5%;
border-radius: 8px;
box-shadow:0px 0px 14px 3px #e67e22;
height: 40px;
color:#efefef;
}
</style>
</head>
<body>
<nav>
<ul>
<li><a href="home.php">Home</a></li>
<li><a href="places.php">Explorable Places</a></li>
<li><a href="tourpackages.php">Package Tour Details</a></li>
<li><a href="contact\_us.php">Contact Us</a></li>
</ul>
</nav>
<header>
<div class="banner">

```

<h1>Tourist Spots</h1>

</div>

<div id="content">

<table border='1' align=center ><tr><td class="lf"> 1. Cellular Jail.<br/>The Cellular jail, declared a National Memorial,is located at Port Blair which had stood as a mute witness to the most brutal and barbaric atrocities meted out to national freedom fighters.</td><td></td>

<td class="lf"> 2. Ross Island<br/>This small island, less than a square kilometer stands right across Port Blair.To reach Ross Island, private ferries are available from Aberdeen Jetty except on Wednesday.</td><td></td></tr><br>

<tr><td class="lf"> 3. Viper Island<br/>This island derives its name from the vessel Viper in which Lt. Archibald Blair came in 1768 with the purpose of establishing a penal settlement.</td><td></td>

<td class="lf"> 4. Carbyn's Cove Beach<br/>The coconut-palm fringed beach, six kilometers away from Port Blair town is ideal for swimming and sun-basking. Adventure water-sports are available here.</td><td></td></tr><br>

</table>

</div>

</div>

</body>

</html>

## Tourpackages.php

### Source Code

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Tour Packages</title>
<link rel="stylesheet" type="text/css" href="..css/slink.css>

<style type="text/css">
body{
background:url(..image/unsplash7.jpg);
background-attachment: fixed;
background-size: cover;
}
#container{
width:80%;
margin:15px auto;
padding:0px;
}
img{
width:140px;
height:150px;
}
td.lf{
width:150px;
margin-left:0px;
padding-left:0px;
background-color:#999900;
text-align:center;
}
td.mid
{
width:270px;
margin-left:0px;
padding:0px 5px;
background:linear-gradient(#CCC,transparent);
```

```

text-align:center;
font-size:12px;
font-family:Arial, Helvetica, sans-serif;
}
td.rt{
width:50px;
background:linear-gradient(#339000,transparent);
padding:20px;
font-size:14px;
color:#000000;
}
.rtt
{
width:260px;
height:90px;
margin:0px;
padding:0px 5px;
padding-bottom:10px;
text-align:justify;
word-break:break-all;
word-wrap:break-word;
text-wrap:unrestricted;
-ms-word-break:break-all;
-ms-word-wrap:break-word;
-ms-text-wrap:unrestricted;
-webkit-word-break:break-all;
-webkit-word-wrap:break-word;
-webkit-text-wrap:unrestricted;
}

h1{
margin: 0 auto;
position: relative;
top: 60px;
height: 100px;
line-height: 100px;
background: url(../image/cover.jpg) ;
background-size: cover;

```

```

background-position: center;
color: #efefef;
font-size:50px;
padding: 10px 0;
font-family: sans-serif;
font-weight: normal;
text-align: center;
margin-bottom: 2%;
}
.data{
width:600px;
break-after:right;
text-wrap:unrestricted;
}
table{
margin-top: 5%;
width: 100%;
text-align: justify;
}
</style>
</head>
<body>

<nav >
<ul>
<li><a href="home.php">Home</a></li>
<li><a href="state1.php">Explorable Places</a></li>
<li><a href="states.php">Hotel Booking</a></li>
<li><a href="contact_us.php">Contact Us</a></li>
</ul>
</nav>

<h1>Tour Packages</h1>
<br/><br/>
<br>
<div id="container">

<table align=center ><tr><td class="lf"> <br>ANDAMAN</a></td><td class="mid"><a
href="touristspots_details.php?val=1">ANDAMAN</a><br/><div class="rtt">Port Blair to Port

```

Blair: havlock (same day <br>return).covering Chatham Sawmill, Forest<br> Museum, Mini Zoo, Anthropological Museum,<br> Samudrika, Viper Island, Ross Island, Corbyn's <br>Cave, Red Skin, Cellular Jail with light<br> and sound, Wandoor Beach etc.</div><br> <a href="tourdate\_details.php?tp\_id=1">BOOK NOW</a></td>

<td class="rt"><br><br>7 Days 6 Nights<br>Rs.12000</td>

<td class="lf"> <br>ARAKU-VISAKHAPATNAM</a></td><td class="mid"><a href="touristspots\_details.php?val=2">ARAKU-VISAKHAPATNAM</a><br><div class="rtt">HWH-VSKP-HWH by train, VSKP-ARAKU-VSKP by train,Araku, Bora Caves, Visakhapatnam & local.</div><br> <a href="tourdate\_details.php?tp\_id=2">BOOK NOW</a></td>

<td class="rt"><br><br>7 Days 6 Nights<br>Rs.10000</td></tr>

<tr><td class="lf"> <br>DELHI</a></td><td class="mid"><a href="touristspots\_details.php?val=3">DELHI</a><br><div class="rtt">HWH-DELHI by train and other by bus/car.AGRA(2N),covering MATHURA,BRINDAVAN(2N),DELHI(2D) covering local.</div><br> <a href="tourdate\_details.php?tp\_id=3">BOOK NOW</a></td>

<td class="rt"><br><br>10 Days 9 Nights<br>Rs.12400</td>

<td class="lf"> <br>GUJARAT-DIU-KUTCH</a></td><td class="mid"><a href="touristspots\_details.php?val=4">GUJARAT-DIU-KUTCH</a><br><div class="rtt">HWH-ADI-HWH by train,Ahmedabad(1N),Somnath(1N),(Gir forest safari), Dwarka(2N), Okha, Porbandar, Gandhidham, Bhuj(3N) covering Rann of Kutch etc, Jamnagar(1N).</div><br> <a href="tourdate\_details.php?tp\_id=4">BOOK NOW</a></td>

<td class="rt"><br><br>15 Days 14 Nights<br>Rs.17500</td></tr>

</table>

</div>

</body>

</html>

## Tourdate\_details.php

### Source Code

```
<html>
<head>
<meta charset="utf-8">
<title>Tour Packages</title>
<link rel="stylesheet" type="text/css" href="..css/slink.css>
<style type="text/css">

body{
background:url(..image/unsplash12.jpg);
background-attachment: fixed;
background-size: cover;
}

header
{
padding-top: 10%;
}

.container{
position: relative;
width: 65%;
}

.container,.formbox
{
height: 550px;
}

.container .left, .container .right{
height: inherit;
}

.formbox{
padding: 40px;
}

.formbox input{
margin-bottom: 10px;
width: 100%;
```

```

}
.formbox input[type="text"]
{
border: none;
border-bottom: 2px solid #e67e22;
outline: none;
height: 30px;
}
.formbox input[type="text"]:focus
{
border-bottom: 2px solid orangered;
}
.formbox input[type="submit"]
{
border: none;
outline: none;
height: 40px;
color: #efefef;
margin-top: 20px;
background-color: #292929;
}
.formbox input[type="submit"]:hover{
background-color: #e67e22;
}
.banner h1{

margin: 0 auto;
position: relative;
top: -80px;
height: 100px;
line-height: 100px;
background: url(../image/cover.jpg) ;
background-size: cover;
background-position: center;
color: #efefef;
font-size: 50px;
padding: 10px 0;
font-family: sans-serif;

```

```

font-weight: normal;
text-align: center;
margin-bottom: 2%;
}
header h2{
position:relative;
left:-35%;
text-align: center;
top:10%;
margin: 0 auto;
z-index: 12;
font-family: sans-serif;
font-size: 1.5em;
color: #292929;
text-shadow:none;
}
.formbox p
{
margin: 5px 0;
padding: 0;
font-weight: bold;
color:#e67e22;
}
table{
margin: 0 auto;
margin-top: 5%;
width: 50%;
text-align: center;
}
.lf{
padding: 20px;
width: 60%;
height: 20vh;
font-size: 20px;
text-align: left;
line-height: 25px;
background:linear-gradient(rgba(110,182,40,1),transparent);
}

```

```

</style>
</head>
<body>
<nav>
<ul>
<li><a href="home.php">Home</a></li>
<li><a href="places.php">Explorable Places</a></li>
<li><a href="tourpackages.php">Hotel Details</a></li>
<li><a href="contact\_us.php">Contact Us</a></li>
</ul>
</nav>
<header>
<div class="banner">
<h1>Tour Packages</h1>
</div>
<br>
<div id="container">
<table align=center><tr><td class="lf"> 04/04/2018<br></td><td class="lf">ANDAMAN<br>7
Days 6 Nights<br>Rs.12000<br></td>
<td class="rt"> <div class="box"><a
href="bookings\_details.php?tc\_id=1&pname=ANDAMAN&price=Rs.12000">Select</a></div></td>
</tr><tr><td class="lf"> 16/10/2018<br></td><td class="lf">ANDAMAN<br>7 Days 6
Nights<br>Rs.12000<br></td>
<td class="rt"> <div class="box"><a
href="bookings\_details.php?tc\_id=3&pname=ANDAMAN&price=Rs.12000">Select</a></div></td>
</tr>
</table>
</div>
</body>
</html>

```

## Bookings\_details.php

### Source Code

```
<html>
<head>
<meta charset="utf-8">
<title>Contact Us</title>
<link rel="stylesheet" type="text/css" href="..css/slink.css>
<style type="text/css">

header{
background:url(..image/s3.jpg);
background-attachment: fixed;
background-size: cover;
height: auto;
padding: 10% 0;
}

.container{
position: relative;
width: 65%;
}

.container,.formbox
{
height: 550px;
}

.container .left, .container .right{
height: inherit;
}

.formbox{
padding: 40px;
}

.formbox input{
margin-bottom: 10px;
width: 100%;
}

.formbox input[type="text"]
```

```

{
border: none;
border-bottom: 2px solid #e67e22;
outline: none;
height: 30px;
}

.formbox input[type="text"]:focus
{
border-bottom: 2px solid orangered;
}

.formbox input[type="submit"]
{
border: none;
outline: none;
height: 40px;
color: #efefef;
margin-top: 20px;
background-color: #292929;
}

.formbox input[type="submit"]:hover{
background-color: #e67e22;
}

.banner h1{

margin: 0 auto;
position: relative;
top: -70px;
height: 100px;
line-height: 100px;
background: url(../image/cover.jpg) ;
background-size: cover;
background-position: center;
color: #efefef;
font-size: 50px;
padding: 10px 0;
font-family: sans-serif;
font-weight: normal;
text-align: center;

```

```

margin-bottom: 2%;
}
header h2{
position:relative;
left:-35%;
text-align: center;
top:10%;
margin: 0 auto;
z-index: 12;
font-family: sans-serif;
font-size: 1.5em;
color: #292929;
text-shadow:none;
}
.formbox p
{
margin: 5px 0;
padding: 0;
font-weight: bold;
color:#e67e22;
}
</style>
</head>
<body>
<nav>
<ul>
<li><a href="home.php">Home</a></li>
<li><a href="places.php">Explorable Places</a></li>
<li><a href="tourpackages.php">Package Tour Details</a></li>
<li><a href="contact_us.php">Contact Us</a></li>
</ul>
</nav>
<header>
<div class="banner">
<h1>Booking Form</h1>
</div>
<div id="container">
<div class="box">

```

```

<a href="logout.php">Log Out</a></div>
<div class="slide">
<table width="50%" border="0" cellpadding="10">
<caption ><div style="font-size:36px; text-align:center; line-height:34px; padding-
bottom:30px"><i><center>CUSTOMER BOOKING INFORMATION</center></i></div></caption>
<form action="payments1_details.php">
<tr>
<td><label>CUSTOMER ID:</label></td>
<td>
<label>
3</label>
</td>
</tr>
<tr>
<td><label>Package Name:</label></td>
<td>
ANDAMAN </td>
</tr>
<br/><br/>
<tr>
<td>BOOKING PERSON:</td>
<td>
<select name="DD">
<script type="text/javascript">
for(i=0; i<100; i++){
document.write("<option>" + (i+1) + "</option>");
}
</script>
</select>
</td>
</tr>
<tr>
<td>BOOKING DATE:</td>
<td>
<select name="DD">
<script type="text/javascript">
for(i=0; i<31; i++){
document.write("<option>" + (i+1) + "</option>");

```

```

}
</script>
</select>
<select name="MM">
<script type="text/javascript">
for(i=0; i<12; i++){
document.write("<option>" + (i+1) + "</option>");
}
</script>
</select>
<select name="YY">
<script type="text/javascript">
for(i=2018; i>=2018; i--){
document.write("<option>" + i + "</option>");
}
</script>
</select></td>
</tr>
<br/><br/>
<tr>
<td><center><input type="reset" value="CLEAR" class="buttons" /></center>
<input type="hidden" name="price" value="Rs.12000">
</td>
<td><center><input type="submit" value="SUBMIT" class="buttons" /></center></td>
</tr>
</form>
</table>
</div>
</div>
</div>
</center>

</body>
</html>

```

## Payments1\_details.php

### Source Code

```
<html>
<head>
<meta charset="utf-8">
<title>Contact Us</title>
<link rel="stylesheet" type="text/css" href="..css/slink.css>
<style type="text/css">
body
{
background:url(..image/s5.jpg);
background-attachment: fixed;
background-size: cover;
}
header{
height: auto;
padding: 10% 0;
}
.container{
position: relative;
width: 65%;
}
.container,.formbox
{
height: 550px;
}
.container .left, .container .right{
height: inherit;
}
.formbox{
padding: 40px;
}
.formbox input{
margin-bottom: 10px;
```

```

width: 100%;
}

.formbox input[type="text"]
{
border: none;
border-bottom: 2px solid #e67e22;
outline: none;
height: 30px;
}

.formbox input[type="text"]:focus
{
border-bottom: 2px solid orangered;
}

.formbox input[type="submit"]
{
border: none;
outline: none;
height: 40px;
color: #efefef;
margin-top: 20px;
background-color: #292929;
}

.formbox input[type="submit"]:hover{
background-color: #e67e22;
}

.banner h1{

margin: 0 auto;
position: relative;
top: -80px;
height: 100px;
line-height: 100px;
background: url(../image/cover.jpg) ;
background-size: cover;
background-position: center;
color: #efefef;
font-size: 50px;
padding: 10px 0;

```

```

font-family: sans-serif;
font-weight: normal;
text-align: center;
margin-bottom: 2%;
}
header h2{
position:relative;
left:-35%;
text-align: center;
top:10%;
margin: 0 auto;
z-index: 12;
font-family: sans-serif;
font-size: 1.5em;
color: #292929;
text-shadow:none;
}
.formbox p
{
margin: 5px 0;
padding: 0;
font-weight: bold;
color:#e67e22;
}
</style>
</head>
<body>
<nav>
<ul>
<li><a href="home.php">Home</a></li>
<li><a href="places.php">Explorable Places</a></li>
<li><a href="tourpackages.php">Package Tour Details</a></li>
<li><a href="contact_us.php">Contact Us</a></li>
</ul>
</nav>
<header>
<div class="banner">
<h1>Payment Form</h1>

```





## Tourconductions\_details.php

### Source Code

```
<html>
<head>
<meta charset="utf-8">
<title>Contact Us</title>
<link rel="stylesheet" type="text/css" href="..css/slink.css>

<style>
body{
background:url(..image/unsplash7.jpg);
background-attachment: fixed;
background-size: cover;
}

.banner h1{

margin: 0 auto;
position: relative;
top: 10px;
height: 100px;
line-height: 100px;
background: url(..image/cover.jpg) ;
background-size: cover;
background-position: center;
color: #efefef;
font-size:50px;
padding: 10px 0;
font-family: sans-serif;
font-weight: normal;
text-align: center;
margin-bottom: 2%;
}

table{
margin: 0 auto;
margin-top: 5%;
width: 60%;
text-align: center;
display: flex;
```

```

}
.lf,.mid{
padding: 10px 20px;
width: 60%;
height: 10vh;
font-size: 16px;
text-align: left;
line-height: 20px;
background:linear-gradient(rgba(110,182,40,1),transparent);
}
td:nth-child(1){
width:20%;
}
td:nth-child(2)
{ width: 80%;
float: left;
flex:2;
}

</style>
</head>
<body>
<nav>
<ul>
<li><a href="home.php">Home</a></li>
<li><a href="places.php">Explorable Places</a></li>
<li><a href="tourpackages.php">Hotel Booking</a></li>
<li><a href="contact_us.php">Contact Us</a></li>
</ul>
</nav>
<header>
<div class="banner">
<h1>Date Of Journey</h1>
</div>
<br>

<table border="0" cellpadding="10">
<div id="container">
<div class="box">

```

```

<a href="logout.php">Log Out</a></div>
<table width=700px align=center ><tr><td class="lf"> 04/04/2018<br></td><td
class="mid">ANDAMAN<br>>7 Days 6 Nights<br>Rs.12000<br></td>
<td class="rt"> <div class="box"><a
href="bookings_details.php?tc_id=1&pname=ANDAMAN&price=Rs.12000">Select</a></div></td>
</tr><tr><td class="lf"> 07/04/2018<br></td><td class="mid">DELHI<br>>10 Days 9
Nights<br>Rs.12400<br></td>
<td class="rt"> <div class="box"><a
href="bookings_details.php?tc_id=2&pname=DELHI&price=Rs.12400">Select</a></div></td>
</tr><tr><td class="lf"> 16/10/2018<br></td><td class="mid">ANDAMAN<br>>7 Days 6
Nights<br>Rs.12000<br></td>
<td class="rt"> <div class="box"><a
href="bookings_details.php?tc_id=3&pname=ANDAMAN&price=Rs.12000">Select</a></div></td>
</tr><tr><td class="lf"> 30/05/2018<br></td><td class="mid">RAJASTHAN-BIKANIR<br>>14 Days 13
Nights<br>Rs.16700<br></td>
<td class="rt"> <div class="box"><a href="bookings_details.php?tc_id=4&pname=RAJASTHAN-
BIKANIR&price=Rs.16700">Select</a></div></td>
</tr><tr><td class="lf"> 07/05/2018<br></td><td class="mid">SHIMLA-KULU-MANALI<br>>11 Days 10
Nights<br>Rs.12700<br></td>
<td class="rt"> <div class="box"><a href="bookings_details.php?tc_id=5&pname=SHIMLA-KULU-
MANALI&price=Rs.12700">Select</a></div></td>
</tr><tr><td class="lf"> 07/10/2018<br></td><td class="mid">ARAKU-VISAKHAPATNAM<br>>7 Days 6
Nights<br>Rs.10000<br></td>
<td class="rt"> <div class="box"><a href="bookings_details.php?tc_id=7&pname=ARAKU-
VISAKHAPATNAM&price=Rs.10000">Select</a></div></td>
</tr>
</table>
</div>
</table>
</body>
</html>

```

## States.php

### Source Code

```
<html>
<head>
<meta charset="utf-8">
<title>Contact Us</title>
<link rel="stylesheet" type="text/css" href="..css/slink.css>
<style type="text/css">
body{
background:url(..image/unsplash4.jpg);
background-attachment: fixed;
background-size: cover;
}
#container{
width:80%;
margin:15px auto;
padding:0px;
}
img{
width:140px;
height:150px;
}
td.lf{
width:150px;
margin-left:0px;
padding-left:0px;
background-color:#999900;
text-align:center;
}
td.mid
{
width:270px;
margin-left:0px;
padding:0px 5px;
```

```

background:linear-gradient(#CCC,transparent);
text-align:center;
font-size:12px;
font-family:Arial, Helvetica, sans-serif;
}
td.rt{
width:50px;
background:linear-gradient(#339000,transparent);
padding:20px;
font-size:14px;
color:#000000;
}
.rtt
{
width:260px;
height:90px;
margin:0px;
padding:0px 5px;
padding-bottom:10px;
text-align:justify;
word-break:break-all;
word-wrap:break-word;
text-wrap:unrestricted;
-ms-word-break:break-all;
-ms-word-wrap:break-word;
-ms-text-wrap:unrestricted;
-webkit-word-break:break-all;
-webkit-word-wrap:break-word;
-webkit-text-wrap:unrestricted;
}
#logout{
position:absolute;
z-index:900;
top:125px;
left:910px;
width:90px;
height:30px;
backface-visibility:visible;

```

```

}

.banner h1{
margin: 0 auto;
position: relative;
top: 10px;
height: 100px;
line-height: 100px;
background: url(../image/cover.jpg) ;
background-size: cover;
background-position: center;
color: #efefef;
font-size:50px;
padding: 10px 0;
font-family: sans-serif;
font-weight: normal;
text-align: center;
margin-bottom: 2%;
}

.data{
width:600px;
break-after:right;
text-wrap:unrestricted;
}

table{
margin-top: 5%;
width: 100%;
text-align: justify;
}

</style>
</head>

<body>
<nav>
<ul>
<li><a href="home.php">Home</a></li>
<li><a href="places.php">Explorable Places</a></li>
<li><a href="tourpackages.php">Package Tour Details</a></li>
<li><a href="contact_us.php">Contact Us</a></li>

```

```

</ul>
</nav>
<header>
<div class="banner">
<h1>States</h1>
</div>
<br/><br/>
<div id="container" >
<div class="box">
<a href="logout.php">Log Out</a></div>

<table width=1000px align=center ><tr><td class="lf"> <a href="hotel_details1.php?val=1"><br>Andaman & Nicobar Island</a></td><td class="rt">In Andaman
and Nicobar Islands, Port Blair is the capital city of this Union Territory of India, located in the east
coast of Southern Andaman Island and serves as the main gateway to enter the Andaman and
Nicobar Islands.</td>
<td class="lf"> <a href="hotel_details1.php?val=2"><br>Andhrapradesh</a></td><td class="rt">The State of Andhra Pradesh comprises like scenic
hills, forests, beaches and temples. Also known as The City of Pearls, Hyderabad is one of the
most developed cities in the country and a modern hub of information technology, IT and
biotechnology.</td></tr>
<tr><td class="lf"> <a href="hotel_details1.php?val=3"><br>Delhi</a></td><td class="rt">Delhi is the capital union territory of India. A fine blend of old
and new, Delhi is a melting pot of cultures and religions. Sir Derp Derpington declared Delhi as
contributing in fields of Architecture, landmarks etc. Delhi has been the capital of numerous
empires that ruled India, making it rich in history.</td>
<td class="lf"> <a href="hotel_details1.php?val=4"><br>Gujarat
& Rajasthan</a></td><td class="rt">Gujarat, the seventh largest state in India, located in the
western part of India with a coastline of 1600 km. Gujarat offers scenic beauty from Great Rann of
Kutch to the hills of Satpura. Gujarat is the sole home of the pure Asiatic Lions and is considered
to be one of the most important protected areas in Asia.</td></tr>
<tr><td class="lf"> <a href="hotel_details1.php?val=5"><br>Himachal Pradesh & Punjab</a></td><td class="rt">Himachal Pradesh is famous for its
Himalayan landscapes and popular hill-stations. Many outdoor activities such as rock climbing,
mountain biking, paragliding, ice-skating, and heli-skiing are popular tourist attractions in
Himachal Pradesh.

Shimla, the state capital, is very popular among tourists. The Kalka-Shimla Railway is a Mountain
railway which is a UNESCO World Heritage Site. Shimla is </td>
<td class="lf"> <a href="hotel_details1.php?val=6"><br>Jammu
& Kashmir</a></td><td class="rt">Jammu and Kashmir is the northernmost state of India. Jammu
is noted for its scenic landscape, ancient temples and mosques, Hindu and Muslim shrines,
castles, gardens and forts. The Hindu holy shrines of Amarnath in Kashmir Valley attracts about .4
million Hindu devotees every year. Vaishno Devi also attract millions of Hindu devotees every

```

year. Jammu's historic monuments feature a unique blend o</td></tr>  
</table>  
  
</div>  
</body>  
</html>

## Hotel\_details1.php

### Source Code

```
<html>
<head>
<meta charset="utf-8">
<title>Contact Us</title>
<link rel="stylesheet" type="text/css" href="..css/slink.css>
<style type="text/css">

body{
background:url(..image/s2.jpg);
background-attachment: fixed;
background-size: cover;
}
#container{
width:80%;
margin:15px auto;
padding:0px;
}
img{
width:140px;
height:150px;
}
td.lf{
width:150px;
margin-left:0px;
padding-left:0px;
background-color:#999900;
text-align:center;
}
td.mid
{
width:270px;
margin-left:0px;
padding:0px 5px;
background:linear-gradient(#CCC,transparent);
text-align:center;
```

```

font-size:12px;
font-family:Arial, Helvetica, sans-serif;
}
td.rt{
width:50px;
background:linear-gradient(#339000,transparent);
padding:20px;
font-size:14px;
color:#000000;
}
.rtt
{
width:260px;
height:90px;
margin:0px;
padding:0px 5px;
padding-bottom:10px;
text-align:justify;
word-break:break-all;
word-wrap:break-word;
text-wrap:unrestricted;
-ms-word-break:break-all;
-ms-word-wrap:break-word;
-ms-text-wrap:unrestricted;
-webkit-word-break:break-all;
-webkit-word-wrap:break-word;
-webkit-text-wrap:unrestricted;
}

.banner h1{
margin: 0 auto;
position: relative;
top: 10px;
height: 100px;
line-height: 100px;
background: url(../image/cover.jpg) ;
background-size: cover;
background-position: center;

```

```

color: #efefef;
font-size:50px;
padding: 10px 0;
font-family: sans-serif;
font-weight: normal;
text-align: center;
margin-bottom: 2%;
}
.data{
width:600px;
break-after:right;
text-wrap:unrestricted;
}
table{
margin-top: 5%;
width: 100%;
text-align: justify;
}
</style>
</head>
<body>
<nav>
<ul>
<li><a href="home.php">Home</a></li>
<li><a href="places.php">Explorable Places</a></li>
<li><a href="tourpackages.php">Package Tour Details</a></li>
<li><a href="contact_us.php">Contact Us</a></li>
</ul>
</nav>
<header>
<div class="banner">
<h1>Hotel Details</h1>
</div>
<!-- end .sidebar1 --></div>
<div>

<table width=960px border=2px cellpadding=5px ><tr><td></td><td><div class="mid"><h2><a href=" ../pdf/1.pdf" target="_blank"> Sea Princess Beach
Resort</a> </h2> Wandoor, PortBlair-744101 <br />Sea Princess Beach Resort ,located along the

```

shorelines of the Wandoor Beach is a perfect getaway from the monotonous life. It offers luxurious accomodation with facilities that speack volumes for its 3 star status. </div>  
</td><td><div class="rt"> Rs.3999 <br/><br/><br/> <a href="hotel\_bookings\_details.php?h\_name=Sea Princess Beach Resort&h\_rate=Rs.3999"><button>BOOK HOTEL</button></a></td></div> </td> </tr>  
<br/>  
<tr><td></td><td><div class="mid"><h2><a href=" ../pdf/2.pdf" target="\_blank"> Shompen Hotel</a> </h2> Middle Point, Portblair-744101 <br />located 3kms from the harbour,this property contains 32 rooms with a private balcony,and can be checked into by 10 a.m. Guests are offered scrumptious fare in the multi-cuisine restaurant. There is also a travel desk that facilitates car rentals. </div> </td><td><div class="rt"> Rs.4000 <br/><br/><br/> <a href="hotel\_bookings\_details.php?h\_name=Shompen Hotel&h\_rate=Rs.4000"><button>BOOK HOTEL</button></a></td></div> </td> </tr>  
<br/>  
<tr><td></td><td><div class="mid"><h2><a href=" ../pdf/3.pdf" target="\_blank"> Fortune Resort Bay Island </a> </h2> Marine hill, Port Blair-744101 <br />Fortune Bay Island Resort is located in Marine hill,administrate the rain forest island of the Andaman. Overlooking the Bay of bengal, this i4 star resort is built with the beautiful red timber,Padouk. </div> </td><td><div class="rt"> Rs.7200 <br/><br/><br/> <a href="hotel\_bookings\_details.php?h\_name=Fortune Resort Bay Island &h\_rate=Rs.7200"><button>BOOK HOTEL</button></a></td></div> </td> </tr>  
<br/>  
<tr><td></td><td><div class="mid"><h2><a href=" ../pdf/4.pdf" target="\_blank"> Hotel Sentinel</a> </h2> Phoenix Bay, Andaman District, Port Blair-744101 <br />Located at Phoenix Bay,Hotel Sentinel is addmired for its home-like ambience and splendid interiors. It comprises 40 carefully design rooms with facilities like satellite TV, WIFI. </div> </td><td><div class="rt"> Rs.5000 <br/><br/><br/> <a href="hotel\_bookings\_details.php?h\_name=Hotel Sentinel&h\_rate=Rs.5000"><button>BOOK HOTEL</button></a></td></div> </td> </tr>  
<br/>  
<tr><td></td><td><div class="mid"><h2><a href=" ../pdf/5.pdf" target="\_blank"> Sinclairs Bayview</a> </h2> South Point, Portblair-744101 <br />Surrounded by clear saphire sea waters,golden shorees and fascinating flora and fauna. Hotel Sinclairs Bayview offers just the perfect accomodation for vacationers in Port blair, commanding a view of the Bay of Bengal. </div> </td><td><div class="rt"> Rs.3400 <br/><br/><br/> <a href="hotel\_bookings\_details.php?h\_name=Sinclairs Bayview&h\_rate=Rs.3400"><button>BOOK HOTEL</button></a></td></div> </td> </tr>  
<br/>  
</table>  
<!-- end .content --></div>  
<!-- end .container --></div>  
</body>  
</html>

## Hotel\_bookings\_details.php

### Source Code

```
<html>
<head>
<meta charset="utf-8">
<title>Contact Us</title>
<link rel="stylesheet" type="text/css" href="..css/slink.css>
<style type="text/css">

body{
background:url(..image/s4.jpg);
background-attachment: fixed;
background-size: cover;
}

#container{
width:80%;
margin:15px auto;
padding:0px;
}

img{
width:140px;
height:150px;
}

td.lf{
width:150px;
margin-left:0px;
padding-left:0px;
background-color:#999900;
text-align:center;
}

td.mid
{
width:270px;
margin-left:0px;
padding:0px 5px;
background:linear-gradient(#CCC,transparent);
text-align:center;
```

```

font-size:12px;
font-family:Arial, Helvetica, sans-serif;
}
td.rt{
width:50px;
background:linear-gradient(#339000,transparent);
padding:20px;
font-size:14px;
color:#000000;
}
.rtt
{
width:260px;
height:90px;
margin:0px;
padding:0px 5px;
padding-bottom:10px;
text-align:justify;
word-break:break-all;
word-wrap:break-word;
text-wrap:unrestricted;
-ms-word-break:break-all;
-ms-word-wrap:break-word;
-ms-text-wrap:unrestricted;
-webkit-word-break:break-all;
-webkit-word-wrap:break-word;
-webkit-text-wrap:unrestricted;
}
#logout{
position:absolute;
z-index:900;
top:125px;
left:910px;
width:90px;
height:30px;
backface-visibility:visible;
}
.banner h1{

```

```

margin: 0 auto;
position: relative;
top: 10px;
height: 100px;
line-height: 100px;
background: url(../image/cover.jpg) ;
background-size: cover;
background-position: center;
color: #efefef;
font-size: 50px;
padding: 10px 0;
font-family: sans-serif;
font-weight: normal;
text-align: center;
margin-bottom: 2%;
}
.data{
width: 600px;
break-after: right;
text-wrap: unrestricted;
}
table{
margin-top: 5%;
width: 100%;
text-align: justify;
}
</style>
</head>
<body>
<nav>
<ul>
<li><a href="home.php">Home</a></li>
<li><a href="places.php">Explorable Places</a></li>
<li><a href="tourpackages.php">Package Tour Details</a></li>
<li><a href="contact_us.php">Contact Us</a></li>
</ul>
</nav>
<header>

```

```

<div class="banner">
<h1>Customer Booking Information</h1>
</div>
<br>
</nav>
<div class="slide">
<table width="50%" border="0" cellpadding="10">
<form action="payment2_details.php">
<tr>
<td><label>CUSTOMER ID:
</label></td>
<td><label>
3</label> </td>
</tr>
<br/><br/>
<tr>
<td>BOOKING PERSON:</td>
<td>
<select name="DD">
<script type="text/javascript">
for(i=0; i<100; i++){
document.write("<option>" + (i+1) + "</option>");
}
</script>
</select>
</td>
</tr>
<tr>
<td>BOOKING DATE:</td>
<td>
<select name="DD">
<script type="text/javascript">
for(i=0; i<31; i++){
document.write("<option>" + (i+1) + "</option>");
}
</script>
</select>
<select name="MM">

```

```

<script type="text/javascript">
for(i=0; i<12; i++){
document.write("<option>" + (i+1) + "</option>");
}
</script>
</select>
<select name="YY">
<script type="text/javascript">
for(i=2018; i>=2018; i--){
document.write("<option>" + i + "</option>");
}
</script>
</select></td>
</tr>
<br/><br/>
<td>CHECK-IN:</td>
<td>
<select name="DD">
<script type="text/javascript">
for(i=0; i<31; i++){
document.write("<option>" + (i+1) + "</option>");
}
</script>
</select>
<select name="MM">
<script type="text/javascript">
for(i=0; i<12; i++){
document.write("<option>" + (i+1) + "</option>");
}
</script>
</select>
<select name="YY">
<script type="text/javascript">
for(i=2018; i>=2018; i--){
document.write("<option>" + i + "</option>");
}
</script>
</select></td>

```

```

</tr>
<br/><br/>
<td>CHECK-OUT:</td>
<td>
<select name="DD">
<script type="text/javascript">
for(i=0; i<31; i++){
document.write("<option>" + (i+1) + "</option>");
}
</script>
</select>
<select name="MM">
<script type="text/javascript">
for(i=0; i<12; i++){
document.write("<option>" + (i+1) + "</option>");
}
</script>
</select>
<select name="YY">
<script type="text/javascript">
for(i=2018; i>=2018; i--){
document.write("<option>" + i + "</option>");
}
</script>
</select></td>
</tr>
<br/><br/>
<tr>
<td><center><input type="reset" value="CLEAR" class="buttons" /></center></td>
<input type="hidden" name="price" value="<br />
<b>Notice</b>: Undefined variable: h_rate in <b>C:\xampp\htdocs\project
final\php\hotel_bookings_details.php</b> on line <b>247</b><br />
">
<td><center><input type="submit" value="CONFIRM" class="buttons"/></center></td>
</tr>
</form>
</table>
</div> </div></center></body></html>

```

## Payment2\_details.php

### Source Code

```
<html>
<head>
<meta charset="utf-8">
<title>Contact Us</title>
<link rel="stylesheet" type="text/css" href="..css/slink.css>
<style type="text/css">

header{
background:url(..image/s3.jpg);
background-attachment: fixed;
background-size: cover;
height: auto;
padding: 10% 0;
}

.container{
position: relative;
width: 65%;
}

.container,.formbox
{
height: 550px;
}

.container .left, .container .right{
height: inherit;
}

.formbox{
padding: 40px;
}

.formbox input{
margin-bottom: 10px;
width: 100%;
}

.formbox input[type="text"]
{
```

```

border: none;
border-bottom: 2px solid #e67e22;
outline: none;
height: 30px;
}

.formbox input[type="text"]:focus
{
border-bottom: 2px solid orangered;
}

.formbox input[type="submit"]
{
border: none;
outline: none;
height: 40px;
color: #efefef;
margin-top: 20px;
background-color: #292929;
}

.formbox input[type="submit"]:hover{
background-color: #e67e22;
}

.banner h1{

margin: 0 auto;
position: relative;
top: -75px;
height: 100px;
line-height: 100px;
background: url(../image/cover.jpg) ;
background-size: cover;
background-position: center;
color: #efefef;
font-size: 50px;
padding: 10px 0;
font-family: sans-serif;
font-weight: normal;
text-align: center;
margin-bottom: 2%;

```

```

}
header h2{
position:relative;
left:-35%;
text-align: center;
top:10%;
margin: 0 auto;
z-index: 12;
font-family: sans-serif;
font-size: 1.5em;
color: #292929;
text-shadow:none;
}

.formbox p
{
margin: 5px 0;
padding: 0;
font-weight: bold;
color:#e67e22;
}

</style>
</head>

<body>
<nav>
<ul>
<li><a href="home.php">Home</a></li>
<li><a href="places.php">Explorable Places</a></li>
<li><a href="tourpackages.php">Package Tour Details</a></li>
<li><a href="contact_us.php">Contact Us</a></li>
</ul>
</nav>
<header>
<div class="banner">
<h1>Customer Payment Form</h1>
</div>
<div class="box">
<a href="logout.php">Log Out</a></div>

```





## Rules of cancellation.php

### Source Code

```
<html>
<head>
<title>CANCELATION FORM</title>
<link rel="stylesheet" type="text/css" href=" ../css/slink.css">
<style type="text/css">
body{
background:url(../image/bg10.jpg);
background-attachment: fixed;
background-size: cover;
}
.banner h1{

margin: 0 auto;
position: relative;
top: 10px;
height: 120px;
line-height: 100px;
background: url(../image/cover.jpg) ;
background-size: cover;
background-position: center;
color: #efefef;
font-size:50px;
padding: 10px 0;
font-family: sans-serif;
font-weight: normal;
text-align: center;
margin-bottom: 2%;
}
header h2{
position:relative;
text-align: center;
top:0%;
margin: 0 auto;
z-index: 12;
font-family: sans-serif;
```

```

font-size: 1.5em;
color: #292929;
text-shadow:none;
}

.note{
position: relative;
top:200px;
margin: 0 auto;
text-align: center;
height: 50px;
line-height: 50px;
}

.note a{
font-family: sans-serif;
font-size:26px;
letter-spacing: 5px;
text-decoration: none;
color:gold;
padding: 20px 50px;
background: linear-gradient(#292929,#000);
border-radius: 8px;
box-shadow: 0px 0px 4px 2px gold,0px 0px 20px gold;
transition: all 0.6s;
}

.note:hover a
{
color:gold;
background: linear-gradient(coral,gold);
box-shadow: 0px 0px 4px 2px #292929,inset 0px 0px 20px #292929;
color:#292929;
}

p{
padding:20px 40px;
text-align:justify;
color: #efefef;
font-size: 22px;
text-shadow: 1px 1px 2px #292929;
}

```

```

</style>
</head>
<body>
<nav >
<ul>
<li><a href="home.php">Home</a></li>
<li><a href="places.php">Explorable Places</a></li>
<li><a href="tourpackages.php">Package Tour Details</a></li>
<li><a href="contact_us.php">Contact Us</a></li>
</ul>
</nav>
<header>

<div class="banner">
<h1>Contact Us</h1>
</div>
<div class="box">
<a href="logout.php">Log Out</a></div>
<div style="font-size:26px; margin:50px auto; text-align:center; line-height:34px"><h1
style="font-weight:normal;font-family:sans-serif;text-transform:uppercase">Rules of
Cancellation</h1></div>
<font size="4px">
<p> 1. In case of cancellation of journey cancelled by the passenger, he or she is liable to pay
cancellation charges as follows,if cancelled before 70 days of the commencement of the journey,
INR 400 per head. Thereafter, cancellation before 30 days INR 750 per head. In case of
cancellation within 30 days of the commencement of the journey,cancellation charges will be
levied as per the following table in addition to clause stated above,<br/>
between 29 days and 20 days — 20% of the total price + INR 750,
between 19 days and 10 days — 30% of the total price + INR 750,<br/>
between 09 days and 03 days — 40% of the total price + INR 750. No refund is admissible if a
ticket is cancelled within 72 hours of the scheduled time of departure or thereafter.</p>
<p> 2. Cancellation will be acted upon only when the Advanced receipt / Ticket is surrendered at
our office for cancellation,except in case of a passenger residing outside Kolkata, who may cancel
his/her booking by letter or telegram only, which should be further confirmed within 5 days in
person.But refund will be made after surrendering ticket / advanced receipt.Company will not be
liable if such letter or telegram is not delivered in time.</p>
<p> 3. No amount deposited will be refunded in full,should the tour be cancelled by the
company,except in the case of cancellation of the tour owing to natural calamities,strike/bandh
or any other undesirable and abnormal situation,when the passengers have to pay compensation
to the company @10% of the tour price.</p>
<p> 4. No claim for any refund will be entertained when the passenger doesnt arrive at the

```

station before departure of the train for which reservation has been made. In such cases, passengers may join next of subsequent station at their own cost.

5. No claim will be entertained, if any amount found lying deposited with the company after 6 months from the date of commencement of the tour.

6. The company reserves the right to delete, change or modify the Rules as and when necessary.

7. As per Govt. Rules, passengers travelling with us are requested to carry PHOTO IDENTITY CARD with him/her.

[cancellation\\_details.php](cancellation_details.php)>Cancellation Form</a></div>

</nav>

</center>

</font>

</body>

</html>

## Cancellation\_details.php

### Source Code

```
<html>
<head>
<title>CANCELATION FORM</title>
<link rel="stylesheet" type="text/css" href=" ../css/slink.css">
<style type="text/css">
body{
background:url(..image/bg10.jpg);
background-attachment: fixed;
background-size: cover;
}
.banner h1{

margin: 0 auto;
position: relative;
top: 10px;
height: 120px;
line-height: 100px;
background: url(..image/cover.jpg) ;
background-size: cover;
background-position: center;
color: #efefef;
font-size:50px;
padding: 10px 0;
font-family: sans-serif;
font-weight: normal;
text-align: center;
margin-bottom: 2%;
}
header h2{
position:relative;
text-align: center;
top:0%;
margin: 0 auto;
z-index: 12;
font-family: sans-serif;
```

```

font-size: 1.5em;
color: #292929;
text-shadow:none;
}

.note{
position: relative;
top:200px;
margin: 0 auto;
text-align: center;
height: 50px;
line-height: 50px;
}

.note a{
font-family: sans-serif;
font-size:26px;
letter-spacing: 5px;
text-decoration: none;
color:gold;
padding: 20px 50px;
background: linear-gradient(#292929,#000);
border-radius: 8px;
box-shadow: 0px 0px 4px 2px gold,0px 0px 20px gold;
transition: all 0.6s;
}

.note:hover a
{
color:gold;
background: linear-gradient(coral,gold);
box-shadow: 0px 0px 4px 2px #292929,inset 0px 0px 20px #292929;
color:#292929;
}

p{
padding:20px 40px;
text-align:justify;
color: #efefef;
font-size: 22px;
text-shadow: 1px 1px 2px #292929;
}

```

```

</style>
</head>
<body>
<nav >
<ul>
<li><a href="home.php">Home</a></li>
<li><a href="places.php">Explorable Places</a></li>
<li><a href="tourpackages.php">Package Tour Details</a></li>
<li><a href="contact_us.php">Contact Us</a></li>
</ul>
</nav>
<header>

<div class="banner">
<h1>Contact Us</h1>
</div>
<div class="box">
<a href="logout.php">Log Out</a></div>
<div style="font-size:26px; margin:50px auto; text-align:center; line-height:34px"><h1
style="font-weight:normal;font-family:sans-serif;text-transform:uppercase">Rules of
Cancellation</h1></div>
<font size="4px">
<p> 1. In case of cancellation of journey cancelled by the passenger, he or she is liable to pay
cancellation charges as follows,if cancelled before 70 days of the commencement of the journey,
INR 400 per head. Thereafter, cancellation before 30 days INR 750 per head. In case of
cancellation within 30 days of the commencement of the journey,cancellation charges will be
levied as per the following table in addition to clause stated above,<br/>
between 29 days and 20 days — 20% of the total price + INR 750,
between 19 days and 10 days — 30% of the total price + INR 750,<br/>
between 09 days and 03 days — 40% of the total price + INR 750. No refund is admissible if a
ticket is cancelled within 72 hours of the scheduled time of departure or thereafter.</p>
<p> 2. Cancellation will be acted upon only when the Advanced receipt / Ticket is surrendered at
our office for cancellation,except in case of a passenger residing outside Kolkata, who may cancel
his/her booking by letter or telegram only, which should be further confirmed within 5 days in
person.But refund will be made after surrendering ticket / advanced receipt.Company will not be
liable if such letter or telegram is not delivered in time.</p>
<p> 3. No amount deposited will be refunded in full,should the tour be cancelled by the
company,except in the case of cancellation of the tour owing to natural calamities,strike/bandh
or any other undesirable and abnormal situation,when the passengers have to pay compensation
to the company @10% of the tour price.</p>
<p> 4. No claim for any refund will be entertained when the passenger doesnt arrive at the

```

station before departure of the train for which reservation has been made. In such cases, passengers may join next of subsequent station at their own cost.

5. No claim will be entertained, if any amount found lying deposited with the company after 6 months from the date of commencement of the tour.

6. The company reserves the right to delete, change or modify the Rules as and when necessary.

7. As per Govt. Rules, passengers travelling with us are requested to carry PHOTO IDENTITY CARD with him/her.

[Cancellation Form](cancellation_details.php)

## Logout.php

### Source Code

```
<?php
    session_start();
?>
<?php
    if(isset($_SESSION['c_id']) &&
        $_SESSION['c_id']!= null){
        $_SESSION['c_id']=null;

?>
<script type="text/javascript">
    //alert("Logout Successful");
    window.location.href="home.php";
</script>
<?php
    } else {
?>
<script type="text/javascript">
    window.location.href="home.php";
</script>
<?php
    }
?>
```

## **BRIEF BACKGROUND OF THE “NIELIT, KOLKATA”**

## **(Formally “Doeacc Society. Kolkata”)**

NIELIT, Kolkata(formerly DOEACC Society Kolkata since 14.12.2002 and prior to that regional Computer Centre, Calcutta) is one of the oldest IT houses in eastern region imparting IT education and Training for more 30 years. The centre was established in 1976 as a Registered Scientific Society (Autonomous Body) by the Central and West Bengal Governments.

In December 2002, Regional Computer Centre, Calcutta(RCC) was merged with DOEACC society – An Autonomous Scientific Society of Department of Electronics & Information Technology under Ministry of Communications & Information technology, Govt. of India. The society has its Headquarters at CGO Complex, New Delhi and the other centres are located at Aurangabad, Gorakhpur, Calicut, Imphal, Aizwal, Tezpur (Guwahati), Srinagar (Jammu), Chandigar (Shimla, Lucknow & New Delhi) and Gangtok.

The basic objective of NIELIT Kolkata are described below:

- To carry out human resource development related activities in the area of Information Electronics Communication Technology (IECT) which would enable employment generation and IT-led economic growth.
- Capacity building in IECT and allied fields by providing quality education.
- Capacity building through e-governance to enable Citizen Centric Services.
- Empowering through Digital Education by using the service of the centre, accredited institute and CSC's.
- Develop web based System for delivery of education and training.

## **14. DATA DICTIONARY**

| <b><u>Field Name</u></b> | <b><u>Data Type</u></b> | <b><u>Description</u></b> |
|--------------------------|-------------------------|---------------------------|
|--------------------------|-------------------------|---------------------------|

|            |         |                                                                      |
|------------|---------|----------------------------------------------------------------------|
| Adm_id     | Int     | Administrator id                                                     |
| Adm_name   | Int     | Administrator name                                                   |
| adm_mob    | Varchar | Administrator mobile no.                                             |
| adm_email  | Varchar | Administrator email id                                               |
| bk_id      | Int     | Booking id                                                           |
| tc_id      | Int     | Tour conduction id (refers to tc_id of tourconduction_details table) |
| bk_person  | Int     | Booking person                                                       |
| bk_date    | Date    | Booking date                                                         |
| start_date | Date    | Booking start date                                                   |
| end_date   | Date    | Booking end date                                                     |
| can_id     | Int     | Cancellation id                                                      |
| pmt_id     | Int     | Payment id (refers to pmt_id of payment_details table)               |
| can_charge | Double  | Cancellation Charge                                                  |
| ref_amt    | Double  | Refund Amount                                                        |
| enq_id     | Int     | Enquiry id                                                           |
| f_name     | Varchar | Full name                                                            |
| Addr       | Varchar | Address                                                              |
| mob_no     | Int     | Mobile number                                                        |
| Email      | Varchar | Email id                                                             |
| Query      | Varchar | Enquiry                                                              |
| c_id       | Int     | Customer id                                                          |
|            |         |                                                                      |

|               |         |                                                   |
|---------------|---------|---------------------------------------------------|
| <u>c_name</u> | Varchar | Customer name                                     |
| c_addr        | Varchar | Customer address                                  |
| c_mob         | Varchar | Customer mobile                                   |
| c_gen         | Varchar | Customer gender                                   |
| c_email       | Varchar | Customer email id                                 |
| c_dob         | Varchar | Customer date of birth                            |
| c_pswd        | Varchar | Customer password                                 |
| hbk_id        | Int     | Hotel Booking id                                  |
| h_id          | Int     | Hotel id (refers to h_id of hotel_details table)  |
| rm_type       | Varchar | Room type                                         |
| str_date      | Date    | Booking start date                                |
| end_date      | Date    | Booking end date                                  |
| bk_date       | Date    | Booking date                                      |
| h_id          | Int     | Hotel id                                          |
| h_name        | Varchar | Hotel name                                        |
| h_loc         | Varchar | Hotel location                                    |
| h_city        | Varchar | Hotel city                                        |
| st_id         | Int     | State id (refers to st_id of state_details table) |
| h_rate        | Varchar | Hotel rate                                        |
| h_desc        | Varchar | Hotel description                                 |
| login_id      | Int     | Login id                                          |
| email_id      | Varchar | Customer email id                                 |
| pswd          | Varchar | Customer password                                 |
| pmt_amt       | Double  | Payment amount                                    |
|               |         |                                                   |

|            |         |                                                                         |
|------------|---------|-------------------------------------------------------------------------|
| pmt_date   | Date    | Payment date                                                            |
| pmt_status | varchar | Payment status                                                          |
| pmt_type   | varchar | Payment type                                                            |
| p_id       | Int     | Place id                                                                |
| p_name     | varchar | Place name                                                              |
| p_details  | varchar | Place details                                                           |
| st_name    | varchar | State name                                                              |
| st_details | varchar | State details                                                           |
| strt_date  | varchar | Tour start date                                                         |
| tp_id      | Int     | Tourpackage id (refers to tp_id of tourpackage_details table)           |
| tc_status  | Int     | Tourconduction status (refers to tc_id of tourconduction_details table) |
| ts_id      | Int     | Touristspot id                                                          |
| ts_name    | varchar | Touristspot name                                                        |
| ts_details | varchar | Touristspot details                                                     |
| ts_img     | varchar | Touristspot image                                                       |
| tp_id      | Int     | Tourpackage id                                                          |
| tp_name    | varchar | Tourpackage name                                                        |
| tp_dtls    | varchar | Tourpackage details                                                     |
| tp_cost    | varchar | Tourpackage cost                                                        |
| tp_dur     | varchar | Tourpackage duration                                                    |

## **15.LIST OF ABBREVIATIONS**

| <b>Short Name</b> | <b>Full Name</b>                                             |
|-------------------|--------------------------------------------------------------|
| PHP               | Hypertext Preprocessor For Personal Home Page                |
| DBMS              | Database Management System                                   |
| HTTP              | Hypertext Transfer Protocol                                  |
| HTML              | Hypertext Markup Language                                    |
| SQL               | Structured Query Language                                    |
| CSS               | Cascading Style Sheets                                       |
| XAMPP             | X("cross"-platform), Apache HTTP Server, MySQL, PHP and Perl |
| OS                | Operating System                                             |
| DFD               | Data Flow Diagram                                            |
| ERD               | Entity Relationship Diagram                                  |
| PERT              | Program Evalution and Review Technique                       |
| SRS               | Software Requirement Specification                           |
| SDLC              | System Development Life Cycle                                |
| GB                | Giga Byte                                                    |
| RAM               | Random Access Memory                                         |
| CPU               | Central Processing Unit                                      |
| I & T             | Integration and Testing                                      |
| PK                | Primary Key                                                  |
| FK                | Foreign Key                                                  |

## **16. REFERENCES**

### **16.1.BIBLIOGRAPHY**

| <b><u>BOOK NAME</u></b> | <b><u>AUTHOR</u></b> | <b><u>PUBLICATION</u></b> |
|-------------------------|----------------------|---------------------------|
| PHP Complete Reference  | Steven Holzner       | Mc Graw Hill              |
| HTML & CSS Reference    | Powell               | Mc Graw Hill              |
| Database System Concept | Korth                | Mc Graw Hill              |
| Reference               | Robin Nixon          | O'REILLY                  |
| Reference               | Nicholas C. Zakas    | WROX                      |
| Head First jQuery       | Rayan Benedetti      | O'REILLY                  |

## 16.2. Website

- ✓ [www.w3school.com](http://www.w3school.com)
- ✓ [www.makemytrip.com](http://www.makemytrip.com)
- ✓ [www.kunduspecial.co.in](http://www.kunduspecial.co.in)
- ✓ [www.google.co.in](http://www.google.co.in)
- ✓ [www.wikipedia.org](http://www.wikipedia.org)
- ✓ [www.freewebsitetemplates.com](http://www.freewebsitetemplates.com)
- ✓ [www.incredibleindia.org](http://www.incredibleindia.org)