

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

Schema

Quick SQL

My Scripts

My Tutorials

Code Library

My Session

[Actions](#)[Reset Session](#)[Save](#)

Statement 288



```
select * from seme1
```

COURSECODE	COURSENAME	MARKS	GRADE
clad1001	Emotional intelligence	77	A
cSEN1001	It Productivity Tools	77	S
cSEN1011	Programming in c	59	B
Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+
Mech1011	visualization	89	A+
Phys1001	Physics	69	B+
Vedc1001	venture development	79	A
cSEN1001	It Productivity Tools	77	S
cSEN1011	Programming in c	59	B
Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+
Mech1011	visualization	89	A+

Live SQL

[Feedback](#)[Help](#)

vpotluri@gitam.in

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

clad1001	EMOTIONAL INTELLIGENCE	..	^
csen1001	It Productivity Tools	77	S
csen1011	Programming in c	59	B
Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+
Mech1011	visualization	89	A+
Phys1001	Physics	69	B+
Vedc1001	venture development	79	A
csen1001	It Productivity Tools	77	S
csen1011	Programming in c	59	B
Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+
Mech1011	visualization	89	A+
Phys1001	Physics	69	B+
Vedc1001	venture development	79	A
clad1001	Emotional intelligence	77	A
csen1001	It Productivity Tools	77	S
csen1011	Programming in c	59	B
Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+
Mech1011	visualization	89	A+
Phys1001	Physics	69	B+
Vedc1001	venture development	79	A

[Download CSV](#)

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)

Home



SQL Worksheet



My Session

Previous Sessions

Utilization

NLS



Schema



My Scripts



Code Library

Statement 287



```
insert into seme1 values('Vedc1001','venture development',79,'A')
```

1 row(s) inserted.

Statement 286



```
insert into seme1 values('Phys1001','Physics',69,'B+')
```

1 row(s) inserted.

Statement 285



```
insert into seme1 values('Mech1011','visualization',89,'A+')
```

1 row(s) inserted.

Statement 284



```
insert into seme1 values('Math1011','several variable',69,'B+')
```

1 row(s) inserted.

Statement 283



```
insert into seme1 values('Math1001','single variable',69,'B+')
```

1 row(s) inserted.

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

1 row(s) inserted.

Statement 281



```
insert into seme1 values('csen1011','Programming in c',59,'B')
```

1 row(s) inserted.

Statement 280



```
insert into seme1 values('csen1001','It Productivity Tools',76.92,'S')
```

1 row(s) inserted.

Statement 279



```
insert into seme1 values('clad1001','Emotional intelligence',77.40,'A')
```

1 row(s) inserted.

Statement 278



```
create table seme1(coursecode varchar(20),coursername char(30),marks number(3),grade varchar(20))
```

ORA-00955: name is already used by an existing object

Statement 277

Live SQL

[Feedback](#)[Help](#)

vpotluri@gitam.in

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

COURSECODE	COURSENAME	MARKS	GRADE
clad1001	Emotional intelligence	77	A
cSEN1001	It Productivity Tools	77	S
cSEN1011	Programming in c	59	B
Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+
Mech1011	visualization	89	A+
Phys1001	Physics	69	B+
Vedc1001	venture development	79	A
cSEN1001	It Productivity Tools	77	S
cSEN1011	Programming in c	59	B
Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+
Mech1011	visualization	89	A+
Phys1001	Physics	69	B+
Vedc1001	venture development	79	A
clad1001	Emotional intelligence	77	A
cSEN1001	It Productivity Tools	77	S
cSEN1011	Programming in c	59	B
Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+
Mech1011	visualization	89	A+

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

csen1011	Programming in c	59	B
Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+
Mech1011	visualization	89	A+
Phys1001	Physics	69	B+
Vedc1001	venture development	79	A

[Download CSV](#)

34 rows selected.

Statement 276



```
insert into seme1 values('Vedc1001','venture development',79,'A')
```

1 row(s) inserted.

Statement 275



```
insert into seme1 values('Phys1001','Physics',69,'B+')
```

1 row(s) inserted.

Statement 274



```
insert into seme1 values('Mech1011','visualization',89,'A+')
```

1 row(s) inserted.

Statement 273

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

1 row(s) inserted.

Statement 272



```
insert into seme1 values('Math1001','single variable',69,'B+')
```

1 row(s) inserted.

Statement 271



```
insert into seme1 values('Lang1001','English',90,'S')
```

1 row(s) inserted.

Statement 270



```
insert into seme1 values('csen1011','Programming in c',59,'B')
```

1 row(s) inserted.

Statement 269



```
insert into seme1 values('csen1001','It Productivity Tools',76.92,'S')
```

1 row(s) inserted.

Statement 268



```
create table seme1(coursecode varchar(20),coursename char(30),marks number(3),grade varchar(20))
insert into seme1 values('clad1001','Emotional intelligence',77.40,'A')
```

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

Schema

Quick SQL

My Scripts

My Tutorials

Code Library

Statement 267

`select * from sem`

COURSECODE	COURSENAME	MARKS	GRADE
clad1001	Emotional intelligence	77	A
csen1001	It Productivity Tools	77	S
csen1011	Programming in c	59	B
Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+
Mech1011	visualization	89	A+
Phys1001	Physics	609	B+
Vedc1001	venture development	79	A
clad1001	Emotional intelligence	77	A
csen1001	It Productivity Tools	77	S
csen1011	Programming in c	59	B
Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+
Mech1011	visualization	89	A+
Phys1001	Physics	609	B+
Vedc1001	venture development	79	A
clad1001	Emotional intelligence	77	A

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+
Mech1011	visualization	89	A+
Phys1001	Physics	609	B+
Vedc1001	venture development	79	A
clad1001	Emotional intelligence	77	A
csen1001	It Productivity Tools	77	S
csen1011	Programming in c	59	B
Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+
Mech1011	visualization	89	A+
Phys1001	Physics	609	B+
Vedc1001	venture development	79	A
clad1001	Emotional intelligence	77	A
csen1001	It Productivity Tools	77	S
csen1011	Programming in c	59	B
Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+
Mech1011	visualization	89	A+
Phys1001	Physics	609	B+
Vedc1001	venture development	79	A
clad1001	Emotional intelligence	77	A
csen1001	It Productivity Tools	77	S
csen1011	Programming in c	59	B

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)[Download CSV](#)

Rows 1 - 50. More rows exist.

Statement 266



```
insert into sem values('Vedc1001','venture development',79,'A')
```

1 row(s) inserted.

Statement 265



```
insert into sem values('Phys1001','Physics',609,'B+')
```

1 row(s) inserted.

Statement 264



```
insert into sem values('Mech1011','visualization',89,'A+')
```

1 row(s) inserted.

Statement 263



```
insert into sem values('Math1011','several variable',69,'B+')
```

1 row(s) inserted.

Statement 262



```
insert into sem values('Math1001','single variable',69,'B+')
```

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

Schema

Quick SQL

My Scripts

My Tutorials

Code Library

Statement 261	<pre>insert into sem values('Lang1001','English',90,'S')</pre> <p>1 row(s) inserted.</p> 
Statement 260	<pre>insert into sem values('csen1011','Programming in c',59,'B')</pre> <p>1 row(s) inserted.</p> 
Statement 259	<pre>insert into sem values('csen1001','It Productivity Tools',76.92,'S')</pre> <p>1 row(s) inserted.</p> 
Statement 258	<pre>insert into sem values('clad1001','Emotional intelligence',77.40,'A')</pre> <p>1 row(s) inserted.</p> 
Statement 257	<pre>insert into sem values('Vedc1001','venture development',79,'A')</pre> <p>1 row(s) inserted.</p> 

Live SQL

Home
SQL Worksheet
My Session ▼
Previous Sessions
Utilization
NLS
Schema
Quick SQL ▶
My Scripts
My Tutorials
Code Library

	1 row(s) inserted.
Statement 255	<pre>insert into sem values('Mech1011','visualization',89,'A+')</pre>
	1 row(s) inserted.
Statement 254	<pre>insert into sem values('Math1011','several variable',69,'B+')</pre>
	1 row(s) inserted.
Statement 253	<pre>insert into sem values('Math1001','single variable',69,'B+')</pre>
	1 row(s) inserted.
Statement 252	<pre>insert into sem values('Lang1001','English',90,'S')</pre>
	1 row(s) inserted.
Statement 251	<pre>insert into sem values('csen1011','Programming in c',59,'B')</pre>

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)

 Home
 SQL Worksheet
 My Session
Previous Sessions
Utilization
NLS
 Schema
 Quick SQL
My Scripts
My Tutorials
 Code Library

Statement 250	<pre>insert into sem values('csen1001','It Productivity Tools',76.92,'S')</pre> <p>1 row(s) inserted.</p>
Statement 249	<pre>insert into sem values('clad1001','Emotional intelligence',77.40,'A')</pre> <p>1 row(s) inserted.</p>
Statement 248	<pre>insert into sem value('clad1011','Emotional intelligence',77.40,'A')</pre> <p>ORA-00928: missing SELECT keyword</p>
Statement 247	<pre>insert into sem value('clad1011','Emotional intelligence',77.40,'A')</pre> <p>ORA-00928: missing SELECT keyword</p>
Statement 246	<pre>create table sem(coursecode varchar(20),coursename char(30),marks number(3),grade varchar(20))</pre>

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

Schema

Quick SQL

My Scripts

My Tutorials

Code Library

Statement 245



```
create table sem1(coursecode varchar2(20),coursename char(30),marks number(3),grade varchar(20))
```

ORA-00955: name is already used by an existing object

Statement 244



```
create table sem1(coursecode varchar2(20),coursename char(30),marks number(3),grade char(20))
```

ORA-00955: name is already used by an existing object

Statement 243



```
select *from student where names='sai' and age=18
```

no data found

Statement 242



```
select *from student where names='sai' and age=18
```

no data found

Statement 241



```
select *from student where names='sai' and age=19
```

Live SQL

 Home
 SQL Worksheet
 My Session
Previous Sessions
Utilization
NLS
 Schema
 Quick SQL
 My Scripts
 My Tutorials
 Code Library

	no data found
Statement 240	<pre>select *from student where names='sai' and age=19</pre> <p>no data found</p>
Statement 239	<pre>insert into student1 values('krishna',19)</pre> <p>ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM</p>
Statement 238	<pre>insert into student1 values('sai',18)</pre> <p>ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM</p>
Statement 237	<pre>select *from sutdent where names='sai' and age=18</pre> <p>ORA-00942: table or view does not exist</p>
Statement 236	<pre>insert into student1 values('krishna',19)</pre>

Live SQL

 Home
 SQL Worksheet
 My Session
Previous Sessions
Utilization
 NLS
 Schema
 Quick SQL
My Scripts
My Tutorials
 Code Library

Statement 235	<pre>insert into student1 values('sai',18)</pre> <p>ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM</p>
Statement 234	<pre>select *from student where names='sai' and age=18</pre> <p>no data found</p>
Statement 233	<pre>insert into student1 values('krishna',19)</pre> <p>ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM</p>
Statement 232	<pre>insert into student1 values('sai',18)</pre> <p>ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM</p>
Statement 231	<pre>select *form student where names='sai' and age=18</pre>

Live SQL

[Feedback](#) [Help](#) [vploturi@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 230



```
insert into student1 values('krishna',19)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM

Statement 229



```
insert into student1 values('sai',18)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM

Statement 228



```
select *form student where names='sai' and age=19
```

ORA-00923: FROM keyword not found where expected

Statement 227



```
select *form student1 where names='sai' and age=18
```

ORA-00923: FROM keyword not found where expected

Statement 226



```
select *form student where names='sai' and age=18
```

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 225



```
insert into student1 values('krishna',19)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM

Statement 224



```
insert into student1 values('sai',18)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM

Statement 223



```
insert into student1 values('krishna',18)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM

Statement 222



```
insert into student1 values('sai',18)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM

Statement 221



```
insert into student1 values('krishna',18)
```

Live SQL

Home
SQL Worksheet
My Session
Previous Sessions
Utilization
NLS
Schema
Quick SQL
My Scripts
My Tutorials
Code Library

Statement 220	<pre>insert into student1 values('sai',18)</pre> <p>ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM</p>
Statement 219	<pre>insert into student1 values('krishna',18)</pre> <p>ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM</p>
Statement 218	<pre>insert into student1 values('sai',18)</pre> <p>ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM</p>
Statement 217	<pre>create table student1(names char(30) primary key,age number(2))</pre> <p>ORA-00955: name is already used by an existing object</p>
Statement 216	<pre>update student set phononenumber=7416917917 where names='sai'</pre>

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 215

`update student set phonenum=7416917917 where names='sai'`

0 row(s) updated.

Statement 214

`update student set phonenum=7416917917 where names='sai'`

0 row(s) updated.

Statement 213

`update student set phonenum=7416917917 where names='sai'`

0 row(s) updated.

Statement 212

`update student set phonenum=7416917917 where names='sai'`

0 row(s) updated.

Statement 211

`update student set phonenum=7416917917 where names='sai'`

0 row(s) updated.

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

0 row(s) updated.

Statement 209

`update student set phononenumber=7416917917 where names='sai'`

0 row(s) updated.

Statement 208

`update student set phononenumber=7416917917 where names='sai'`

0 row(s) updated.

Statement 207

`update student set phononenumber=7416917917 where names='sai'`

0 row(s) updated.

Statement 206

`update student set phononenumber=7416917917 where names='sai'`

0 row(s) updated.

Statement 205

`update student set phononenumber=7416917917 where names='sai'`

Live SQL

- [Home](#)
- [SQL Worksheet](#)
- [My Session](#)
 - Previous Sessions
 - Utilization
- [NLS](#)
- [Schema](#)
- [Quick SQL](#)
- [My Scripts](#)
- [My Tutorials](#)
- [Code Library](#)

Statement 204

```
select names,age from student
```

NAMES	AGE
sai kishna	18
praneeth	19
krishna	17
sheshu	20
sai kishna	18
praneeth	19
krishna	17
sheshu	20
sai kishna	18
praneeth	19
krishna	17
sheshu	20
sai kishna	18
praneeth	19
krishna	17
sheshu	20
sai kishna	18
praneeth	19
krishna	17
sheshu	20
sai kishna	18

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

sheshu

20

[Download CSV](#)
24 rows selected.

Statement 203



```
insert into student values('sheshu',20,'male',6437178177,'VU21CSEN0100188')
```

1 row(s) inserted.

Statement 202



```
insert into student values('krishna',17,'male',8076427413,'VU21CSEN0100331')
```

1 row(s) inserted.

Statement 201



```
insert into student values('praneeth',19,'male',9478917917,'VU21CSEN0100229')
```

1 row(s) inserted.

Statement 200



```
insert into student values('sai kishna',18,'male',7416916917,'VU21CSEN0100330')
```

1 row(s) inserted.

Statement 199



```
select*from student
```

Live SQL

[Feedback](#)[Help](#)

vpotluri@gitam.in

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

sai kishna	18	male	7416916917	VU21CSEN0100330
praneeth	19	male	9478917917	VU21CSEN0100229
krishna	17	male	8076427413	VU21CSEN0100331
sheshu	20	male	6437178177	VU21CSEN0100188
sai kishna	18	male	7416916917	VU21CSEN0100330
praneeth	19	male	9478917917	VU21CSEN0100229
krishna	17	male	8076427413	VU21CSEN0100331
sheshu	20	male	6437178177	VU21CSEN0100188
sai kishna	18	male	7416916917	VU21CSEN0100330
praneeth	19	male	9478917917	VU21CSEN0100229
krishna	17	male	8076427413	VU21CSEN0100331
sheshu	20	male	6437178177	VU21CSEN0100188
sai kishna	18	male	7416916917	VU21CSEN0100330
praneeth	19	male	9478917917	VU21CSEN0100229
krishna	17	male	8076427413	VU21CSEN0100331
sheshu	20	male	6437178177	VU21CSEN0100188
sai kishna	18	male	7416916917	VU21CSEN0100330
praneeth	19	male	9478917917	VU21CSEN0100229
krishna	17	male	8076427413	VU21CSEN0100331
sheshu	20	male	6437178177	VU21CSEN0100188

[Download CSV](#)

20 rows selected.

Statement 198



```
insert into student values('sheshu',20,'male',6437178177,'VU21CSEN0100188')
```

1 row(s) inserted.

Live SQL

[Feedback](#)[Help](#)

vpotluri@gitam.in

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

```
insert into student values('krishna',17,'male',8076427413,'VU21CSEN0100331')
```

1 row(s) inserted.

Statement 196



```
insert into student values('praneeth',19,'male',9478917917,'VU21CSEN0100229')
```

1 row(s) inserted.

Statement 195



```
insert into student values('sai kishna',18,'male',7416916917,'VU21CSEN0100330')
```

1 row(s) inserted.

Statement 194



```
select*from student
```

NAMES	AGE	GENDER	PHONENUMBER	REGISTRATION_NUMBER
sai kishna	18	male	7416916917	VU21CSEN0100330
praneeth	19	male	9478917917	VU21CSEN0100229
krishna	17	male	8076427413	VU21CSEN0100331
sheshu	20	male	6437178177	VU21CSEN0100188
sai kishna	18	male	7416916917	VU21CSEN0100330
praneeth	19	male	9478917917	VU21CSEN0100229
krishna	17	male	8076427413	VU21CSEN0100331

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

name	age	gender	phonenum	registration_number
krishna	17	male	8076427413	VU21CSEN0100331
sheshu	20	male	6437178177	VU21CSEN0100188
sai kishna	18	male	7416916917	VU21CSEN0100330
praneeth	19	male	9478917917	VU21CSEN0100229
krishna	17	male	8076427413	VU21CSEN0100331
sheshu	20	male	6437178177	VU21CSEN0100188

[Download CSV](#)

16 rows selected.

Statement 193



```
create table student(names char(30),age number(2),gender char(8),phonenum number(13),registration_number
```

ORA-00955: name is already used by an existing object

Statement 192



```
select * from seme1
```

COURSECODE	COURSENAME	MARKS	GRADE
clad1001	Emotional intelligence	77	A
csen1001	It Productivity Tools	77	S
csen1011	Programming in c	59	B
Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Vedc1001	venture development	79	A
cSEN1001	It Productivity Tools	77	S
cSEN1011	Programming in c	59	B
Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+
Mech1011	visualization	89	A+
Phys1001	Physics	69	B+
Vedc1001	venture development	79	A
clad1001	Emotional intelligence	77	A
cSEN1001	It Productivity Tools	77	S
cSEN1011	Programming in c	59	B
Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+
Mech1011	visualization	89	A+
Phys1001	Physics	69	B+
Vedc1001	venture development	79	A

[Download CSV](#)

26 rows selected.

Statement 191



```
insert into seme1 values('Vedc1001','venture development',79,'A')
```

1 row(s) inserted.

Statement 190

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)

Home
SQL Worksheet
My Session
Previous Sessions
Utilization
NLS
Schema
Quick SQL
My Scripts
My Tutorials
Code Library

	1 row(s) inserted.
Statement 189	<pre>insert into seme1 values('Mech1011','visualization',89,'A+')</pre>
	1 row(s) inserted.
Statement 188	<pre>insert into seme1 values('Math1011','several variable',69,'B+')</pre>
	1 row(s) inserted.
Statement 187	<pre>insert into seme1 values('Math1001','single variable',69,'B+')</pre>
	1 row(s) inserted.
Statement 186	<pre>insert into seme1 values('Lang1001','English',90,'S')</pre>
	1 row(s) inserted.
Statement 185	<pre>insert into seme1 values('csen1011','Programming in c',59,'B')</pre>
	1 row(s) inserted.

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)

Home



My Session

Previous Sessions

Utilization

NLS



Quick SQL

My Scripts

My Tutorials

Code Library

Statement 184



```
insert into seme1 values('csen1001','It Productivity Tools',76.92,'S')
```

1 row(s) inserted.

Statement 183



```
insert into seme1 values('clad1001','Emotional intelligence',77.40,'A')
```

1 row(s) inserted.

Statement 182



```
create table seme1(coursecode varchar(20),coursername char(30),marks number(3),grade varchar(20))
```

ORA-00955: name is already used by an existing object

Statement 181



```
select * from seme1
```

COURSECODE	COURSERNAME	MARKS	GRADE
clad1001	Emotional intelligence	77	A
csen1001	It Productivity Tools	77	S
csen1011	Programming in c	59	B
Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Vedc1001	venture development	79	A
csen1001	It Productivity Tools	77	S
csen1011	Programming in c	59	B
Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+
Mech1011	visualization	89	A+
Phys1001	Physics	69	B+
Vedc1001	venture development	79	A

[Download CSV](#)

17 rows selected.

Statement 180



```
insert into seme1 values('Vedc1001','venture development',79,'A')
```

1 row(s) inserted.

Statement 179



```
insert into seme1 values('Phys1001','Physics',69,'B+')
```

1 row(s) inserted.

Statement 178



```
insert into seme1 values('Mech1011','visualization',89,'A+')
```

1 row(s) inserted.

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

Schema

Quick SQL

My Scripts

My Tutorials

Code Library

1 row(s) inserted.

Statement 176



```
insert into seme1 values('Math1001','single variable',69,'B+')
```

1 row(s) inserted.

Statement 175



```
insert into seme1 values('Lang1001','English',90,'S')
```

1 row(s) inserted.

Statement 174



```
insert into seme1 values('csen1011','Programming in c',59,'B')
```

1 row(s) inserted.

Statement 173



```
insert into seme1 values('csen1001','It Productivity Tools',76.92,'S')
```

1 row(s) inserted.

Statement 172



```
create table seme1(coursecode varchar(20),coursename char(30),marks number(3),grade varchar(20))
insert into seme1 values('clad1001','Emotional intelligence',77.40,'A')
```

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 171



```
select * from sem
```

COURSECODE	COURSENAME	MARKS	GRADE
clad1001	Emotional intelligence	77	A
csen1001	It Productivity Tools	77	S
csen1011	Programming in c	59	B
Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+
Mech1011	visualization	89	A+
Phys1001	Physics	609	B+
Vedc1001	venture development	79	A
clad1001	Emotional intelligence	77	A
csen1001	It Productivity Tools	77	S
csen1011	Programming in c	59	B
Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+
Mech1011	visualization	89	A+
Phys1001	Physics	609	B+
Vedc1001	venture development	79	A
clad1001	Emotional intelligence	77	A

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+
Mech1011	visualization	89	A+
Phys1001	Physics	609	B+
Vedc1001	venture development	79	A
clad1001	Emotional intelligence	77	A
cSEN1001	It Productivity Tools	77	S
cSEN1011	Programming in c	59	B
Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+
Mech1011	visualization	89	A+
Phys1001	Physics	609	B+
Vedc1001	venture development	79	A

[Download CSV](#)

36 rows selected.

Statement 170



```
insert into sem values('Vedc1001','venture development',79,'A')
```

1 row(s) inserted.

Statement 169



```
insert into sem values('Phys1001','Physics',609,'B+')
```

1 row(s) inserted.

Live SQL

[Home](#)[SQL Worksheet](#)

My Session

Previous Sessions

Utilization

NLS

Schema

Quick SQL

My Scripts

My Tutorials

Code Library



```
insert into sem values( 'MECHANICAL ', 'VISUALIZATION ',69, 'A+' )
```

1 row(s) inserted.

Statement 167



```
insert into sem values('Math1011','several variable',69,'B+')
```

1 row(s) inserted.

Statement 166



```
insert into sem values('Math1001','single variable',69,'B+')
```

1 row(s) inserted.

Statement 165



```
insert into sem values('Lang1001','English',90,'S')
```

1 row(s) inserted.

Statement 164



```
insert into sem values('csen1011','Programming in c',59,'B')
```

1 row(s) inserted.

Statement 163



```
insert into sem values('csen1001','It Productivity Tools',76.92,'S')
```

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)

Home
SQL Worksheet
My Session
Previous Sessions
Utilization
NLS
Schema
Quick SQL
My Scripts
My Tutorials
Code Library

Statement 162	<pre>insert into sem values('clad1001','Emotional intelligence',77.40,'A')</pre> <p>1 row(s) inserted.</p>
Statement 161	<pre>insert into sem values('Vedc1001','venture development',79,'A')</pre> <p>1 row(s) inserted.</p>
Statement 160	<pre>insert into sem values('Phys1001','Physics',609,'B+')</pre> <p>1 row(s) inserted.</p>
Statement 159	<pre>insert into sem values('Mech1011','visualization',89,'A+')</pre> <p>1 row(s) inserted.</p>
Statement 158	<pre>insert into sem values('Math1011','several variable',69,'B+')</pre> <p>1 row(s) inserted.</p>

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

1 row(s) inserted.

Statement 156



```
insert into sem values('Lang1001','English',90,'S')
```

1 row(s) inserted.

Statement 155



```
insert into sem values('csen1011','Programming in c',59,'B')
```

1 row(s) inserted.

Statement 154



```
insert into sem values('csen1001','IT Productivity Tools',76.92,'S')
```

1 row(s) inserted.

Statement 153



```
insert into sem values('clad1001','Emotional intelligence',77.40,'A')
```

1 row(s) inserted.

Statement 152



```
insert into sem value('clad1011','Emotional intelligence',77.40,'A')
```

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

Schema

Quick SQL

My Scripts

My Tutorials

Code Library

Statement 151



```
insert into sem value('clad1011','Emotional intelligence',77.40,'A')
```

ORA-00928: missing SELECT keyword

Statement 150



```
create table sem(coursecode varchar(20),coursename char(30),marks number(3),grade varchar(20))
```

ORA-00955: name is already used by an existing object

Statement 149



```
create table sem1(coursecode varchar2(20),coursename char(30),marks number(3),grade varchar(20))
```

ORA-00955: name is already used by an existing object

Statement 148



```
create table sem1(coursecode varchar2(20),coursename char(30),marks number(3),grade char(20))
```

ORA-00955: name is already used by an existing object

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

no data found

Statement 146



```
select *from student where names='sai' and age=18
```

no data found


Statement 145



```
select *from student where names='sai' and age=19
```

no data found

Statement 144



```
select *from student where names='sai' and age=19
```

no data found

Statement 143



```
insert into student1 values('krishna',19)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM

Statement 142



```
insert into student1 values('sai',18)
```

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM

Statement 141



```
select *from sutdent where names='sai' and age=18
```

ORA-00942: table or view does not exist

Statement 140



```
insert into student1 values('krishna',19)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM

Statement 139



```
insert into student1 values('sai',18)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM

Statement 138



```
select *from student where names='sai' and age=18
```

no data found

Statement 137

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM

Statement 136



```
insert into student1 values('sai',18)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM

Statement 135



```
select *form student where names='sai' and age=18
```

ORA-00923: FROM keyword not found where expected

Statement 134



```
insert into student1 values('krishna',19)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM

Statement 133



```
insert into student1 values('sai',18)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

Schema

Quick SQL

My Scripts

My Tutorials

Code Library

ORA-00923: FROM keyword not found where expected

Statement 131



```
select *form student1 where names='sai' and age=18
```

ORA-00923: FROM keyword not found where expected

Statement 130



```
select *form student where names='sai' and age=18
```

ORA-00923: FROM keyword not found where expected

Statement 129



```
insert into student1 values('krishna',19)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM

Statement 128



```
insert into student1 values('sai',18)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM

Statement 127



```
insert into student1 values('krishna',18)
```

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 126



```
insert into student1 values('sai',18)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM

Statement 125



```
insert into student1 values('krishna',18)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM

Statement 124



```
insert into student1 values('sai',18)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM

Statement 123



```
insert into student1 values('krishna',18)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBM

Statement 122



```
insert into student1 values('sai',18)
```

Live SQL

 Home
 SQL Worksheet
 My Session ▼
Previous Sessions
Utilization
 NLS
 Schema
 Quick SQL ▶
 My Scripts
 My Tutorials
 Code Library

 Statement 121 	<pre>create table student1(names char(30) primary key,age number(2))</pre> <p>ORA-00955: name is already used by an existing object</p>
 Statement 120 	<pre>update student set phononenumber=7416917917 where names='sai'</pre> <p>0 row(s) updated.</p>
 Statement 119 	<pre>update student set phononenumber=7416917917 where names='sai'</pre> <p>0 row(s) updated.</p>
 Statement 118 	<pre>update student set phononenumber=7416917917 where names='sai'</pre> <p>0 row(s) updated.</p>
 Statement 117 	<pre>update student set phononenumber=7416917917 where names='sai'</pre>

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 116

`update student set phonenum=7416917917 where names='sai'`

0 row(s) updated.

Statement 115

`update student set phonenum=7416917917 where names='sai'`

0 row(s) updated.

Statement 114

`update student set phonenum=7416917917 where names='sai'`

0 row(s) updated.

Statement 113

`update student set phonenum=7416917917 where names='sai'`

0 row(s) updated.

Statement 112

`update student set phonenum=7416917917 where names='sai'`

0 row(s) updated.

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

0 row(s) updated.

Statement 110

`update student set phononenumber=7416917917 where names='sai'`

0 row(s) updated.

Statement 109

`update student set phononenumber=7416917917 where names='sai'`

0 row(s) updated.

Statement 108

`select names,age from student`

NAMES	AGE
sai kishna	18
praneeth	19
krishna	17
sheshu	20
sai kishna	18
praneeth	19
krishna	17
sheshu	20

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

krishna	17
sheshu	20
sai kishna	18
praneeth	19
krishna	17
sheshu	20

[Download CSV](#)

16 rows selected.

Statement 107



```
insert into student values('sheshu',20,'male',6437178177,'VU21CSEN0100188')
```

1 row(s) inserted.

Statement 106



```
insert into student values('krishna',17,'male',8076427413,'VU21CSEN0100331')
```

1 row(s) inserted.

Statement 105



```
insert into student values('praneeth',19,'male',9478917917,'VU21CSEN0100229')
```

1 row(s) inserted.

Statement 104



```
insert into student values('sai kishna',18,'male',7416916917,'VU21CSEN0100330')
```

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 103

`select*from student`

NAMES	AGE	GENDER	PHONENUMBER	REGISTRATION_NUMBER
sai kishna	18	male	7416916917	VU21CSEN0100330
praneeth	19	male	9478917917	VU21CSEN0100229
krishna	17	male	8076427413	VU21CSEN0100331
sheshu	20	male	6437178177	VU21CSEN0100188
sai kishna	18	male	7416916917	VU21CSEN0100330
praneeth	19	male	9478917917	VU21CSEN0100229
krishna	17	male	8076427413	VU21CSEN0100331
sheshu	20	male	6437178177	VU21CSEN0100188
sai kishna	18	male	7416916917	VU21CSEN0100330
praneeth	19	male	9478917917	VU21CSEN0100229
krishna	17	male	8076427413	VU21CSEN0100331
sheshu	20	male	6437178177	VU21CSEN0100188

[Download CSV](#)

12 rows selected.

Statement 102

`insert into student values('sheshu',20,'male',6437178177,'VU21CSEN0100188')`

1 row(s) inserted.

Statement 101

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

1 row(s) inserted.

Statement 100



```
insert into student values('praneeth',19,'male',9478917917,'VU21CSEN0100229')
```

1 row(s) inserted.

Statement 99



```
insert into student values('sai kishna',18,'male',7416916917,'VU21CSEN0100330')
```

1 row(s) inserted.

Statement 98



```
select*from student
```

NAMES	AGE	GENDER	PHONENUMBER	REGISTRATION_NUMBER
sai kishna	18	male	7416916917	VU21CSEN0100330
praneeth	19	male	9478917917	VU21CSEN0100229
krishna	17	male	8076427413	VU21CSEN0100331
sheshu	20	male	6437178177	VU21CSEN0100188
sai kishna	18	male	7416916917	VU21CSEN0100330
praneeth	19	male	9478917917	VU21CSEN0100229
krishna	17	male	8076427413	VU21CSEN0100331
sheshu	20	male	6437178177	VU21CSEN0100188

[Download CSV](#)

8 rows selected.

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

Schema

Quick SQL

My Scripts

My Tutorials

Code Library

ORA-00955: name is already used by an existing object

Statement 96

```
select *from student where names='sai' and age=18
```

no data found

Statement 95

```
select *from student where names='sai' and age=18
```

no data found

Statement 94

```
select *from student where names='sai' and age=19
```

no data found

Statement 93

```
select *from student where names='sai' and age=19
```

no data found

Statement 92

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBMS

Statement 91



insert into student1 values('sai',18)

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBMS

Statement 90



select *from sutdent where names='sai' and age=18

ORA-00942: table or view does not exist

Statement 89



insert into student1 values('krishna',19)

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBMS

Statement 88



insert into student1 values('sai',18)

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBMS

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

Schema

Quick SQL

My Scripts

My Tutorials

Code Library

no data found

Statement 86

```
insert into student1 values('krishna',19)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBMS

Statement 85

```
insert into student1 values('sai',18)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBMS

Statement 84

```
select *form student where names='sai' and age=18
```

ORA-00923: FROM keyword not found where expected

Statement 83

```
insert into student1 values('krishna',19)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBMS

Statement 82

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBMS

Statement 81



```
select *form student where names='sai' and age=19
```

ORA-00923: FROM keyword not found where expected

Statement 80



```
select *form student1 where names='sai' and age=18
```

ORA-00923: FROM keyword not found where expected

Statement 79



```
select *form student where names='sai' and age=18
```

ORA-00923: FROM keyword not found where expected

Statement 78



```
insert into student1 values('krishna',19)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBMS

Statement 77

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBMS

Statement 76



```
insert into student1 values('krishna',18)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBMS

Statement 75



```
insert into student1 values('sai',18)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBMS

Statement 74



```
insert into student1 values('krishna',18)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBMS

Statement 73



```
insert into student1 values('sai',18)
```

ORA-00001: unique constraint (SQL_WLZUYCUEURLYVRPKDNLNUZUNC.SYS_C0091312290) violated ORA-06512: at "SYS.DBMS

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

Schema

Quick SQL

My Scripts

My Tutorials

Code Library

1 row(s) inserted.

Statement 71

`insert into student1 values('sai',18)`

1 row(s) inserted.

Statement 70

`create table student1(names char(30) primary key,age number(2))`

Table created.

Statement 69

`update student set phonenum=7416917917 where names='sai'`

0 row(s) updated.

Statement 68

`update student set phonenum=7416917917 where names='sai'`

0 row(s) updated.

Statement 67

`update student set phonenum=7416917917 where names='sai'`

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)

 Home
 SQL Worksheet
 My Session
Previous Sessions
Utilization
NLS
 Schema
 Quick SQL
 My Scripts
 My Tutorials
 Code Library

Statement 66	<pre>update student set phonenum=7416917917 where names='sai'</pre> 0 row(s) updated.
Statement 65	<pre>update student set phonenum=7416917917 where names='sai'</pre> 0 row(s) updated.
Statement 64	<pre>update student set phonenum=7416917917 where names='sai'</pre> 0 row(s) updated.
Statement 63	<pre>update student set phonenum=7416917917 where names='sai'</pre> 0 row(s) updated.
Statement 62	<pre>update student set phonenum=7416917917 where names='sai'</pre> 0 row(s) updated.

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

Schema

Quick SQL

My Scripts

My Tutorials

Code Library

0 row(s) updated.

Statement 60

`update student set phononenumber=7416917917 where names='sai'`

0 row(s) updated.

Statement 59

`update student set phononenumber=7416917917 where names='sai'`

0 row(s) updated.

Statement 58

`update student set phononenumber=7416917917 where names='sai'`

0 row(s) updated.

Statement 57

`select names,age from student`

NAMES	AGE
sai kishna	18
praneeth	19
krishna	17

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

praneethn	19
krishna	17
sheshu	20

[Download CSV](#)

8 rows selected.

Statement 56



```
insert into student values('sheshu',20,'male',6437178177,'VU21CSEN0100188')
```

1 row(s) inserted.

Statement 55



```
insert into student values('krishna',17,'male',8076427413,'VU21CSEN0100331')
```

1 row(s) inserted.

Statement 54



```
insert into student values('praneeth',19,'male',9478917917,'VU21CSEN0100229')
```

1 row(s) inserted.

Statement 53



```
insert into student values('sai kishna',18,'male',7416916917,'VU21CSEN0100330')
```

1 row(s) inserted.

Statement 52

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

NAMES	AGE	GENDER	PHONENUMBER	REGISTRATION_NUMBER
sai kishna	18	male	7416916917	VU21CSEN0100330
praneeth	19	male	9478917917	VU21CSEN0100229
krishna	17	male	8076427413	VU21CSEN0100331
sheshu	20	male	6437178177	VU21CSEN0100188

[Download CSV](#)

4 rows selected.

Statement 51



```
insert into student values('sheshu',20,'male',6437178177,'VU21CSEN0100188')
```

1 row(s) inserted.

Statement 50



```
insert into student values('krishna',17,'male',8076427413,'VU21CSEN0100331')
```

1 row(s) inserted.

Statement 49



```
insert into student values('praneeth',19,'male',9478917917,'VU21CSEN0100229')
```

1 row(s) inserted.

Statement 48



```
insert into student values('sai kishna',18,'male',7416916917,'VU21CSEN0100330')
```

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 47

`select * from student`

no data found

Statement 46

`create table student(names char(30),age number(2),gender char(8),phonenumer number(13),registration_number`

Table created.

Statement 45

`select * from seme1`

COURSECODE	COURSENAME	MARKS	GRADE
clad1001	Emotional intelligence	77	A
csen1001	It Productivity Tools	77	S
csen1011	Programming in c	59	B
Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+
Mech1011	visualization	89	A+
Phys1001	Physics	69	B+
Vedc1001	venture development	79	A

[Download CSV](#)

9 rows selected.

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)

Home



My Session

Previous Sessions

Utilization

NLS



Quick SQL

My Scripts

My Tutorials

Code Library



```
insert into seme1 values('Vedc1001','venture development',79,'A')
```

1 row(s) inserted.

Statement 43



```
insert into seme1 values('Phys1001','Physics',69,'B+')
```

1 row(s) inserted.

Statement 42



```
insert into seme1 values('Mech1011','visualization',89,'A+')
```

1 row(s) inserted.

Statement 41



```
insert into seme1 values('Math1011','several variable',69,'B+')
```

1 row(s) inserted.

Statement 40



```
insert into seme1 values('Math1001','single variable',69,'B+')
```

1 row(s) inserted.

Statement 39



```
insert into seme1 values('Lang1001','English',90,'S')
```

Live SQL

[Feedback](#)[Help](#)

vpotluri@gitam.in

Home
SQL Worksheet
My Session
Previous Sessions
Utilization
NLS
Schema
Quick SQL
My Scripts
My Tutorials
Code Library

Statement 38	<pre>insert into seme1 values('csen1011','Programming in c',59,'B')</pre> <p>1 row(s) inserted.</p>
Statement 37	<pre>insert into seme1 values('csen1001','It Productivity Tools',76.92,'S')</pre> <p>1 row(s) inserted.</p>
Statement 36	<pre>insert into seme1 values('clad1001','Emotional intelligence',77.40,'A')</pre> <p>1 row(s) inserted.</p>
Statement 35	<pre>create table seme1(coursecode varchar(20),coursename char(30),marks number(3),grade varchar(20))</pre> <p>Table created.</p>
Statement 34	<pre>select * from seme1</pre> <p>ORA-00942: table or view does not exist</p>

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

ORA-00942: table or view does not exist

Statement 32

```
insert into seme1 values('Phys1001','Physics',69,'B+')
```

ORA-00942: table or view does not exist

Statement 31

```
insert into seme1 values('Mech1011','visualization',89,'A+')
```

ORA-00942: table or view does not exist

Statement 30

```
insert into seme1 values('Math1011','several variable',69,'B+')
```

ORA-00942: table or view does not exist

Statement 29

```
insert into seme1 values('Math1001','single variable',69,'B+')
```

Live SQL

 Home
 SQL Worksheet
 My Session
Previous Sessions
Utilization
 NLS
 Schema
 Quick SQL
 My Scripts
 My Tutorials
 Code Library

Statement 28	<pre>insert into seme1 values('Lang1001','English',90,'S')</pre> <p>ORA-00942: table or view does not exist</p>
Statement 27	<pre>insert into seme1 values('csen1011','Programming in c',59,'B')</pre> <p>ORA-00942: table or view does not exist</p>
Statement 26	<pre>insert into seme1 values('csen1001','It Productivity Tools',76.92,'S')</pre> <p>ORA-00942: table or view does not exist</p>
Statement 25	<pre>create table seme1(coursecode varchar(20),coursename char(30),marks number(3),grade varchar(20)) insert into seme1 values('clad1001','Emotional intelligence',77.40,'A')</pre> <p>ORA-00922: missing or invalid option</p>

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)

Home



Previous Sessions

Utilization

NLS



Statement 24



select * from sem

COURSECODE	COURSENAME	MARKS	GRADE
clad1001	Emotional intelligence	77	A
csen1001	It Productivity Tools	77	S
csen1011	Programming in c	59	B
Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+
Mech1011	visualization	89	A+
Phys1001	Physics	609	B+
Vedc1001	venture development	79	A
clad1001	Emotional intelligence	77	A
csen1001	It Productivity Tools	77	S
csen1011	Programming in c	59	B
Lang1001	English	90	S
Math1001	single variable	69	B+
Math1011	several variable	69	B+
Mech1011	visualization	89	A+
Phys1001	Physics	609	B+
Vedc1001	venture development	79	A

[Download CSV](#)

18 rows selected.

Statement 23



insert into sem values('Vedc1001','venture development',79,'A')

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)

 Home
 SQL Worksheet
 My Session
Previous Sessions
Utilization
NLS
 Schema
 Quick SQL
 My Scripts
 My Tutorials
 Code Library

Statement 22	<pre>insert into sem values('Phys1001','Physics',609,'B+')</pre> 1 row(s) inserted.
Statement 21	<pre>insert into sem values('Mech1011','visualization',89,'A+')</pre> 1 row(s) inserted.
Statement 20	<pre>insert into sem values('Math1011','several variable',69,'B+')</pre> 1 row(s) inserted.
Statement 19	<pre>insert into sem values('Math1001','single variable',69,'B+')</pre> 1 row(s) inserted.
Statement 18	<pre>insert into sem values('Lang1001','English',90,'S')</pre> 1 row(s) inserted.

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)

Home
SQL Worksheet
My Session ▼
Previous Sessions
Utilization
NLS
Schema
Quick SQL ▶
My Scripts
My Tutorials
Code Library

	1 row(s) inserted.
Statement 16	<pre>insert into sem values('csen1001','It Productivity Tools',76.92,'S')</pre>
	1 row(s) inserted.
Statement 15	<pre>insert into sem values('clad1001','Emotional intelligence',77.40,'A')</pre>
	1 row(s) inserted.
Statement 14	<pre>insert into sem values('Vedc1001','venture development',79,'A')</pre>
	1 row(s) inserted.
Statement 13	<pre>insert into sem values('Phys1001','Physics',609,'B+')</pre>
	1 row(s) inserted.
Statement 12	<pre>insert into sem values('Mech1011','visualization',89,'A+')</pre>

Live SQL

[Feedback](#) [Help](#) [vpotluri@gitam.in](#)[Home](#)[SQL Worksheet](#)[My Session](#)[Previous Sessions](#)[Utilization](#)[NLS](#)[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

Statement 11



```
insert into sem values('Math1011','several variable',69,'B+')
```

1 row(s) inserted.

Statement 10



```
insert into sem values('Math1001','single variable',69,'B+')
```

1 row(s) inserted.

Statement 9



```
insert into sem values('Lang1001','English',90,'S')
```

1 row(s) inserted.

Statement 8



```
insert into sem values('csen1011','Programming in c',59,'B')
```

1 row(s) inserted.

Statement 7



```
insert into sem values('csen1001','It Productivity Tools',76.92,'S')
```

1 row(s) inserted.

Live SQL

[Home](#)[SQL Worksheet](#)[My Session](#)

Previous Sessions

Utilization

NLS

[Schema](#)[Quick SQL](#)[My Scripts](#)[My Tutorials](#)[Code Library](#)

1 row(s) inserted.

Statement 5



```
insert into sem value('clad1011','Emotional intelligence',77.40,'A')
```

ORA-00928: missing SELECT keyword

Statement 4



```
insert into sem value('clad1011','Emotional intelligence',77.40,'A')
```

ORA-00928: missing SELECT keyword

Statement 3



```
create table sem(coursecode varchar(20),coursename char(30),marks number(3),grade varchar(20))
```

Table created.

Statement 2



```
create table sem1(coursecode varchar2(20),coursename char(30),marks number(3),grade varchar(20))
```

ORA-00955: name is already used by an existing object

Live SQL



Previous Sessions

Utilization

NLS



Statement 1



Table created.

```
create table sem1(coursecode varchar2(20),coursename char(30),marks number(3),grade char(20))
```

© 2022 Oracle · Live SQL 22.2.2, running Oracle Database 19c Enterprise Edition - 19.14.0.0.0 · [Database Documentation](#) · [Ask Tom](#) · [Dev Gym](#)

Built with ❤ using [Oracle APEX](#) · [Privacy](#) · [Terms of Use](#)