## 1

## Assignment 1 Probability and Random Processes

Padala Sai Kowshik\* EE22BTECH11038

Question 1.4.2

Find the intersection **O** of the perpendicular bisectors of **AB** and **AC**.

## **Solution:**

Given,

$$\mathbf{A} = \begin{pmatrix} 1 \\ -1 \end{pmatrix}, \ \mathbf{B} = \begin{pmatrix} -4 \\ 6 \end{pmatrix}, \ \mathbf{C} = \begin{pmatrix} -3 \\ -5 \end{pmatrix}$$

Vector equation of perpendicular bisector of AB is

$$(\mathbf{A} - \mathbf{B})^{\mathsf{T}} \left( \mathbf{x} - \frac{\mathbf{A} + \mathbf{B}}{2} \right) = 0 \tag{1}$$

where,

$$\mathbf{A} + \mathbf{B} = \begin{pmatrix} 1 \\ -1 \end{pmatrix} + \begin{pmatrix} -4 \\ 6 \end{pmatrix} \tag{2}$$

$$= \begin{pmatrix} -3\\5 \end{pmatrix} \tag{3}$$

$$\mathbf{A} - \mathbf{B} = \begin{pmatrix} 1 \\ -1 \end{pmatrix} - \begin{pmatrix} -4 \\ 6 \end{pmatrix} \tag{4}$$

$$= \begin{pmatrix} 5 \\ -7 \end{pmatrix} \tag{5}$$

(6)

Thus,

$$\implies (\mathbf{A} - \mathbf{B})^{\mathsf{T}} = \begin{pmatrix} 5 & -7 \end{pmatrix}$$

... The vector equation of **OF** is

$$\left(5 \quad -7\right)\left(\mathbf{x} - \frac{1}{2} \begin{pmatrix} -3\\5 \end{pmatrix}\right) = 0 \tag{7}$$

$$\implies (5 -7)\mathbf{x} = \frac{1}{2}(5 -7)\begin{pmatrix} -3\\ 5 \end{pmatrix} \tag{8}$$

Performing matrix multiplication yields

$$(5 \quad -7)\mathbf{x} = -25$$
 (9)

Vector equation of perpendicular bisector of AC is

$$(\mathbf{A} - \mathbf{C})^{\mathsf{T}} \left( \mathbf{x} - \frac{\mathbf{A} + \mathbf{C}}{2} \right) = 0 \tag{10}$$

where,

$$\mathbf{A} + \mathbf{C} = \begin{pmatrix} 1 \\ -1 \end{pmatrix} + \begin{pmatrix} -3 \\ -5 \end{pmatrix} \tag{11}$$

$$= \begin{pmatrix} -2\\ -6 \end{pmatrix} \tag{12}$$

$$\mathbf{A} - \mathbf{C} = \begin{pmatrix} 1 \\ -1 \end{pmatrix} - \begin{pmatrix} -3 \\ -5 \end{pmatrix} \tag{13}$$

$$= \begin{pmatrix} 4 \\ 4 \end{pmatrix} \tag{14}$$

$$\implies (\mathbf{A} - \mathbf{C})^{\mathsf{T}} = \begin{pmatrix} 4 & 4 \end{pmatrix} \tag{15}$$

∴ The vector equatio of **OE** is

$$\begin{pmatrix} 4 & 4 \end{pmatrix} \begin{pmatrix} \mathbf{x} - \frac{1}{2} \begin{pmatrix} -2 \\ -6 \end{pmatrix} \end{pmatrix} = 0 \tag{16}$$

$$\implies \begin{pmatrix} 4 & 4 \end{pmatrix} \mathbf{x} = \frac{1}{2} \begin{pmatrix} 4 & 4 \end{pmatrix} \begin{pmatrix} -2 \\ -6 \end{pmatrix} \tag{17}$$

Performing matrix multiplication yields

$$\begin{pmatrix} 4 & 4 \end{pmatrix} \mathbf{x} = -16 \tag{18}$$

$$\implies (1 \quad 1)\mathbf{x} = -4 \tag{19}$$

$$\implies (1 \quad 1)\mathbf{x} = -4$$

$$\begin{pmatrix} 5 & -7 & -25 \\ 1 & 1 & -4 \end{pmatrix} \xrightarrow{R_2 \leftarrow 5R_2 - R_1} \begin{pmatrix} 5 & -7 & -25 \\ 0 & 12 & 5 \end{pmatrix} \tag{20}$$

$$\begin{pmatrix} 5 & -7 & -25 \\ 0 & 12 & 5 \end{pmatrix} \xrightarrow{R_1 \leftarrow \frac{12}{7} R_1 + R_2} \begin{pmatrix} \frac{60}{7} & 0 & \frac{-265}{7} \\ 0 & 12 & 5 \end{pmatrix} \tag{21}$$

(8) 
$$\begin{pmatrix} 60 & 12 & 5 \\ 7 & 0 & \frac{-265}{7} \\ 0 & 12 & 5 \end{pmatrix} \xrightarrow{R_2 \leftarrow \frac{1}{12} R_2} \begin{pmatrix} 1 & 0 & \frac{-53}{12} \\ 0 & 1 & \frac{5}{12} \end{pmatrix}$$
(22)

$$\therefore \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix} \mathbf{x} = \begin{pmatrix} \frac{-53}{12} \\ \frac{5}{12} \end{pmatrix} \tag{23}$$

$$\implies \mathbf{x} = \begin{pmatrix} \frac{-53}{12} \\ \frac{5}{12} \end{pmatrix} \tag{24}$$

Therefore, the point of intersection of perpendicular bisectors of **AB** and **AC** is  $\mathbf{O} = \frac{1}{12} \begin{pmatrix} -53 \\ 5 \end{pmatrix}$ 




Fig. 0.  $\mathbf{OE}$  and  $\mathbf{OF}$  are perpendicular bisectors of  $\mathbf{AC}$  and  $\mathbf{AB}$  respectively