



ANDHRA PRADESH POLLUTION CONTROL BOARD
D.No.33-26-14D/2, Near Sunrise Hospital, Pushpa Hotel Centre,
Chalamalavaari Street, Kasturibaipet, Vijayawada - 520 010
Phone. No.0866-2436217, Website : www.appcb.ap.nic.in

**RED CATEGORY
 CONSENT & AUTHORIZATION ORDER**

Consent Order No : APPCB/VSP/VSP/212/HO/CFO/2019-

15/02/2019

CONSENT is hereby granted for Operation under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof and Authorisation under Rule 6 of the Hazardous & Other Wastes (Management and Transboundary, Movement) Rules, 2016 and the rules and orders made there under (hereinafter referred to as 'the Acts', 'the Rules') to:

**M/s. Vasudha Pharma Chem. Ltd., Unit - III,
 (Change of product mix)
 Plot No. 23 & 24, JN Pharmacy,
 Parawada, Visakhapatnam – 531 021
 E-mail: hrdcorporate@vasudhapharma.com**

(Hereinafter referred to as 'the Applicant') authorizing to operate the industrial plant to discharge the effluents from the outlets and the quantity of emissions per hour from the chimneys as detailed below:

The industry shall handover the original Consent order No. APPCB/VSP/VSP/212/HO/CFO/2017, dated 09.02.2017 having validity upto 30.11.2021 to the RO, Visakhapatnam after receipt of this order and the same stands cancelled from the date of receipt of this order.

i. Outlets for discharge of effluents:

Outlet No.	Outlet Description	Max Daily Discharge (KLD)	Point of Disposal
1.	HTDS Effluent	85.30	To MEE of CETP, Pharmacy for Evaporation and further disposal.
2.	LTDS Effluent	46.60	To the CETP, Pharmacy for further treatment and disposal.

ii) Emissions from chimneys:

Chimney No.	Description of Chimney	Quantity of Emissions at peak flow (m ³ /hr)
1.	Attached to 6 TPH Coal fired boiler & 6 TPH Coal fired boiler (Stand by)	--
2.	Attached to 1 X 4.0 Lak K.Cal & 1 X 2.0 Lak K.Cal Thermic fluid heaters	--
3.	Attached to Process Vents	
4.	Attached to 1 X 725 KVA & 2 X 600 KVA KVA DG sets	--

iii) **HAZARDOUS WASTE AUTHORISATION (FORM - II) [See Rule 6 (2)]:**

M/s. Vasudha Pharma Chem. Ltd., Unit - III, Plot No. 23 & 24, JN Pharmacy, Parawada, Visakhapatnam is hereby granted an authorization to operate a facility for collection, reception, storage, treatment, transport and disposal of Hazardous Wastes namely:

• **HAZARDOUS WASTES WITH DISPOSAL OPTION:**

S.No	Name of hazardous waste	Stream	Quantity	Method of disposal
1.	Organic residue	28.1 of Schedule - I	2.32 TPD	Authorised Cement plants for co-processing (or) TSDF, Parawada, Visakhapatnam District for incineration.
2.	Spent Carbon	28.2 of Schedule - I	0.28 TPD	
3.	Distillation bottom Residue	36.1 of Schedule - I	2.50 TPD	
4.	Expired Products	28.5 of Schedule - I	60 Kg/Day	
5.	Off Specification / Discarded Products	28.4 of Schedule - I	30 Kg/day	
6.	Discarded personal Protective equipment (PPE's)		100 Kgs/month	
7.	Inorganic Waste from Process	28.1 of Schedule - I	0.12 TPD	TSDF, Parawada, Visakhapatnam District for secured land filling.
8.	ETP sludge	35.3 of Schedule - I	1.20 TPD	
9.	Used Insulation Wool	15.1 of Schedule - I	1.0 TPM	
10.	Glass wool / Asbestos / Gypsum Boards	15.1 of Schedule - I	25 Kgs/Annum	

• **HAZARDOUS WASTES WITH RECYCLING OPTION:**

S.No	Name of hazardous waste	Stream	Quantity	Method of disposal
1.	Used Oils	5.1 of Schedule - I	200 LPM	APPCB Authorized recyclers
2.	Detoxified Containers & Container Liners	33.1 of Schedule - I	180 No's/Day	After Detoxification sent back to suppliers
3.	Spent Solvents	28.6 of Schedule - I	15 KLD	Recovery in the plant premises (OR) Sent to APPCB Authorized recyclers.
4.	Mixed Spent Solvents	28.6 of Schedule - I	10 KLD	To APPCB Authorized Solvent Recovery Units.
5.	Spent Catalyst	28.2 of Schedule - I	10 Kg/day	To the Supplier for Recovery

This consent order is valid for the following products along with quantities indicated only:

S. No.	Name of the Product	Capacity in Kg/Day	No. of Stages	Starting Raw material	Quantity in (Kg/Day)
1.	Esomeprazole Magnesium Trihydrate (ES)	200.00	3	2-Chloromethyl-4-methoxy-3, 5-Dimethyl pyridine. HCl	190.9
2.	Clopidogrel Bisulphate (CDS)	3.33	4	2-Chloro phenyl glycine	4.6
3.	Itopride Hydrochloride (ITP)	50.00	5	N, N-Dimethyl amino ethanol	37.9
4.	Flurbiprofen (FBF)	3.33	2	2-Bromo Propionic Acid	4.1
5.	Amitriptyline Hydrochloride (AMPT)	100.00	3	1-Bromo-3-Chloropropane (BCP)	134.1
6.	Pregabalin (PGN)	16.67	4	Isovaleraldehyde	17.3
7.	Omeprazole (OMP)	16.67	2	2-(Chloromethyl)-4-methoxy-3,5-dimethyl pyridine hydrochloride	14.0
8.	Lansoprazole (LPZ)	16.67	2	2-(Chloromethyl)-3-methyl-4-(2,2,2-trifluoroethoxy) pyridine hydrochloride	17.6
9.	Nortriptyline Hydrochloride (NOPT)	6.67	3	5-Hydroxy Amitriptyline (AMPT-I)	10.7
10.	Ketorolac Tromethamine (KTT)	33.33	3	Triethyl (5-benzyl-1H-pyrrol-2yl) methane tricarboxylate (TM-IV)	60.7
11.	N-Methyl-4-piperidone (NMP)	1000.00	3	Methyl Acrylate	1894.0
12.	N-Carbethoxy -4-Piperidone (NCP)	766.67	1	N-Methyl-4-Piperidone (NMP)	573.0
13.	5-chloro-1,3-dihydro-1-(4-piperidinyl)-2H-benzimidazol-2-one (DOM-IX)	500.00	5	N-carbethoxy-4-piperidone (NCP)	460.8
14.	1-(3-chloropropyl)-1,3-dihydro-2H-benzimidazol-2-one (DOM-II)	400.00	2	Ortho phenyldiamine	307.5
15.	N-Methyl-4-Chloro Piperidine (NMCP)	366.67	2	N-Methyl-4-Piperidone (NMP)	431.7
16.	Dibenzosuberone (DBS)	333.33	4	Phenyl Acetic Acid	446.7
17.	5-Dibenzosuberone (DDBS)	166.67	1	Dibenzosuberone (DBS)	200.0

18.	3-[2-(3-chlorophenyl) ethyl] pyridine-2-carbonitrile (UK-V)	100.00	1	3-[2-(3-chlorophenyl) ethyl] pyridine] (UK-III)	124.4
19.	N-Benzyl-4-Piperidone (NBP- III)	100.00	3	Benzaldehyde	81.4
20.	{3-[2-(3-chlorophenyl) ethyl] pyridin-2-yl} (1-methyl piperidin-4-yl) methanone hydrochloride (UK-VI)	83.33	2	3-[2-(3-chlorophenyl) ethyl] pyridine] (UK-III)	75.1
21.	1- (Diphenyl methyl) piperazine (DPMP)	16.67	3	Benzhydrol (Diphenyl Methanol)	16.0
22.	N, N-Dimethyl Amino Propyl Chloride (DAPC-I)	66.67	1	1-Bromo-3-Chloropropane (BCP)	112.0
23.	4-Bromo-2,2-Diphenylbutanoic acid (LPD-III)	1.67	3	Diphenyl Acetonitrile	1.0
24.	8-chloro-11-(1-methylpiperidin- 4-ylidene)-6,11-dihydro-5H-benzo [5,6] cyclohepta[1,2-b] pyridine (UK-VII)	83.33	3	3-[2-(3-chlorophenyl) ethyl] pyridine] (UK-III)	105.8
25.	N, N- Dimethyl (Tetra Hydro - 3, 3- Diphenyl)- 2-Furiden Ammonium Bromide (LPD-V)	33.33	1	4-Bromo-2, 2-diphenyl butanoic acid (LPD-III)	50.7
26.	1-[bis(4-fluorophenyl) methyl] piperazine (FLH-III)	8.33	3	4,4-Di fluoro benzophenone	9.3
27.	4-(4-Chlorophenyl) 4-Hydroxy Piperidine (PCP-II)	33.33	2	N-Carbethoxy-4-Piperidone (NCP)	44.7
28.	8-Chloro-5, 6-Dihydro-11H- Benzo [5, 6] Cyclohepta [1, 2- B] Pyridin-11-One (Lora Ketone) - LKT	3.33	3	3-[2-(3-chlorophenyl) ethyl] pyridine] (UK-III)	5.3
29.	1-(4-Tert-Butylphenyl)-4-Chlorobutan-1-One (EB-IV)	16.67	1	4-Chloro-butyl-chloride (4CBC)	13.3
30.	4-Hydroxy Piperidine (4HP)	20.00	2	N-Carbethoxy-4-Pipertdone (NCP)	39.6
31.	4-(1-Hydroxy-1-methylethyl)-2- propyl-1-[[2-[triphenylmethyl)- 1H-tetrazole-5-yl] [1,1biphenyl]-4-yl] methyl] 1H-imidazol-5-carboxylic acid ethyl ester (OMI)	16.67	1	1-H-Imidazole-5-carboxylic acid 4-(1-hydroxy-1-methyl ethyl) -2- propyl -ethyl ester (OMI-101)	5.7

32.	Methyl Loratadine (ML)	20.00	4	3-[2-(3-chlorophenyl) ethyl] pyridine] (UK-III)	31.7
33.	2- [4-(amino methyl) phenoxy]- N, N-dimethyl ethanamine (ITP-300)	6.67	3	N, N-Dimethyl amino ethanol	7.2
34.	Triethyl Methane tricarboxylate (TM-III)	3.33	1	Diethyl malonate	3.4
35.	N-Methyl - 4-Hydroxy Piperidine (NMHP)	3.33	1	N-Methyl-4-Piperidone (NMP)	3.3
36.	1-(2-phenylethyl) piperidin-4- one (PEP-III)	3.33	4	2-Phenylethanamine	3.3
37.	Phenyl (1H-pyrrol-2-yl) methanone (TM-II)	3.33	2	Benzoyl chloride	3.1
38.	Triethyl [5-Benzoyl-1h Pyrrol-2yl] Methane Tri Carboxylate (TM-IV)	6.67	4	Benzoyl chloride	4.1
39.	N-carboethoxy-4-Hydroxy piperidine (4HNCP)	33.33	1	N-Carbethoxy-4-Pipertdone (NCP)	36.0
40.	N-Propylpiperidin-4-one (NPP- II)	1.67	2	N-Propyl amine	1.7
41.	4-Piperidino Piperidine (4PP-II)	3.33	2	N-Carbethoxy 4-piperidine (NCP)	4.7
42.	4-(Diphenyl Methoxy) Piperidine Hydrochloride (DP)	3.33	2	Benzhydrol	4.0
43.	1, 3-Chloro Propoxy-4-Fluoro Benzene (CIS-IM)	3.33	1	Para Fluoro Phenol	2.5
44.	5-Methoxy-2-[[4-methoxy-3,5- dimethyl-2-pyridinyl) methyl] thio}-1H-Benzimidazole (Omeprazole Sulphide) (OS)	3.33	1	2-Chloromethyl-4-methoxy-3, 5-Dimethyl pyridine. HCl	2.7
45.	N-Boc-4- Piperidine (N-BOC)	6.67	1	N-Carbethoxy-4-Pipertdone (NCP)	14.1
46.	5-Hydroxy Amitriptyline (AMPT-I)	3.33	2	1-Bromo-3-Chloropropane (BCP)	4.2
47.	4-(piperidin-1-yl) piperidine-4- carboxamide (BPC)	1.67	3	1-Benzylpiperidin-4-one	2.2
48.	(R)-3-Amino-1- butanol (3-ABL)	0.83	4	4-Hydroxybutan-2-one	7.3
49.	(2,4-difluorophenyl) methanamine (DBA)	1.67	1	2, 4-difluorobenzonitrile	2.0
50.	(R)-3-Piperidinamine dihydrochloride (3-APH)	0.83	4	3-Amino pyridine	1.7
51.	4-T-Boc-		1	N-Carethox'-4-amino	2.5

	Aminopiperidine(4TBAP)	1.67		piperidine (4-ANCP)	
52.	4-Chloro-1-(4-fluorophenyl) butan-1-one (FBP)	1.67	1	Fluoro benzene	1.1
53.	N-Benzyl-4-Hydroxypiperidine (NB4HP)	0.83	4	Benzaldehyde	1.0
54.	1-Isobutyl Piperidin-4-One (IBP)	0.83	2	Methyl-3-(N-(2-(methoxycarbonyl) Ethyl-N- isobutyl amino) propanoate (IBP-I)	2.1
55.	N-Boc-4-Hydroxy Piperidine (NBHP)	0.83	2	N-Carbethoxy-4-Pipertdone (NCP)	2.1
56.	4-Piperidino Piperdine Dihydrochloride (4PP Dil. HCl)	0.83	3	N-Carbethoxy 4-piperidine (NCP)	0.7
57.	4-Piperidone Monohydrate Hydrochloride (PIP-III)	0.83	3	N-Carbethoxy-4-Pipertdone (NCP)	0.9
58.	4-phenylpiperidine (4PLP)	0.83	2	Ethyl 4-oxopiperidine-1 - carboxylate (NCP)	2.7
59.	1,1'-(4-chlorobutane-1,1-diyl) bis(4-fluorobenzene) (CBF)	0.83	2	4-chloro-4'-fluoro butyrophenone	1.3
60.	4-(2-keto-1-Benzimidazolilnyl)-piperidine (PDB)	0.83	3	Ethyl-4-amino piperidin-1-carboxylate	1.0
61.	N-Benzyl-4-Amino Piperdine (4ANBP)	0.83	1	1-Benzylpiperidine-4-one (NBP- III)	1.3
62.	N-Methyl-4-Amino Piperidine (4ANMP)	0.83	1	N-Methyl-4- Piperidone (NMP)	2.0
63.	(R)-2-(benzylamine)-1-(R)-6- fluoro-3, 4-dihydro-2H-chromene-2-yl) ethanol (NBL- III)	0.83	3	6-fluoro-3, 4-dihydro-4-oxo-2H- chromene-2-carboxylic acid	1.6
64.	N-Ethyl piperidin-4-one (NEP)	0.83	2	N-Ethyl amine (70%)	1.0
65.	(1-(3-Methoxypropyl) piperidin- 4-one) (3MPP)	0.83	2	3-Methoxypropan-1-amine (3MPA)	1.4
66.	3-(Benzyloxy)-5-bromo-2-methylpyridin-4-ol (BHP)	0.83	3	Maltol	0.7
67.	(R)-3-(Boc-amino) piperdine (3- BAP)	0.83	3	3-Amino pyridine	1.6
68.	2-((4-Chlorophenyl) (piperidin- 4-yloxy) methyl) pyridine Fumarate (CMP)	0.83	4	2-Cyanopyridine	2.6

69.	1, 3-Dimethylpiperidine-4-One (1,3 DMP)	0.83	3	Methyl 2- methyl acrylate	1.3
70.	Validation Products	100.00	-	--	-
	Proposed Products	0			
71.	N-(1-Phenethyl-4-piperidinyl) aniline (NPA)	0.83	1	1-Phenethylpiperidin-4-one (PEP-III)	1.0
72.	3-Dehydroxy chlorthalidone (DHC)	6.67	3	Phthalic anhydride	6.67
73.	N-4-Piperidinyl-carbamic acid methyl ester, PTSA Salt	0.83	2	1-Benzylpiperidin-4-amine	1.0
74.	5-Chloro-2,3-Diphenyl Pyrazine (CPP)	0.83	2	Benzil	1.1
75.	4- (Isopropyl amino) butanol (IPB)	0.83	2	Tetrahydrofuran (THF)	1.8
76.	4-Amino-N-Boc-piperidine [4ABP]	0.83	1	Tert-butyl -4-oxopiperidine-1-carboxylate (N-BOC)	1.3
77.	2-Bromo-5,6-diphenyl pyrazine (BDP)	0.83	1	5,6-diphenyl pyrazine-2-ol	0.9
78.	3, 8-Dihydroxydibenzo[C] chrometn-6-one (HBC)	0.83	5	M-hydroxy benzoic acid (MHBA)	1.6
79.	3-Hydroxy dibenzo- α -pyrone (HDP)	0.83	2	2-Bromo-benzoic acid	1.4
80.	Itraconazole (IZL)	33.33	5	1-(4-methoxyphenyl-4-(4- nitrophenyl) piperazine (Nitro compound)	50.0
81.	Mebeverine Hydrochloride	33.33	5	4-Methoxy phenyl acetone	26.7
82.	Selexipag	0.83	4	2-Chloro-5,6-diphenyl pyrazine	3.8
83.	Aripiprazole	0.83	4	3,4-dihydro-7-hydroxyquinolin-2(1H)-one	0.8
84.	Biperiden hydrochloride	1.67	5	5-Cyano norbornene	11.3
85.	Citicoline Sodium	16.67	1	Cytidine 5'-mono phosphate (5'-CMP)	17.8
86.	Benserazide Hydrochloride	1.67	4	Pyrogallol	2.0
87.	Cinnarizine	33.33	4	Benzhydryl	24.2
88.			2	Ethyl-4-(1-hydroxy-1-methylethyl)2-propy H-	27.9

	Olmesartan medoxomil	16.67		((2-(2-(triphenylmethyl)-2H-tetrazol-5-yl biphenyl-4-yl-1-methyl imidazole-5-carboxylic acid	
89.	Febuxostat (FBT)	16.67	6	4-Hydroxy benzaldehyde	19.3
90.	Flunarizine dihydrochloride (FLH)	16.67	4	Cinnamyl alcohol	8.9
91.	Nebivolol Hydrochloride (NBL)	3.33	3	2R-6-fluoro-2[2(S)-oxiran-2yl]-3,4, dihydro-2H-chromene (NBH Isomer A)	6.7
92.	Rabeprazole Sodium	30.00	8	2,3-Lutidine	26.0
93.	Ebastine (EB)	6.67	2	4- (diphenyl methoxy) piperidine Hydrochloride	7.6
94.	Cyclobenzaprine HCl (CBP)	30.00	3	1-Bromo-3-Chloro propane	37.5
95.	Oxatomide (OXE)	5.00	2	1- (diphenyl methyl) piperazine	5.2
96.	Pimozide (PIM)	0.83	2	4-chloro-1, 1-bis (4-fluorophenyl) butane (PIM-III)	1.4
97.	Donepezil Hydrochloride (DPH)	11.67	4	5,6-Di methoxy Indanone	14.5
98.	5-Benzoyl-2,3-dihydro-1H-pyrrolizine-1-carboxylic acid (KTT-II)	20.00	2	Triethyl (5-benzyl-1H-pyrrol-2yl) methane tricarboxylate (TM-IV)	38.0
99.	Dex-Lansoprazole (DLZ)	16.67	2	4-(2, 2, 2-trifluoroethoxy)-2-(Chloromethyl)-3-methylpyridine	33.3
	TOTAL	5100.0			

This order is subject to the provisions of 'the Acts' and the Rules' and orders made thereunder and further subject to the terms and conditions incorporated in the schedule A, B & C enclosed to this order.

This combined order of consent & Hazardous Waste Authorization shall be valid for a period ending with the 30th day of November, 2023.

Bandla Siva
Sankar Prasad

Digitally signed by Bandla
Siva Sankar Prasad
Date: 2019.02.15 18:24:55
+05'30'

BANDLA SIVA SANKARA PRASAD
CHAIRMAN

To

M/s. Vasudha Pharma Chem. Ltd., Unit - III,
(Change of product mix)
Plot No. 23 & 24, JN Pharmacity,
Parawada, Visakhapatnam – 531 021

Copy to :

1. The JCEE, Zonal Office, **Visakhapatnam** for information and necessary action.
2. The Environmental Engineer, Regional Office, **Visakhapatnam** for information and necessary action.

SCHEDULE-A

1. Any up-set condition in any industrial plant / activity of the industry, which result in, increased effluent / emission discharge and/ or violation of standards stipulated in this order shall be informed to this Board, under intimation to the Collector and District Magistrate and take immediate action to bring down the discharge / emission below the limits.
2. The industry should carryout analysis of waste water discharges or emissions through chimneys for the parameters mentioned in this order on quarterly basis and submit to the Board.
3. All the rules & regulations notified by Ministry of Law and Justice, Government of India regarding Public Liability Insurance Act, 1991 should be followed as applicable.
4. The industry should put up two sign boards (6x4 ft. each) at publicly visible places at the main gate indicating the products, effluent discharge standards, air emission standards, hazardous waste quantities and validity of CFO and exhibit the CFO order at a prominent place in the factory premises.
5. Not withstanding anything contained in this consent order, the Board hereby reserves the right and powers to review / revoke any and/or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of the Acts by the Board.
6. The applicant shall submit Environment statement in Form V before 30th September every year as per Rule No.14 of E(P) Rules, 1986 & amendments thereof.
7. The applicant should make applications through Online for renewal of Consent (under Water and Air Acts) and Authorization under HWM Rules at least 120 days before the date of expiry of this order, along with prescribed fee under Water and Air Acts and detailed compliance of CFO conditions for obtaining Consent & HW Authorization of the Board. The industry should immediately submit the revised application for consent to this Board in the event of any change in the raw material used, processes employed, quantity of trade effluents & quantity of emissions. Any change in the management shall be informed to the Board. The person authorized should not let out the premises / lend / sell / transfer their industrial premises without obtaining prior permission of the State Pollution Control Board.
8. Any person aggrieved by an order made by the State Board under Section 25, Section 26, Section 27 of Water Act, 1974 or Section 21 of Air Act, 1981 may within thirty days from the date on which the order is communicated to him, prefer an appeal as per Andhra Pradesh Water Rules, 1976 and Air Rules 1982, to Appellate authority constituted under Section 28 of the Water(Prevention and Control of Pollution) Act, 1974 and Section 31 of the Air(Prevention and Control of Pollution) Act, 1981.

SCHEDULE-B

1. The industry shall handover the original Consent order No. APPCB/VSP/VSP/212/HO/CFO/2017, dated 09.02.2017 having validity upto 30.11.2021 to the RO, Visakhapatnam after receipt of this order and the same stands cancelled from

the date of receipt of this order.

WATER POLLUTION:

2. The source of water is JNPC supply. The following is the permitted water consumption:

S. No.	Purpose	Quantity (KLD)
1.	Process	74.70
2.	Washings	5.00
3.	Boiler Feed	50.00
4.	Cooling Towers Makeup	50.00
5.	Scrubber	5.00
6.	QC Lab	3.00
7.	Domestic	10.00
8.	Gardening	10.00
	Total	207.70

3. Digital flow meters with totalizers with necessary pipelines shall be provided so as to assess the water used for different purposes within 1 month and maintain them properly and also maintain the records of the readings.
4. The LTDS effluents sent to CETP, Pharmacy shall not contain constituents in excess of the tolerance limits mentioned below, as per their MoU with M/s Ramky Pharma City.

Outlet	Parameter	Concentration in mg/l
2*	pH	6.50 - 8.50
	Temperature °C	< 45°C
	TDS	12,000 mg/l
	TSS	600 mg/l
	BOD	3,000 mg/l
	COD	8,000 mg/l
	Oil and Grease	20 mg/l
	Chromium Hexavalent (as Cr+6)	2 mg/l
	Chromium (total) (as Cr)	2 mg/l
	Ammonical Nitrogen (as N)	30 mg/l
	Cyanide (as CN)	0.20 mg/l
	Lead (as Pb)	1 mg/l
	Nickel (as Ni)	3 mg/l
	Zinc (as Zn)	15 mg/l
	Arsenic (as As)	0.20 mg/l
	Mercury (as Hg)	0.01 mg/l

The industry shall segregate the HTDS and LTDS effluent streams and the effluents which are not meeting the above standards shall be treated as HTDS effluents and shall be sent CETP of Pharmacy for evaporation.

5. The industry shall install and maintain Electro Magnetic flow meters with totalisers for effluent quantity measurement for HTDS & LTDS effluent immediately. The industry shall install and maintain web camera for flow meters and connect the same to the CPCB immediately.
6. The LTDS and HTDS effluents shall be stored in above ground level collection tanks

- separately.
7. Effluents shall not be discharged onland or any water bodies or aquifers or outside under any circumstances. Floor washings shall be admitted into effluent collection system only and shall not be allowed to find their way into storm water drains or open areas.
 8. The industry shall maintain rainwater runoff tank for collection and storage of first flush storm water. The industry shall maintain dry condition outside drains in non-rainy season.
 9. Container & Container liners shall be detoxified at the specified covered platform with dyke walls and the wash wastewater shall be routed to low TDS collection tank after characterization.
 10. The drums containing chemicals / solvents shall be stored under a roof on elevated platform with a provision to collect leakages / spillages in the collection pit.
 11. The industry shall comply with CPCB directions dated 05.02.2014 / 02.03.2015 and guidelines issued regarding online monitoring systems issued from time to time. The online monitoring system shall be calibrated periodically as per equipment suppliers manual / CPCB guidelines.
 12. The industry shall maintain proper manifest system for effluent transported to CETP. They shall submit monthly reports to the E.E., RO-Visakhapatnam.
 13. The industry shall submit the details of quantity of High TDS and Low TDS effluents sent to CETP of Pharmacy every month to the RO, Visakhapatnam.

AIR POLLUTION:

14. The emissions shall not contain constituents in excess of the prescribed limits mentioned below:

Chimney No.	Parameter	Emission Standards
1 & 2	Particulate matter	100 mg/Nm ³
3	Acid mist	35 mg/Nm ³

15. The industry shall comply with ambient air quality standards of PM10 (Particulate Matter size less than 10 microns) - 100 micro gram/ m³; PM2.5 (Particulate Matter size less than 2.5 microns) - 60 micro gram/ m³; SO₂ - 80 micro gram/ m³; NO_x - 80 micro gram/m³, outside the factory premises at the periphery of the industry.
Standards for other parameters as mentioned in the National Ambient Air Quality Standards CPCB Notification No.B-29016/20/90/PCI-I, dated 18.11.2009.
Noise Levels: Day time (6 AM to 10 PM) - 75 dB (A)
Night time (10 PM to 6 AM) - 70 dB (A)
16. The industry shall comply with emission limits for DG sets of capacity upto 800 KW as per the Notification G.S.R.520 (E), dated 01.07.2003 and G.S.R.448(E), dated 12.07.2004 under the Environment (Protection) Act Rules. In case of DG sets of capacity more than 800 KW shall comply with emission limits as per the Notification G.S.R.489 (E), dated 09.07.2002 at serial no.96, under the Environment (Protection) Act, 1986.
17. The industry shall operate the two stage scrubber for scrubbing of process emissions at all emission sources.
18. The industry shall maintain multi stage scrubber with online pH meters to control gaseous emissions. The scrubbed solutions shall be recycled to the maximum extent. The details of chemicals consumption used in the

scrubber shall be recorded and kept accessible for the inspection officials of the Board.

- 19.The industry shall maintain auto recording system to the online pH measuring facility of the scrubber and report compliance to Regional Office, Visakhapatnam. Scrubber solution shall be recycled as far as possible and finally sent to CETP of Pharmacity for further treatment.
- 20.The industry shall maintain online VOC analyzer and the monitoring records shall be submitted to the RO-Visakhapatnam.
- 21.The evaporation losses in solvents shall be controlled by taking suitable measures, which include:
 - i. Chilled brine circulation to effectively reduce the solvent losses into the atmosphere.
 - ii. Transfer of solvents by using pumps and closed conveyance instead of manual handling.
 - iii. Closed centrifuges be used due to which solvent losses are reduced drastically.
 - iv. The reactor vents connected with primary & secondary condensers to catch the solvent vapours.
 - v. All the solvent storage tanks are connected with vent condensers to prevent solvent vapours.
- 22.The industry shall not use odour causing substances such as Mercaptan or cause odour nuisance in the surroundings.
- 23.The industry shall provide the hood on the top of the effluent storage tank within 3 months as committed in the CFO committee meeting held on 08.02.2019.
- 24.The industry shall inform the APPCB, Regional Office during maintenance Air pollution control equipments.

GENERAL:

- 25.The industry shall update the information in OCEMS - Industry Information Data Entry Software for Compliance Reporting Protocol in PART-II (Sections F & G) Every Quarter on 1st January, 1st April, 1st July and 1st October through this software system.
- 26.The industry shall submit the information regarding usage of Ozone Depleting Substance once in six months to the Board.
- 27.The industry shall maintain online real time monitoring (web camera) facilities to flow meters as per CPCB guidelines.
- 28.The industry shall not manufacture any product, other than those mentioned in this order.
- 29.The industry shall maintain the following records and the same shall be made available to the inspecting officers of the Board:
 - a. Daily production details (ER-1 Central Excise Returns).
 - b. Quantity of Effluents generated, treated, recycled/reused and disposed to CETP.
 - c. Log Books for pollution control systems.
 - d. Characteristics of effluents and emissions.
 - e. Hazardous/non hazardous solid waste generated and disposed.
 - f. Inspection book.
 - g. Manifest copies of effluents / hazardous waste.
- 30.The industry shall submit AAQ monitoring reports conducted by Authorised Agency every month.
- 31.The industry shall dispose solid waste (NON HAZARDOUS) as follows:

S. No.	Name of the Solid Waste	Quantity	Disposal
--------	-------------------------	----------	----------

1.	Coal ash	3.8 TPD	Disposed to Brick Manufacturers
2.	Paper, cotton waste & packing materials i.e. wood, carton & ropes etc.,	500 Kgs/month	Sale to outside agencies/recyclers
3.	Metal scrap (MS, SS, GI & Aluminium)	2 TPM	

32.Green belt of adequate width and density shall be maintained along the boundary of the industry with minimum area of 33% of total area within 1 month.

SCHEDULE - C

[See rule 6(2)]

[CONDITIONS OF AUTHORISATION FOR OCCUPIER OR OPERATOR HANDLING HAZARDOUS WASTES]

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorisation shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorisation.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time;
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty".
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.
8. An application for the renewal of an authorisation shall be made as laid down under these Rules.
9. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.

Specific Conditions:

10. Annual return shall be filed by June 30th for the period ensuring 31st March of the year.
11. The industry shall enter an agreement with the Cement industries for disposal of incinerable waste or shall dispose to Alternative Fuel Raw material facility (AFRF) OR to TSDF for co-incineration.
12. The industry shall transport the hazardous waste to cement industries through GPS vehicle.
13. The industry shall not store hazardous waste for more than 90 days as per the Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016.
14. The industry shall store Used / Waste Oil and Used Lead Acid Batteries in a secured way in their premises till its disposal to the manufacturers / dealers on buyback basis.

- 15.The industry shall maintain 7 copy manifest system for transportation of waste generated and a copy shall be submitted to concerned Regional Office of APPCB. The driver who transports Hazardous Waste should be well acquainted about the procedure to be followed in case of an emergency during transit. The transporter should carry a Transport Emergency (TREM) Card.
- 16.The industry shall maintain proper records for Hazardous and Other Wastes stated in Authorisation in Form-3 i.e., quantity of Incinerable waste, land disposal waste, recyclable waste etc., and file annual returns in Form-4 as per Rule 20 (2) of the Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016.

The industry shall submit the condition wise compliance report of the conditions stipulated in Schedule A, B & C of this Order on half yearly basis to Board Office, Vijayawada and concerned Regional Office.

Bandla Siva
Sankar Prasad

Digitally signed by Bandla Siva
Sankar Prasad
Date: 2019.02.15 18:25:47
+05'30'

BANDLA SIVA SANKARA PRASAD
CHAIRMAN

To

M/s. Vasudha Pharma Chem. Ltd., Unit - III,
Plot No. 23 & 24, JN Pharmacity,
Parawada, Visakhapatnam – 531 021.