



ANDHRA PRADESH POLLUTION CONTROL BOARD
D.No. 33-26-14 D/2, Near Sunrise Hospital, Pushpa Hotel Centre,
Chalamalavari Street, Kasturibaipet, Vijayawada – 520010.

Website :www.appcb.ap.nic.in

CONSENT ORDER FOR ESTABLISHMENT

Order No. 143/APPCB/CFE/RO-VSP/HO/2011

Dt: 12.12.2018

Sub: APPCB – CFE - M/s. Vasudha Pharma Chem. Ltd., Unit – II, Plot No. 79, JN Pharmacity, Parawada, Visakhapatnam – Consent for Establishment of the Board for **Change of Product Mix** under Sec. 25 of Water (P & C of P) Act, 1974 and under Sec. 21 of Air (P&C of P) Act, 1981 - Issued - Reg.

Ref: 1) CFE expansion order dt. 31.05.2016.
2) Industry's application received through APOCMMS on 19.11.2018.
3) R.O's inspection report dt. 26.11.2018.
4) CFE Committee meeting held on 06.12.2018.
5) Industry's Ir. dt. 12.12.2018

1. In the reference 2nd cited, an application was submitted to the Board seeking Consent for Establishment (CFE) for **Change of Product Mix** within the existing premises to produce the products with installed capacities as mentioned below, with an additional project cost of Rs. 18.56 Crores.

As per CFE order dt. 31.05.2016:

S. No	Products	Quantity (Kg/Day)
1	Carvedilol (CDL)	10.0
2	Cyproheptadine (CYP)	166.7
3	Dextromethorphan Hydrobromide (DBR)	100.0
4	Diatrizoicacid Dihydrate(DZA)	333.3
5	Domperidone (DOM)	666.7
6	Domperidone Maleate (DM)	100.0
7	Fexofenadine Hydrochloride (FFH)	500.0
8	Loratadine (LRD)	133.3
9	Losartan Potassium (LTP)	600.0
10	Pantoprazole Sesquihydrate (PZL)	566.7
11	Quetiapine fumarate (QHF)	50.0
12	Telmisartan (TLS)	266.7
13	2-Butyl-1H-imidazole-5-carboxaldehyde (BFI)	166.7
14	2-(Chloromethyl)-3,4-dimethoxypyridine hydrochloride (PZL-700)	300.0
15	4-Amino-5-Chloro-2-Methoxy-N-(3-Methoxypiperidin-4yl) Benzamide (CIS-VI)	4.3
16	5-Bromo-6-Iso thiocyanate Quinoxaline (BAQ)	1.1
17	2-Butyl -4-chloro-1H-imidazole -5-carbaldehyde (BCFI)	34.0
18	5-(Difluoromethoxy)-H-benzo [d] imidazole-2-thiol (BZL)	134.0
19	Fexofenadine Base	66.7
20	Validation Products	100.0
	TOTAL	4300.0

After Change of Product Mix:

Sl. No.	Products	Quantity (Kg/day)	No. of Stages	Starting Raw material	Quantity of SRM (Kg/day)
1.	Carvedilol (CDL)	0.33	3	4-Hydroxy Carbazole	0.50
2.	Cyproheptadine (CYP)	166.67	3	4-Chloro-1-methyl piperidine	140.0
3.	Dextromethorphan Hydrobromide (DBR)	100.00	1	3-Methoxy Morphinan	111.0
4.	Diatrizoicacid Dihydrate (DZA)	166.67	3	3,5-Diaminobenzoic acid	74.1
5.	Domperidone (DOM)	500.00	2	1-(3-Chloropropyl)-1,3-dihydro-2H-benzimidazole-2-one (DOM-II), (CPDB)	287.2
6.	Domperidone Maleate (DM)	133.33	1	Domperidone	111.3
7.	Fexofenadine Hydrochloride (FFH)	333.33	3	Methyl 2-(4-(4-chlorobutanoyl) phenyl) methyl propanoate	274.1
8.	Loratadine (LRD)	133.33	2	(8-Chloro-11-(1-methylpiperidin-4-ylidene)-6,11-dihydro-5H-benzo [5, 6] cyclohepta [1,2-b] pyridine) [Methyl Loratadine]	152.5
9.	Losartan Potassium (LTP)	600.00	3	4'-Bromomethyl -2-biphenylcarbonitrile	450.0
10.	Pantoprazole Sesquihydrate (PZL)	566.67	3	2-(Chlormethyl)-3,4-dimethoxy pyridine (100%) (PZL-700)	378.0
11.	Quetiapine fumarate (QPF)	166.67	2	Di benzo [b, f] [1,4] thiazepine-11 (10H) one (Keto)	100.0
12.	Telmisartan (TLS)	200.00	3	4'-(Bromomethyl)-biphenyl-2-carbonitrile (Bromo OTBN)	134.7
13.	2-Butyl-1H-imidazole-5-carboxaldehyde (BFI)	166.67	1	2-Butyl-4-chloro-1H-imidazole-5-carboxyldehyde (BCFI-IV)	228.1
14.	2-(Chloromethyl)-3,4-dimethoxypyridine hydrochloride (PZL-700)	166.67	7	Maltol	218.4
15.	4-Amino-5-Chloro-2-Methoxy-N-(3-Methoxypiperidin-4yl) Benzamide (CIS-VI)	4.33	6	Ethyl -4-oxopiperidine-1-carboxylate (NCP)	8.0
16.	5-Bromo-6-Iso thiocyanate Quinoxaline (BAQ)	2.33	4	4-Nitrobenzene-1,2-diamine	3.2
17.	2-Butyl -4-chloro-1H-imidazole -5-	146.67	1	2-Butyl-4-chloro-1H-imidazole-5-carboxyldehyde (BCFI-IV)	150.5

	carbaldehyde (BCFI)				
18.	5-(Difluoromethoxy)-H-benzo [d] imidazole-2-thiol (BZL)	140.00	1	5-(Difluoromethoxy)-1H-Benzo[d] imidazole-2-thiol Crude	145.8
19.	Fexofenadine Base	10.00	3	Methyl 2-(4-(4-chlorobutanoyl) phenyl) methyl propanoate	8.3
20.	Validation Products	100.00	-	-	-
21.	Dabigatran Etxilate	33.33	4	Ethyl 3-((3-amino-4-(methylamino) benzoyl) (pyridin-2-yl) amino) propanoate	66.7
22.	Dimethyl fumarate	16.67	2	Fumaric acid	20.0
23.	Abametapir	16.67	2	2-Bromo-5-methyl-pyridine	41.7
24.	Teneligliptin Hydrobromide	16.67	4	3-((S)-1-tert-butoxycarbonyl-4-oxo-2-pyrrolidinylcarbonyl)-1,3-thiazolidine	20.0
25.	Levetiracetam	50.00	2	4-Chloro butyryl chloride	110.0
26.	Diatrizoate Sodium	16.67	1	Diatrizoicacid dihydrate	18.5
27.	Diatrizoate Meglumine	16.67	1	Diatrizoicacid dihydrate	14.7
28.	Methoxy phenamine hydrochloride	16.67	4	2-Methoxy benzaldehyde	21.7
29.	Dex-Lansoprazole	16.67	2	4-(2, 2, 2-trifluoroethoxy)-2-(Chloromethyl)-3-methylpyridine	33.3
30.	Mirabegron	63.00	4	2-(4-Nitrophenyl) ethylamine hydrochloride	42.1
31.	Cisapride Monohydrate	16.67	2	4-amino-5-chloro-2-methoxy-N-(3-methoxy piperidin-4-yl) benzamide	15.0
32.	Dolutegravir	16.67	3	6-(methoxycarbonyl)-1,4-dihydro-5-methoxy-1-(2,2-dimethoxyethyl)-4-oxopyridine-3-carboxylic acid	41.7
33.	Linagliptin	16.67	3	8-Bromo-7-(2-butynyl)-3,7-dihydro-3-methyl-1H-purine-2,6-dione	27.7
34.	Loperamide	33.33	2	3,3-Diphenyltetrahydrofuran-2-ylidene(dimethyl)ammonium bromide	30.0
35.	Des Loratadine	16.67	2	Ethyl 4-(8-chloro-5,6-dihydro-11H-benzo [5,6] cyclohepta [1,2-b] pyridin-11-ylidene) piperidine-1-carboxylate (Loratadine)	28.0

36.	Rupatadine Fumarate	16.67	2	8-chloro-11-piperidin-4-ylidene-5,6-dihydrobenzo [1,2] cyclohepta [2,4-b] pyridine (Des Loratadine)	13.3
37.	Valsartan	16.67	4	4-Bromomethyl-2 Cyanobiphenyl (Bromo OTBN)	50.0
38.	3,4-Bis(benzyloxy) benzaldehyde (DBB)	16.67	1	3,4-Di-hydroxy benzaldehyde (DHB)	8.4
39.	(R)-N-(2-Benzoyl-4-chloro)-1-Benzylpyrrolidine-2-carboxamide hydrochloride (APR-I)	16.67	1	3-Ethoxy 4-methoxy benzonitrile	14.0
40.	Glycine-Ni-D-2- [N-(N-benzyl prolyl)-2-amino]-5-chlorobenzophenone (CNG)	16.67	3	D-Proline	14.5
41.	2-(Chloromethyl)-3-methyl-4-(2,2,2-trifluoroethoxy) pyridine hydrochloride (LPZ-300)	33.33	1	2-(Chloromethyl)-3-methyl-4-(2,2,2-trifluoroethoxy) pyridine hydrochloride	34.5
42.	1-(2,6-Difluorobenzyl)-1H-1,2,3-Triazole-4-Carboxylic acid (RFN)	16.67	2	2,6-Difluorobenzyl chloride	18.6
TOTAL		4300.0			

- As per the application, the above activity is to be located within the existing industry premises located at Plot No. 79, JN Pharmacy, Parawada, Visakhapatnam in an area of 10.66 Acres.
- The industry was inspected by the Environmental Engineer & Asst. Environmental Engineer-I, Regional Office, Visakhapatnam, A.P Pollution Control Board on 26.11.2018 and observed that the site is surrounded by

North : Suven Life Sciences
South : Road
East : Road
West : KRR Drugs

- The Board, after careful scrutiny of the application, verification report of the Regional Officer and recommendations of the CFE Committee, hereby issues **CONSENT FOR ESTABLISHMENT FOR CHANGE OF PRODUCT MIX** to the project under Section 25 of Water (Prevention & Control of Pollution) Act 1974 and Section 21 of Air (Prevention & Control of Pollution) Act, 1981 and the rules made there under. **This order is issued to manufacture the products as mentioned at para (1) only.**

5. This Consent order now issued is subject to the conditions mentioned in the Annexure.
6. This order is issued from pollution control point of view only. Zoning and other regulations are not considered.
7. **This order is valid for a period of 7 years from the date of issue.**

Encl: Annexure.

**VIVEK
YADAV** Digitally signed
by VIVEK YADAV
Date: 2018.12.13
11:34:53 +05'30'
MEMBER SECRETARY

To
M/s. Vasudha Pharma Chem. Ltd., Unit – II (CPM)
Plot No.79, JN Pharmacy,
Parawada, Visakhapatnam.
enu2@vasudhapharma.com
hrdcorporate@vasudhapharma.com

Copy to: 1. The JCEE, Z.O: Visakhapatnam for information and necessary action.
2. The E.E., R.O: Visakhapatnam for information and necessary action.

ANNEXURE

1. The proponent shall obtain Consent for Operation (CFO) from APPCB, as required Under Sec.25/26 of the Water (P&C of P) Act, 1974 and under sec. 21/22 of the Air (P&C of P) Act, 1981, before commencement of the trial runs.
2. The applicant shall provide separate energy meters for Effluent Treatment Plant (ETP) and Air pollution Control equipments to record energy consumed. An alternative electric power source sufficient to operate all pollution control systems shall be provided.
3. The industry shall construct separate storm water drains and provide rain water harvesting structures. No effluents shall be discharged in to the storm water drains.

Water:

4. The source of water is JN Pharamcity, Parawada and the maximum permitted water consumption is as following:

Sl. No.	Purpose	Quantity as per CFE (Expn) Order dt. 31.05.2016	Quantity after CPM
1.	Process & Washings	76.0	78.3
2.	Boiler Feed	55.0	55.0
3.	Cooling Towers Makeup	50.0	50.0
4.	Scrubber	5.0	10.0
5.	PD & QC	3.0	3.0
6.	Raw water RO Plant (Drinking)	0.0	12.0
7.	Domestic	20.0	20.0
8.	Gardening	7.0	7.0
	Total	216.0	235.3

Separate meters with necessary pipe-line shall be provided for assessing the quantity of water used for each of the purposes mentioned above.

5. The maximum waste water generation shall not exceed the following:

S. No	Source	Quantity as per CFE (Exp) Order dt. 31.05.2016			Quantity after CPM		
		Quantity in KLD					
		HTDS	LTDS	TOTAL	HTDS	LTDS	TOTAL
1.	Process & Washings	89.90	5.40	95.30	90.2	5.3	95.5
2.	Boiler blow down	0.00	5.00	5.00	0.0	5.0	5.0
3.	Cooling tower blow down	0.00	5.00	5.00	0.0	5.0	5.0
4.	Scrubbing	0.00	5.00	5.00	0.0	10.0	10.0
5.	R&D, QC	0.00	3.00	3.00	0.0	3.0	3.0
6.	DM Plant Regeneration	0.00	0.00	0.00	0.0	2.0	2.0

7.	RO Plant Rejection	0.00	0.00	0.00	0.0	5.0	5.0
8.	Domestic	0.00	10.00	10.00	0.0	18.0	18.0
TOTAL		89.90	33.40	123.30	90.20	53.30	143.50

Treatment & disposal:

Source	Treatment	Mode of final disposal
HTDS	Pretreatment (Neutralization)	To M/s. Ramky Pharmacy for forced evaporation.
LTDS	Pretreatment (Neutralization)	To CETP of M/s. Ramky Pharmacy for further treatment and disposal
Domestic waste water	---	The overflow of the Septic tank shall be sent to the CETP for further treatment.

- Effluents shall not be discharged on land or into any water bodies or aquifers under any circumstances.
- The industry shall properly operate and maintain online real time monitoring system along with web camera facilities and shall ensure that it is connected to APPCB / CPCB websites as per CPCB directions.
- Floor washing shall be admitted into the effluent collection system only and shall not be allowed to find their way in storm drains or open areas. All pipe valves, sewers, drains shall be leak proof.

Air:

- The Air pollution Control equipment shall be maintained properly to comply with the following for controlling air pollution after Change of Product Mix:

Sl. No	Details of Stack	Stack 1	Stack 1	Stack 2
a)	Attached to	Boiler	Thermic fluid heater	D.G. Set
b)	Capacity	1 X 10.0 TPH & 1 X 6.0 TPH (Standby)	1 X 4 Lahs Kilo Cal/hr & 1 X 0.5 Lahs Kilo Cal/hr	2 X 1010 KVA & 1 X 725 KVA
c)	Fuel	Coal	Coal	Diesel
d)	Stack height	30 m each	30 m & 10 m	10 m (above roof)
e)	Control Equipment	Cyclone & Bag filter	---	Acoustic enclosures

10. A sampling port with removable dummy of not less than 15 cm diameter shall be provided in the stack at a distance of 8 times the diameter of the stack from the nearest constraint such as bends etc. A platform with suitable ladder shall be provided below 1 meter of sampling port to accommodate three persons with instruments. A 15 AMP 250 V plug point shall be provided on the platform.
11. The industry shall properly operate and maintain the monitoring system to all the stacks / vents in the plant. Regular monitoring shall be carried out and report shall be submitted to the Regional officer.
12. The industry shall properly operate and maintain multi-stage scrubbers to the process vents to control the process emissions. The industry shall ensure that online pH measuring facility with auto recording system is connected to the scrubbers.
13. The industry shall properly operate and maintain VOC monitoring system with auto recording facility.
14. The industry shall implement adequate measures to control all fugitive emissions from the plant.
15. The proponent shall ensure compliance of the National Ambient Air quality standards notified by MoEF, GoI vide notification No. GSR. 826 (E), dated. 16.11.2009 during construction and regular operational phase of the project at the periphery.

The generator shall be installed in a closed area with a silencer and suitable noise absorption systems. The ambient noise level shall not exceed 75 dB(A) during day time and 70 dB(A) during night time.

16. The proponent shall not use or generate odour causing substances or Mercaptans and cause odour nuisance in the surroundings.
17. The industry shall send the used / spent solvents to the recyclers (or) process them at their own solvent recovery facility within the premises.
18. The evaporation losses in solvents shall be controlled by taking the following measures:
 - i. Chilled brine circulation shall be carried out to effectively reduce the solvent losses into the atmosphere.
 - ii. Transfer of solvents shall be done by using pumps instead of manual handling.
 - iii. Closed centrifuges shall be used to reduce solvent losses.
 - iv. All the solvent storage tanks shall be connected with vent condensers to prevent solvent vapours.
 - v. The reactor vents shall be connected with primary & secondary condensers to prevent escaping of solvent vapour emissions into atmosphere.

Solid / Hazardous Waste:

19. The industry shall comply with the following for disposal of Solid waste:

S. No	Type of waste	As per CFE order dt. 31.05.2016	Quantity after CPM	Disposal option
1.	Organic residue	1335.8 Kg/day	1632.3 Kg/day	To TDSF, Parawada for incineration / Authorised Cement industries for co-processing in Cement kiln.
2.	PP & PPE waste	--	100 kg / month	
3.	Spent Carbon	993.5 Kg/day	845.6 Kg/day	
4.	Organic Residue/ distillation residue.	1335.8 kg/day	1632 kg/day	
5.	Spent Solvents	12 KLD	12 KLD	Shall be recovered within plant premises / to authorized agencies.
6.	Spent Mixed Solvents	---	10 KLD	To authorized recovery units
7.	Inorganic Waste from Process	2435.0 Kg/day	1694.2 Kg/Day	To TSDF Parawada for secured landfilling.
8.	ETP Sludge	500 Kg/day	500 Kg/day	
9.	Used Oil	170 LPM	170 LPM	To Authorized Reprocessors / Recyclers
10.	Containers & Container liners of hazardous waste and Hazardous chemicals	120 Nos./day	120 Nos./day	To Outside agencies after complete detoxification.
11.	Used Insulation wool	1.0 TPD	1.0 TPD	To TSDF Parawada/ Recyclers
12.	E-Waste	--	5 Kg/day	To Authorized Reprocessors / Recyclers
13.	Used Lead Acid Batteries	33 Nos/Annum	33 Nos/ Annum	Shall be sent back to suppliers on by-back system.
14.	Ash from Boiler	5.0 TPD	5.0 TPD	To Brick manufactures
15.	Spent Catalyst	--	10 kg/day	Return to dealers on buy back policy
16.	Off Specification / Discarded Products	--	30 Kg/day	To TSDF, Parawada (or) to the Cement industries for incineration.
17.	Expired Products	--	60 Kg/Day	
18.	Glass wool / Asbestos / Gypsum Boards	--	25 Kgs/ Annum	To TSDF Parawada

20. The proponent shall place the chemical drums and / or any drums in a shed provided with concrete platform only. The Platform shall be provided with sufficient dyke wall and effluent collection system. The industry shall provide containers detoxification facility. Container & Container liners shall be detoxified at the specified covered platform with dyke walls and the wash wastewater shall be routed to low TDS collection tank.

21. The following rules and regulations notified by the MoEF&CC, GoI shall be implemented.
- a) Hazardous waste and other wastes (Management and Transboundary Movement) Rules, 2016.
 - b) Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989
 - c) Fly Ash Notification, 2016.
 - d) Batteries (Management & Handling) Rules, 2010.
 - e) E-Waste (Management) Rules, 2016.
 - f) Construction and Demolition waste Management Rules, 2016.

Other Conditions:

22. **The industry shall submit letter from Ramky Pharmacity regarding samplings planted in around 4 to 5 acres at Lalamkoduru Village as informed vide Ir.dt.12.12.2018.**
23. Existing green belt shall not be disturbed due to the proposed expansion. Thick green belt shall be maintained all along the boundary & vacant spaces with tall growing trees with good canopy and it shall not be less than 33% of the total area.
24. The industry shall submit the information regarding usage of Ozone Depleting Substance once in six months to the Regional Office and Zonal Office of the Board.
25. Concealing the factual data or submission of false information / fabricated data and failure to comply with any of the conditions mentioned in this order attracts action under the provisions of relevant pollution control Acts.
26. Notwithstanding anything contained in this conditional letter or consent, the Board hereby reserves its right and power Under Sec. 27(2) of Water (Prevention and Control of Pollution) Act, 1974 and Under Sec.21(4) of Air (Prevention and Control of Pollution) Act, 1981 to revoke the order, to review any or all the conditions imposed herein and to make such modifications as deemed fit and stipulate any additional conditions.
27. Any person aggrieved by an order made by the State Board under Section 25, Section 26, Section 27 of Water Act, 1974 or Section 21 of Air Act, 1981 may within thirty days from the date on which the order is communicated to him, prefer an appeal as per Andhra Pradesh Water Rules, 1976 and Air Rules, 1982, to such authority (hereinafter referred to as the Appellate Authority) constituted under Section 28 of Water (Prevention and Control of Pollution) Act, 1974 and Section 31 of the Air (Prevention and Control of Pollution) Act, 1981.

VIVEK
YADAV

Digitally signed by
VIVEK YADAV
Date: 2018.12.13
11:35:27 +05'30'

MEMBER SECRETARY

To

M/s. Vasudha Pharma Chem. Ltd., Unit – II (CPM)
Plot No.79, JN Pharmacity,
Parawada, Visakhapatnam.
enu2@vasudhapharma.com
hrdcorporate@vasudhapharma.com