



ANDHRA PRADESH POLLUTION CONTROL BOARD
D.No. 33-26-14 D/2, Near Sunrise Hospital, Pushpa Hotel Centre,
Chalamalavari Street, Kasturibaipet, Vijayawada – 520010.

Website :www.appcb.ap.nic.in

CONSENT ORDER FOR ESTABLISHMENT

Order No. 212 /APPCB/CFE/RO-VSP/HO/2010

Dt: 27.12.2018

Sub: APPCB – CFE - **M/s. Vasudha Pharma Chem. Ltd., Unit – III, Plot No. 23 & 24, JN Pharmacy, Parawada, Visakhapatnam** – Consent for Establishment of the Board for **expansion** under Sec. 25 of Water (P & C of P) Act, 1974 and under Sec. 21 of Air (P&C of P) Act, 1981 - Issued - Reg.

Ref: 1) CFE CPM order dt. 13.12.2016.
2) Industry's application received through APOCMMS on 28.11.2018.
3) R.O's inspection report dt. 30.11.2018.
4) CFE Committee meeting held on 06.12.2018.
5) T.O. mail dt. 13.12.2018.
6) Industry's Ir. dt. 13.12.2018.

1. In the reference 2nd cited, an application was submitted to the Board seeking Consent for Establishment (CFE) for **expansion** to produce the products with installed capacities as mentioned below, without an additional project cost of Rs. 7.5 Crores.

As per CFE order dt. 13.12.2016:

S. No.	Name of the Product	Capacity kg/day
	API – Bulk Drugs	
1	Esomeprazole Magnesium Trihydrate (ES)	100.0
2	Clopidogrel Bisulphate (CDS)	100.0
3	Itopride Hydrochloride (ITP)	83.3
4	Flurbiprofen (FBF)	70.0
5	Amitriptyline Hydrochloride (AMPT)	56.7
6	Pregabalin (PGN)	33.3
7	Omeprazole (OMP)	33.3
8	Lansoprazole (LPZ)	33.3
9	Nortriptyline Hydrochloride (NOPT)	6.7
10	Ketorolac Tromethamine (KTT)	6.7
	Sub Total	523.3 Kg/day
	API – Bulk Drug Intermediates	
11	N-Methyl-4-piperidone (NMP)	1000.0
12	N-Carbethoxy -4-Piperidone (NCP)	766.7
13	5-chloro-1,3-dihydro-1-(4-piperidinyl)-2H-benzimidazol-2-one (DOM-IX)	500.0
14	1-(3-chloropropyl)-1,3-dihydro-2H-benzimidazol-2-one (DOM-II)	400.0
15	N-Methyl-4-Chloro Piperidine (NMCP)	366.7

16	Dibenzosuberone (DBS)	333.3
17	5-Dibenzosuberone (DDBS)	166.7
18	3-[2-(3-chlorophenyl) ethyl] pyridine-2-carbonitrile (UK-V)	126.7
19	N-Benzyl-4-Piperidone (NBP-III)	116.7
20	{3-[2-(3-chlorophenyl)ethyl]pyridin-2-yl}(1-methylpiperidin-4-yl) methanone hydrochloride (UK-VI)	83.3
21	1- (Diphenyl methyl) piperazine (DPMP)	83.3
22	N,N-Dimethyl Amino Propyl Chloride (DAPC-I)	66.7
23	4-Bromo-2,2-Diphenylbutanoic acid (LPD-III)	66.7
24	8-chloro-11-(1-methylpiperidin-4-ylidene)-6,11-dihydro-5H-benzo [5,6] cyclohepta[1,2-b] pyridine (UK-VII)	50.0
25	N, N- Dimethyl (Tetra Hydro – 3, 3- Diphenyl)- 2- Furliden Ammonium Bromide (LPD-V)	43.3
26	1-[bis(4-fluorophenyl) methyl] piperazine (FLH-III)	41.7
27	4-(4-Chlorophenyl) 4- Hydroxy Piperidine (PCP-II)	40.0
28	8-Chloro-5, 6-Dihydro-11H-Benzo [5, 6] Cyclohepta [1, 2-B] Pyridin-11-One (Lora Ketone)- LKT	33.3
29	1-(4-Tert-Butylphenyl)-4-Chlorobutan-1-One (EB-IV)	21.7
30	4-Hydroxy Piperidine (4HP)	20.0
31	4-(1-Hydroxy-1-methylethyl)-2-propyl-1-[[2-[triphenylmethyl]-1H-tetrazole-5-yl] [1,1biphenyl]-4-yl] methyl] 1H-imidazol-5-carboxylic acid ethyl ester (OMI)	16.7
32	Methyl Loratadine (ML)	11.7
33	2- [4-(amino methyl) phenoxy]-N, N-dimethyl ethanamine (ITP-300)	10.7
34	Triethyl Methanetricarboxylate(TM-III)	10.0
35	N-Methyl – 4-Hydroxy Piperidine (NMHP)	8.3
36	1-(2-phenylethyl) piperidin-4-one (PEP-III)	8.3
37	Penta Fluoro LAP side chain (PPL)	6.7
38	Phenyl (1H-pyrrol-2-yl) methanone (TM-II)	6.7
39	Triethyl [5-Benzoyl-1h Pyrrol-2yl] Methane Tri Carboxylate (TM-IV)	6.7
40	N-carboethoxy-4-Hydroxy piperidine (4HNCP)	6.7
41	N-Propylpiperidin-4-one (NPP-II)	3.3
42	4-Piperidino Piperidine (4PP-II)	3.3
43	4-(Diphenyl Methoxy) Piperidine Hydrochloride (DP)	3.3
44	1, 3-Chloro Propoxy-4-Fluoro Benzene (CIS-IM)	3.3
45	5-Methoxy-2-[[4-methoxy-3,5-dimethyl-2-pyridinyl) methyl] thio}-1H-Benzimidazole (Omeprazole Sulphide) (OS)	3.3
46	N-Boc-4- Piperidine (N-BOC)	3.3
47	5-Hydroxy Amitriptyline (AMPT-I)	3.3
48	4-(piperidin-1-yl) piperidine-4-carboxamide (BPC)	3.3
49	(R)-3-Amino-1- butanol (3-ABL)	1.7
50	(2,4-difluorophenyl) methanamine (DBA)	1.7
51	(R)-3-Piperidinamine dihydrochloride (3-APH)	1.7
52	4-T-Boc-Aminopiperidine(4TBAP)	1.7
53	4-Chloro-1-(4-fluorophenyl) butan-1-one (FBP)	1.7
54	N-Benzyl-4-Hydroxypiperidine (NB4HP)	0.8
55	1-Isobutyl Piperidin-4-One (IBP)	0.8
56	N-Boc-4-Hydroxy Piperidine (NBHP)	0.8
57	4-Piperidino Piperidine Dihydrochloride (4PP DiHCl)	0.8
58	4-Piperidone Monohydrate Hydrochloride (PIP-III)	0.8

59	4-phenylpiperidine (4PLP)	0.8
60	1,1'-(4-chlorobutane-1,1-diyl) bis(4-fluorobenzene) (CBF)	0.8
61	4-(2-keto-1-Benzimidazolilnyl)-piperidine (PDB)	0.8
62	N-Benzyl-4-Amino Piperidine (4ANBP)	0.8
63	N-Methyl-4-Amino Piperidine (4ANMP)	0.8
64	(R)-2-(benzylamine)-1-(R)-6-fluoro-3, 4-dihydro-2H-chromene-2-yl) ethanol (NBL-III)	0.8
65	N-Ethyl piperidin-4-one (NEP)	0.8
66	(1-(3-Methoxypropyl) piperidin-4-one) (3MPP)	0.8
67	3-(Benzyloxy)-5-bromo-2-methylpyridin-4-ol (BHP)	0.8
68	(R)-3-(Boc-amino) piperidine (3-BAP)	0.8
69	2-((4-Chlorophenyl) (piperidin-4-yloxy) methyl) pyridine Fumarate (CMP)	0.8
70	1, 3-Dimethylpiperidine-4-One (1,3 DMP)	0.8
71	Validation Products	100.0
	Sub Total	4568.2 kg/day
	TOTAL	5091.5 kg/day

The industry shall manufacture any 10 products of API (523.3 kg/day) and any 61 Drug Intermediates (4568.2 kg/day) from the above including validation products at any given point of time with a maximum production capacity of 5091.5 kg/day.

After expansion:

S. No.	Name of the Product	Capacity in Kg/Day	No. of Stages	Starting Raw material	Quantity in (Kg/Day)
1.	Esomeprazole Magnesium Trihydrate (ES)	200.00	3	2-Chloromethyl-4-methoxy-3, 5-Dimethyl pyridine. HCl	190.9
2.	Clopidogrel Bisulphate (CDS)	3.33	4	2-Chloro phenyl glycine	4.6
3.	Itopride Hydrochloride (ITP)	50.00	5	N, N-Dimethyl amino ethanol	37.9
4.	Flurbiprofen (FBF)	3.33	2	2-Bromo Propionic Acid	4.1
5.	Amitriptyline Hydrochloride (AMPT)	100.00	3	1-Bromo-3-Chloropropane (BCP)	134.1
6.	Pregabalin (PGN)	16.67	4	Isovaleraldehyde	17.3
7.	Omeprazole (OMP)	16.67	2	2-(Chloromethyl)-4-methoxy-3,5-dimethyl pyridine hydrochloride	14.0
8.	Lansoprazole (LPZ)	16.67	2	2-(Chloromethyl)-3-methyl-4-(2,2,2- trifluoro ethoxy) pyridine hydrochloride	17.6
9.	Nortriptyline Hydrochloride (NOPT)	6.67	3	5-Hydroxy Amitriptyline (AMPT- I)	10.7
10.	Ketorolac Tromethamine (KTT)	33.33	3	Triethyl (5-benzyl-1H-pyrrol-2yl) methane tricarboxylate (TM-IV)	60.7
11.	N-Methyl-4-piperidone (NMP)	1000.00	3	Methyl Acrylate	1894.0
12.	N-Carbethoxy -4-Piperidone (NCP)	766.67	1	N-Methyl-4-Piperidone (NMP)	573.0

13.	5-chloro-1,3-dihydro-1-(4-piperidiny)-2H-benzimidazol-2-one (DOM-IX)	500.00	5	N-carbethoxy-4-piperidone (NCP)	460.8
14.	1-(3-chloropropyl)-1,3-dihydro-2H-benzimidazol-2-one (DOM-II)	400.00	2	Ortho phenyldiamine	307.5
15.	N-Methyl-4-Chloro Piperidine (NMCP)	366.67	2	N-Methyl-4-Piperidone (NMP)	431.7
16.	Dibenzosuberone (DBS)	333.33	4	Phenyl Acetic Acid	446.7
17.	5-Dibenzosuberone (DDBS)	166.67	1	Dibenzosuberone (DBS)	200.0
18.	3-[2-(3-chlorophenyl) ethyl] pyridine-2-carbonitrile (UK-V)	100.00	1	3-[2-(3-chlorophenyl) ethyl] pyridine] (UK -III)	124.4
19.	N-Benzyl-4-Piperidone (NBP-III)	100.00	3	Benzaldehyde	81.4
20.	{3-[2-(3-chlorophenyl) ethyl] pyridin-2-yl} (1-methyl piperidin-4-yl) methanone hydrochloride (UK-VI)	83.33	2	3-[2-(3-chlorophenyl) ethyl] pyridine] (UK-III)	75.1
21.	1- (Diphenyl methyl) piperazine (DPMP)	16.67	3	Benzhydrol (Diphenyl Methanol)	16.0
22.	N, N-Dimethyl Amino Propyl Chloride (DAPC-I)	66.67	1	1-Bromo-3-Chloropropane (BCP)	112.0
23.	4-Bromo-2,2-Diphenylbutanoic acid (LPD-III)	1.67	3	Diphenyl Acetonitrile	1.0
24.	8-chloro-11-(1-methylpiperidin-4-ylidene)-6,11-dihydro-5H-benzo [5,6] cyclohepta[1,2-b] pyridine (UK-VII)	83.33	3	3-[2-(3-chlorophenyl) ethyl] pyridine] (UK-III)	105.8
25.	N, N- Dimethyl (Tetra Hydro – 3, 3- Diphenyl)- 2- Furliden Ammonium Bromide (LPD-V)	33.33	1	4-Bromo-2, 2-diphenyl butanoic acid (LPD-III)	50.7
26.	1-[bis(4-fluorophenyl) methyl] piperazine (FLH-III)	8.33	3	4,4-Di fluoro benzophenone	9.3
27.	4-(4-Chlorophenyl) 4- Hydroxy Piperidine (PCP-II)	33.33	2	N-Carbethoxy-4-Piperidone (NCP)	44.7
28.	8-Chloro-5, 6-Dihydro-11H-Benzo [5, 6] Cyclohepta [1, 2-B] Pyridin-11-One (Lora Ketone) - LKT	3.33	3	3-[2-(3-chlorophenyl) ethyl] pyridine] (UK-III)	5.3
29.	1-(4-Tert-Butylphenyl)-4-Chlorobutan-1-One (EB-IV)	16.67	1	4-Chloro-butyl- chloride (4CBC)	13.3
30.	4-Hydroxy Piperidine (4HP)	20.00	2	N-Carbethoxy-4-Pipertdone (NCP)	39.6
31.	4-(1-Hydroxy-1-methylethyl)-2-propyl-1-[[2-[triphenylmethyl]-1H-tetrazole-5-yl] [1,1biphenyl]-4-yl] methyl] 1H-imidazol-5-carboxylic acid ethyl ester (OMI)	16.67	1	1-H-Imidazole-5-carboxylic acid 4-(1-hydroxy-1-methyl ethyl) -2-propyl –ethyl ester (OMI-101)	5.7
32.	Methyl Loratadine (ML)	20.00	4	3-[2-(3-chlorophenyl) ethyl] pyridine] (UK-III)	31.7

33.	2- [4-(amino methyl) phenoxy]-N, N-dimethyl ethanamine (ITP-300)	6.67	3	N, N-Dimethyl amino ethanol	7.2
34.	Triethyl Methane tricarboxylate (TM-III)	3.33	1	Diethyl malonate	3.4
35.	N-Methyl – 4-Hydroxy Piperidine (NMHP)	3.33	1	N-Methyl-4-Piperidone (NMP)	3.3
36.	1-(2-phenylethyl) piperidin-4-one (PEP-III)	3.33	4	2-Phenylethanamine	3.3
37.	Phenyl (1H-pyrrol-2-yl) methanone (TM-II)	3.33	2	Benzoyl chloride	3.1
38.	Triethyl [5-Benzoyl-1h Pyrrol-2yl] Methane Tri Carboxylate (TM-IV)	6.67	4	Benzoyl chloride	4.1
39.	N-carboethoxy-4-Hydroxy piperidine (4HNCP)	33.33	1	N-Carbethoxy-4-Pipertdone (NCP)	36.0
40.	N-Propylpiperidin-4-one (NPP-II)	1.67	2	N-Propyl amine	1.7
41.	4-Piperidino Piperidine (4PP-II)	3.33	2	N-Carbethoxy 4-piperidine (NCP)	4.7
42.	4-(Diphenyl Methoxy) Piperidine Hydrochloride (DP)	3.33	2	Benzhydrol	4.0
43.	1, 3-Chloro Propoxy-4-Fluoro Benzene (CIS-IM)	3.33	1	Para Fluoro Phenol	2.5
44.	5-Methoxy-2-[[4-methoxy-3,5-dimethyl-2-pyridinyl] methyl] thio}-1H-Benzimidazole (Omeprazole Sulphide) (OS)	3.33	1	2-Chloromethyl-4-methoxy-3, 5-Dimethyl pyridine. HCl	2.7
45.	N-Boc-4- Piperidine (N-BOC)	6.67	1	N-Carbethoxy-4-Pipertdone (NCP)	14.1
46.	5-Hydroxy Amitriptyline (AMPT-I)	3.33	2	1-Bromo-3-Chloropropane (BCP)	4.2
47.	4-(piperidin-1-yl) piperidine-4-carboxamide (BPC)	1.67	3	1-Benzylpiperidin-4-one	2.2
48.	(R)-3-Amino-1- butanol (3-ABL)	0.83	4	4-Hydroxybutan-2-one	7.3
49.	(2,4-difluorophenyl) methanamine (DBA)	1.67	1	2, 4-difluorobenzonitrile	2.0
50.	(R)-3-Piperidinamine dihydrochloride (3-APH)	0.83	4	3-Amino pyridine	1.7
51.	4-T-Boc-Aminopiperidine(4TBAP)	1.67	1	N-Carethox'-4-amino piperidine (4-ANCP)	2.5
52.	4-Chloro-1-(4-fluorophenyl) butan-1-one (FBP)	1.67	1	Fluoro benzene	1.1
53.	N-Benzyl-4-Hydroxypiperidine (NB4HP)	0.83	4	Benzaldehyde	1.0
54.	1-Isobutyl Piperidin-4-One (IBP)	0.83	2	Methyl-3-(N-(2- (methoxycarbonyl) Ethyl-N- isobutyl amino) propanoate (IBP-I)	2.1
55.	N-Boc-4-Hydroxy Piperidine (NBHP)	0.83	2	N-Carbethoxy-4-Pipertdone (NCP)	2.1
56.	4-Piperidino Piperdine		3	N-Carbethoxy 4-piperidine (NCP)	0.7

	Dihydrochloride (4PP Dil. HCl)	0.83			
57.	4-Piperidone Monohydrate Hydrochloride (PIP-III)	0.83	3	N-Carbethoxy-4-Pipertdone (NCP)	0.9
58.	4-phenylpiperidine (4PLP)	0.83	2	Ethyl 4-oxopiperidine- 1 – carboxylate (NCP)	2.7
59.	1,1'-(4-chlorobutane-1,1-diyl) bis(4-fluorobenzene) (CBF)	0.83	2	4-chloro-4'-fluoro butyrophenone	1.3
60.	4-(2-keto-1-Benzimidazolilnyl)-piperidine (PDB)	0.83	3	Ethyl-4-amino piperidin-1-carboxylate	1.0
61.	N-Benzyl-4-Amino Piperdine (4ANBP)	0.83	1	1-Benzylpiperidine-4-one (NBP-III)	1.3
62.	N-Methyl-4-Amino Piperidine (4ANMP)	0.83	1	N-Methyl-4- Piperidone (NMP)	2.0
63.	(R)-2-(benzylamine)-1-(R)-6-fluoro-3, 4-dihydro-2H-chromene-2-yl) ethanol (NBL-III)	0.83	3	6-fluoro-3, 4-dihydro-4-oxo-2H-chromene-2-carboxylic acid	1.6
64.	N-Ethyl piperidin-4-one (NEP)	0.83	2	N-Ethyl amine (70%)	1.0
65.	(1-(3-Methoxypropyl) piperidin-4-one) (3MPP)	0.83	2	3-Methoxypropan-1-amine (3MPA)	1.4
66.	3-(Benzyloxy)-5-bromo-2-methylpyridin-4-ol (BHP)	0.83	3	Maltol	0.7
67.	(R)-3-(Boc-amino) piperdine (3-BAP)	0.83	3	3-Amino pyridine	1.6
68.	2-((4-Chlorophenyl) (piperidin-4-yloxy) methyl) pyridine Fumarate (CMP)	0.83	4	2-Cyanopyridine	2.6
69.	1, 3-Dimethylpiperidine-4-One (1,3 DMP)	0.83	3	Methyl 2- methyl acrylate	1.3
70.	Validation Products	100.00	-	--	-
71.	N-(1-Phenethyl-4-piperidinyl) aniline (NPA)	0.83	1	1-Phenethylpiperidin-4-one (PEP-III)	1.0
72.	3-Dehydroxy chlorthalidone (DHC)	6.67	3	Phthalic anhydride	6.67
73.	N-4-Piperidinyl-carbamic acid methyl ester, PTSA Salt	0.83	2	1-Benzylpiperidin-4-amine	1.0
74.	5-Chloro-2,3-Diphenyl Pyrazine (CPP)	0.83	2	Benzil	1.1
75.	4- (Isopropyl amino) butanol (IPB)	0.83	2	Tetrahydrofuran (THF)	1.8
76.	4-Amino-N-Boc-piperidine [4ABP]	0.83	1	Tert-butyl -4-oxopiperidine-1-carboxylate (N-BOC)	1.3
77.	2-Bromo-5,6-diphenyl pyrazine (BDP)	0.83	1	5,6-diphenyl pyrazine-2-ol	0.9
78.	3, 8-Dihydroxydibenzo[C] chrometn-6-one (HBC)	0.83	5	M-hydroxy benzoic acid (MHBA)	1.6
79.	3-Hydroxy dibenzo- α -pyrone (HDP)	0.83	2	2-Bromo-benzoic acid	1.4
80.	Itraconazole (IZL)	33.33	5	1-(4-methoxyphenyl-4-(4-nitrophenyl) piperazine (Nitro compound)	50.0
81.	Mebeverine Hydrochloride	33.33	5	4-Methoxy phenyl acetone	26.7

82.	Selexipag	0.83	4	2-Chloro-5,6-diphenyl pyrazine	3.8
83.	Aripiprazole	0.83	4	3,4-dihydro-7-hydroxyquinolin-2(1H)-one	0.8
84.	Biperiden hydrochloride	1.67	5	5-Cyano norbornene	11.3
85.	Citicoline Sodium	16.67	1	Cytidine 5'-mono phosphate (5'-CMP)	17.8
86.	Benserazide Hydrochloride	1.67	4	Pyrogallol	2.0
87.	Cinnarizine	33.33	4	Benzhydryl	24.2
88.	Olmesartan medoxomil	16.67	2	Ethyl-4-(1-hydroxy-1-methylethyl)2-propy H-((2-(2-(triphenylmethyl)-2H-tetrazol-5-yl biphenyl-4-yl-1-methyl imidazole-5-carboxylic acid	27.9
89.	Febuxostat (FBT)	16.67	6	4-Hydroxy benzaldehyde	19.3
90.	Flunarizine dihydrochloride (FLH)	16.67	4	Cinnamyl alcohol	8.9
91.	Nebivolol Hydrochloride (NBL)	3.33	3	2R-6-fluoro-2[2(S)-oxiran-2yl]- 3,4, dihydro-2H-chromene (NBH Isomer A)	6.7
92.	Rabeprazole Sodium	30.00	8	2,3-Lutidine	26.0
93.	Ebastine (EB)	6.67	2	4- (diphenyl methoxy) piperidine Hydrochloride	7.6
94.	Cyclobenzaprine HCl (CBP)	30.00	3	1-Bromo-3-Chloro propane	37.5
95.	Oxatomide (OXE)	5.00	2	1- (diphenyl methyl) piperazine	5.2
96.	Pimozide (PIM)	0.83	2	4-chloro-1, 1-bis (4-fluorophenyl) butane (PIM-III)	1.4
97.	Donepezil Hydrochloride (DPH)	11.67	4	5,6-Di methoxy Indanone	14.5
98.	5-Benzoyl-2,3-dihydro-1H-pyrrolizine-1-carboxylic acid (KTT-II)	20.00	2	Triethyl (5-benzyl-1H-pyrrol-2yl) methane tricarboxylate (TM-IV)	38.0
99.	Dex-Lansoprazole (DLZ)	16.67	2	4-(2, 2, 2-trifluoroethoxy)-2-(Chloromethyl)-3-methylpyridine	33.3
	TOTAL	5100.0			

The industry shall manufacture all the 99 products (including one validation product) at any given point of time with a maximum production capacity of 5100.0 kg/day (153.0 TPM).

- As per the application, the above activity is to be located within the existing industry premises located at Plot No. 23 & 24, JN Pharmacy, Parawada, Visakhapatnam in an area of 9.02 Acres.
- The industry was inspected by the Environmental Engineer & Asst. Environmental Engineer-II, Regional Office, Visakhapatnam, A.P Pollution Control Board on 30.11.2018 and observed that the site is surrounded by

North : Coastal Waste Management project and IOCL Bottling
South : Road followed by Corey Organics
East : M/s. Sionc Pharma – Unit - II,
West : Hilly Area

4. The Board, after careful scrutiny of the application and verification report of the Regional Officer, hereby issues **CONSENT FOR ESTABLISHMENT FOR EXPANSION** to the project under Section 25 of Water (Prevention & Control of Pollution) Act 1974 and Section 21 of Air (Prevention & Control of Pollution) Act, 1981 and the rules made there under. **This order is issued to manufacture the products as mentioned at para (1) only.**
5. This Consent order now issued is subject to the conditions mentioned in the Annexure.
6. This order is issued from pollution control point of view only. Zoning and other regulations are not considered.
7. **This order is valid for a period of 7 years.**

Encl: Annexure.

**VIVEK
YADAV** Digitally signed
by VIVEK YADAV
Date: 2018.12.27
22:05:16 +05'30'
MEMBER SECRETARY

To

M/s. Vasudha Pharma Chem. Ltd., Unit – III, (expn)
Plot No.23 & 24, JN Pharmacy,
Parawada, Visakhapatnam.
enu2@vasudhapharma.com
hrdcorporate@vasudhapharma.com

Copy to: 1. The JCEE, Z.O: Visakhapatnam for information and necessary action.
2. The E.E., R.O: Visakhapatnam for information and necessary action.

Annexure

1. The proponent shall obtain Consent for Operation (CFO) from APPCB, as required Under Sec.25/26 of the Water (P&C of P) Act, 1974 and under sec. 21/22 of the Air (P&C of P) Act, 1981, before commencement of the trial runs.
2. The industry shall construct separate storm water drains. No effluents shall be discharged in to the storm water drains.

Water:

3. The source of water is JN Pharmacy, Parawada and the maximum permitted water consumption is as following:

S. No.	Purpose	As per CFE (CPM) order dt. 13.12.2016 (KLD)	After expansion (KLD)
1.	Process	70.90	74.70
2.	Washings	5.00	5.00
3.	Boiler Feed	50.00	50.00
4.	Cooling Towers Makeup	50.00	50.00
5.	Scrubber	5.00	5.00
6.	QC Lab	3.00	3.00
7.	Domestic	10.00	10.00
8.	Gardening	10.00	10.00
	Total	203.90	207.70

Separate meters with necessary pipe-line shall be provided for assessing the quantity of water used for each of the purposes mentioned above.

4. The maximum waste water generation shall not exceed the following:

S. No	Source	As per CFE (CPM) Order dt. 13.12.2016			After expansion		
		HTDS (KLD)	LTDS (KLD)	TOTAL (KLD)	HTDS (KLD)	LTDS (KLD)	TOTAL (KLD)
1.	Process	82.30	17.20	99.50	85.30	12.60	97.90
2.	Washings				0.0	5.00	5.00
3.	Boiler blow down	0.00	5.00	5.00	0.0	5.00	5.00
4.	Cooling tower blow down	0.00	5.00	5.00	0.0	5.00	5.00
5.	Scrubber	0.00	5.00	5.00	0.0	5.00	5.00
6.	R&D, QC	0.00	3.00	3.00	0.0	3.00	3.00
7.	DM Plant regeneration	0.00	0.00	0.00	0.0	2.00	2.00
8.	Domestic	0.00	9.00	9.00	0.0	9.00	9.00
	TOTAL	82.30	44.20	126.50	85.30	46.60	131.90

Treatment & disposal:

Source	Treatment	Mode of final disposal
HTDS	Pretreatment (Neutralization)	To M/s. Ramky Pharmacy for forced evaporation.
LTDS	Pretreatment (Neutralization)	To CETP of M/s. Ramky Pharmacy for further treatment and disposal
Domestic waste water	---	The overflow of the Septic tank shall be sent to the CETP for further treatment.

- Effluents shall not be discharged on land or into any water bodies or aquifers under any circumstances.
- The industry shall properly operate and maintain online real time monitoring system along with web camera facilities and shall ensure that it is connected to APPCB / CPCB websites as per CPCB directions.
- Floor washing shall be admitted into the effluent collection system only and shall not be allowed to find their way in storm drains or open areas. All pipe valves, sewers, drains shall be leak proof.

Air:

- The Air pollution Control equipment shall be maintained properly to comply with the following for controlling air pollution after expansion:

Sl. No	Details of Stack	Stack -1	Stack - 2	Stack - 3
1.	Attached to:	Boiler	Thermic fluid heaters	D.G. Sets
2.	Capacity	2 X 6 TPH (1 Stand-by)	1 X 4.0 Lak K.Cal & 1 X 2.0 Lak K.Cal	1 X 725 KVA, 2 X 600 KVA
3.	Fuel quantity	Coal	Diesel	Diesel
4.	Stack height	30 m Common stack	15 m Common stack	5.5 m + 2 x 5 m each (above roof)
5.	Control Equipment	Mechanical Dust Collector & Bag filter (Common)	---	Acoustic enclosures

- A sampling port with removable dummy of not less than 15 cm diameter shall be provided in the stack at a distance of 8 times the diameter of the stack from the nearest constraint such as bends etc. A platform with suitable ladder shall be provided below 1 meter of sampling port to accommodate three persons with instruments. A 15 AMP 250 V plug point shall be provided on the platform.

10. The industry shall properly operate and maintain the monitoring system to all the stacks / vents in the plant. Regular monitoring shall be carried out and report shall be submitted to the Regional officer.
11. The industry shall properly operate and maintain multi-stage scrubbers to the process vents to control the process emissions. The industry shall ensure that online pH measuring facility with auto recording system is connected to the scrubbers.
12. The industry shall properly operate and maintain VOC monitoring system with auto recording facility.
13. The industry shall implement adequate measures to control all fugitive emissions from the plant.
14. The proponent shall ensure compliance of the National Ambient Air quality standards notified by MoEF, GoI vide notification No. GSR. 826 (E), dated. 16.11.2009 during construction and regular operational phase of the project at the periphery.

The generator shall be installed in a closed area with a silencer and suitable noise absorption systems. The ambient noise level shall not exceed 75 dB(A) during day time and 70 dB(A) during night time.

15. The proponent shall not use or generate odour causing substances or Mercaptans and cause odour nuisance in the surroundings.
16. The industry shall send the used / spent solvents to the recyclers (or) process them at their own solvent recovery facility within the premises.
17. The evaporation losses in solvents shall be controlled by taking the following measures:
 - i. Chilled brine circulation shall be carried out to effectively reduce the solvent losses into the atmosphere.
 - ii. Transfer of solvents shall be done by using pumps instead of manual handling.
 - iii. Closed centrifuges shall be used to reduce solvent losses.
 - iv. All the solvent storage tanks shall be connected with vent condensers to prevent solvent vapours.
 - v. The reactor vents shall be connected with primary & secondary condensers to prevent escaping of solvent vapour emissions into atmosphere.

Solid / Hazardous Waste:

18. The industry shall comply with the following for disposal of Solid waste:

S. No	Type of waste	Existing	After Expansion	Disposal option
1.	Spent Carbon	0.20 TPD	0.28 TPD	To TDSF, Parawada for incineration / Authorised Cement industries for co- processing in Cement kiln.
2.	Spent Solvents	12 KLD	15 KLD	Shall be recovered within plant premises / to authorized agencies.
3.	Inorganic waste from process	0.10 TPD	0.12 TPD	To TSDF Parawada for secured landfilling.
4.	ETP Sludge	1.20 TPD	1.20 TPD	
5.	Organic Residue	2.04 TPD	2.32 TPD	To TSDF/Cement Industries for co-processing
6.	Distillation Bottom Residue	2.50 TPD	2.50 TPD	To TSDF/Cement Industries for co-processing
7.	Used Oils	200 LPM	200 LPM	Authorized recyclers / reproprocessors.
8.	Detoxified Containers & Container Liners	150 Nos/ Day	180 Nos/ Day	After Detoxification to outside parties after complete detoxification.
9.	Used Insulation Wool	1.0 TPD	1.0 TPD	To TSDF, Parawada
10.	Mixed Spent Solvents	-	10 KLD	To APPCB Authorized Solvent Recovery Units.
11.	Spent Catalyst	-	10 Kg/day	To the Supplier for Recovery/To TSDF, Parawada.
12.	Off Specification / Discarded Products	-	30 Kg/day	To TSDF, Parawada (or) to the Cement industries for incineration.
13.	Expired Products	-	60 Kg/Day	To TSDF, Parawada (or) to the Cement industries for incineration.
14.	Glass wool / Asbestos / Gypsum Boards	-	25 Kg/ Annum	To TSDF Parawada
15.	E-waste	-	5 Kg/Day	To Authorised collection centers
16.	Paper, cotton waste & packing materials i.e. wood, carton & ropes etc.,	-	500 Kg/ month	Sale to outside agencies/recyclers
17.	Metal scrap (MS, SS, GI & Aluminium)	-	2 TPM	To outside agencies/recyclers

18.	Discarded personal Protective equipment (PPE's)	-	100 Kg/ month	To TSDF/ Authorized Cement Industries.
19.	Used Lead Acid Batteries	20 Nos/ Annum	33 Nos/ Annum	Send back to suppliers for buyback of New Batteries
20.	Ash from Boiler	4.7 TPD	3.8 TPD	To Brick manufactures

19. The proponent shall place the chemical drums and / or any drums in a shed provided with concrete platform only. The Platform shall be provided with sufficient dyke wall and effluent collection system. The industry shall provide containers detoxification facility. Container & Container liners shall be detoxified at the specified covered platform with dyke walls and the wash wastewater shall be routed to low TDS collection tank.
20. The following rules and regulations notified by the MoEF&CC, GoI shall be implemented.
 - a) Hazardous waste and other wastes (Management and Transboundary Movement) Rules, 2016.
 - b) Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989
 - c) Fly Ash Notification, 2016.
 - d) Batteries (Management & Handling) Rules, 2010.
 - e) E-Waste (Management) Rules, 2016.
 - f) Construction and Demolition waste Management Rules, 2016.

Other Conditions:

21. The industry shall comply with the following as committed vide Ir. dt. 13.12.2018:
 - i. Green belt shall be developed in an additional area of 1.5 acre to achieve 33% of total area as green belt.
 - ii. The HTDS and LTDS storage tanks shall be covered and the vents shall be connected to the scrubber to avoid smell nuisance at effluent storage area, by the end of August, 2019.
22. Existing green belt shall not be disturbed due to the proposed expansion. Thick green belt shall be maintained all along the boundary & vacant spaces with tall growing trees with good canopy and it shall not be less than 33% of the total area.
23. The industry shall submit the information regarding usage of Ozone Depleting Substance once in six months to the Regional Office and Zonal Office of the Board.
24. Concealing the factual data or submission of false information / fabricated data and failure to comply with any of the conditions mentioned in this order attracts action under the provisions of relevant pollution control Acts.

25. Notwithstanding anything contained in this conditional letter or consent, the Board hereby reserves its right and power Under Sec. 27(2) of Water (Prevention and Control of Pollution) Act, 1974 and Under Sec.21(4) of Air (Prevention and Control of Pollution) Act, 1981 to revoke the order, to review any or all the conditions imposed herein and to make such modifications as deemed fit and stipulate any additional conditions.
26. Any person aggrieved by an order made by the State Board under Section 25, Section 26, Section 27 of Water Act, 1974 or Section 21 of Air Act, 1981 may within thirty days from the date on which the order is communicated to him, prefer an appeal as per Andhra Pradesh Water Rules, 1976 and Air Rules, 1982, to such authority (hereinafter referred to as the Appellate Authority) constituted under Section 28 of Water (Prevention and Control of Pollution) Act, 1974 and Section 31 of the Air (Prevention and Control of Pollution) Act, 1981.

**VIVEK
YADAV** Digitally signed
by VIVEK YADAV
Date: 2018.12.27
22:05:50 +05'30'
MEMBER SECRETARY

To

M/s. Vasudha Pharma Chem. Ltd., Unit – III, (expn)
Plot No.23, 24, JN Pharmacity,
Parawada, Visakhapatnam.
enu2@vasudhapharma.com
hrdcorporate@vasudhapharma.com