
Run security tests on the app you built

An AI security testing platform for small teams.

It runs your apps in Daytona sandboxes, scans for security bugs, then checks suspected bugs in a browser.



AI writes code. Developers still have to check it.

66%

use AI coding assistants or agents at work

17,464 respondents to Stack Overflow's 2026 survey

44%

of test tasks produced code with a known security flaw

Veracode, Summer 2026. Security-focused tasks, not a measure of production apps.

Sources: Stack Overflow Developer Survey 2026 · Veracode GenAI Code Security Report 2026

A search term can become a script

If an app puts raw input into a page,
a browser can execute it as code.

EXAMPLE FROM OUR DEMO APP


<script>alert(1)</script>

Evidence

</h2><scrIpt>alert(1);</scRipt><h2>

This bug is called cross-site scripting.
The script runs in the user's browser.

End-to-end security testing



Each sandbox has an app and scanner. Anchor checks the preview URLs from outside the sandboxes.

See the request behind a security finding



Open the finding

See the request that triggered it

Apply our prepared fix

Run the same browser test again

Recorded retest: no script dialog. Normal search still worked.

The browser tests only the allowed target

Target origin	It refuses a target that is not on the allowed list.
External requests	It blocks web requests to other sites. If a test leaves scope, we do not count it.
Test access	The demo uses a dedicated test account.
Scan limits	ZAP uses a configured rule set and a time limit.

What each sponsor tool does

Tool	What we use it for	Why it helps
Daytona	Starts each app and ZAP scanner in an isolated sandbox	Several apps scan at the same time.
Anchor Browser	Logs in and replays a test against the running app	We can test what happens after a user logs in.
AWS Bedrock	Suggests a fix for the finding	A developer gets a starting point for the fix.
Arize	Receives model and tool traces	We can inspect what ran, how long it took and what failed.
SurrealDB	Stores findings and test context	Each result includes the app version, account and test that produced it.