Acoustic fault detection in industrial systems

"I'd doing a ideathon the topic of finding faults in electrical machines and leakages in pipes in industrial areas using acoustic camera integrated with 3D imaging and plotting. Now i want some research papers based on these. Provide me the exact research paper for this." *Generated by LeapSpace*

Acoustic Camera + 3D Imaging for Industrial Faults and Pipe Leaks: Quick Insights

Key Findings Table

Topic	What the evidence shows	Most relevant citation IDs
Acoustic cameras for industrial localization	Beamforming-based acoustic cameras can localize industrial noise, machinery faults, and some leak sources in real time, but performance depends strongly on noise level, array geometry, and processing method [1] [2] [3].	[1] [2] [3]
Electrical machine fault detection	Acoustic and AE methods are effective for bearings, gears, shafts, and motor faults; in several studies they are more sensitive than vibration for early defects, though noise robustness remains a constraint [4] [5] [6] [7].	[4] [5] [6] [7]
Pipe/pipeline leak detection	Acoustic/AE leak localization in pipes can achieve very low localization error when propagation is well modeled, especially with cross-correlation, wavelets, and multi-sensor processing [8] [9] [10] [11].	[8] [9] [10] [11]
Acoustic-to-image workflows	Many leak and machine studies convert 1D acoustic signals into spectrograms/scalograms or acoustic maps for CNN-based diagnosis and visualization [12] [13] [14] [15].	[12] [13] [14] [15]
3D fusion / plotting	The closest matches to your ideathon concept are studies extending acoustic maps into 3D surface/volumetric representations or multi-view 3D acoustic imaging, but this area is still sparse for real industrial machinery-and-pipe combined use [16] [17] [18].	[16] [17] [18]

Topic	What the evidence shows	Most relevant citation IDs
Comparative gap	No supplied paper jointly compares acoustic camera vs vibration vs ultra-sound vs thermography in one unified industrial benchmark [19] [20].	[19] [20]

Direct Answer

For your ideathon, the **best-matching paper groups** in the supplied evidence are:

1. **Acoustic camera / beamforming for industrial source localization**: use these for the sensing and localization backbone [1] [3] [21].
2. **Electrical machine fault localization using acoustic signatures**: especially rotating machinery, bearings, shafts, and gear-related localization [6] [7] [22].
3. **Pipe leakage detection and localization using acoustic/AE methods**: especially cross-correlation, wavelets, and high-accuracy localization [8] [9] [10] [11].
4. **Acoustic imaging fused with 3D mapping/plotting concepts**: these are the closest to your “acoustic camera + 3D imaging and plotting” idea [16] [17].

Closest direct matches to your exact concept:

- **Optical video + acoustic map extended to 3D surface models** [16].
- **Multi-view 3D acoustic imaging from multiple viewing angles** [17].
- **Rotating-machine beamforming localization for fault source visualization** [6] [7].

However, the supplied dataset **does not include full bibliographic metadata** such as exact title, authors, venue, DOI, or year for these citation IDs, so I cannot truthfully give the exact paper titles from this evidence alone [meta limitation stated in input; supported by the provided inability note]. The evidence also does **not** contain one single paper combining **all** of these in one system: acoustic camera + electrical machine faults + pipe leaks + 3D plotting in industrial deployment [18] [20].

Practical recommendation for your ideathon: build your literature review around **two tracks plus one integration layer**:

- **Track A:** electrical machine fault acoustics [6] [7] [22].
- **Track B:** pipe leak acoustics [8] [9] [10].
- **Integration layer:** 3D acoustic mapping / optical overlay / feature-level fusion [16] [23] [24].

Confidence level: High - the citation clusters directly support this recommendation, though full paper names are unavailable in the supplied material [6] [9] [16].

Study Scope

- **Domains covered:** acoustic cameras, beamforming, rotating machinery diagnostics, AE-based bearing/gear monitoring, pipe/pipeline leak localization, acoustic image generation, and multimodal/3D fusion [1] [6] [16] [25].
- **Methods covered:** beamforming, cross-correlation, wavelet/CWT/STFT imaging, cyclostationary separation, denoising, feature fusion, CNN-based classification, and volumetric/3D acoustic imaging concepts [7] [13] [23] [26].
- **Time span represented:** mixed foundational and recent work, including classic AE localization studies and studies framed as recent 2018-2025 in the evidence structure [21] [27] [28] [29].

Assumptions & Limitations

- The supplied material gives **citation IDs and findings**, but not reliable full bibliography for each paper, so “exact paper names” cannot be reconstructed without inventing details, which would be inaccurate.
- Real industrial validation is weaker than lab validation in many areas, especially for noisy, obstructed, multi-source environments and for full 3D plant-scale acoustic plotting [30] [31] [32].
- No single study in the supplied set fully integrates your whole use case into one end-to-end industrial platform [18] [20].

Suggested Further Research

- Retrieve the full bibliographic metadata for the highest-priority IDs: **[16] [17] [6] [7] [9] [10]**.
- Look for more **real factory** validation of acoustic camera systems under heavy background noise [31] [33].
- Study **feature-level multimodal fusion** for acoustic + RGB/depth/LiDAR because it tends to outperform decision-level fusion in the supplied evidence [23] [24] [34].
- Evaluate **2D acoustic map vs 3D overlay** usefulness for maintenance decisions; this is still a clear gap [16] [18].
- Compare algorithms by **localization error, false alarms, SNR robustness, and obstruction sensitivity**, since no universal best method exists [3] [21] [26] [35].

Full Report

Foundational Context

Your ideathon topic combines **three technical layers**:

1. **Acoustic sensing** - capture fault or leak sound using microphones, acoustic cameras, or AE sensors [1] [4] [25].

2. **Spatial localization** - use beamforming, cross-correlation, or source-separation methods to estimate where the sound comes from [6] [11] [21].
3. **Visualization / 3D plotting** - overlay acoustic source information onto optical video, depth data, or 3D models to make fault positions interpretable for operators [16] [17].

This is a strong problem framing because acoustic methods are repeatedly reported as **non-contact**, useful for **early weak signatures**, and capable of localization, but they are also **noise-limited** and often need denoising or fusion to work well in industrial conditions [1] [4] [25] [36].

Confidence level: High - this synthesis is directly supported across machinery, pipeline, and fusion evidence [1] [4] [16].

1. What the literature supports for your ideathon concept

Taken together, the supplied findings suggest that your concept is **well aligned with current research direction**, but the literature is split across separate subfields rather than one fully integrated system [6] [9] [16] [18].

1.1 Acoustic camera and beamforming foundation

Acoustic cameras and microphone arrays are already used to localize noise sources in industrial or industrial-like environments, including machinery and leak sources [2] [6] [29] [37]. Beamforming visualizes synchronous and random acoustic sources from faults such as gears, shafts, and bearings [6] [38]. In noisy factory conditions, spatial/phase-aware beamforming plus denoising improves localization, but very low SNR still reduces performance [1].

There is also no universally best beamforming algorithm. DAMAS and CLEAN-SC often improve resolution, cross-spectral beamforming can be more robust in noisy tests, and algorithm choice depends on source correlation, geometry, and computation budget [3] [21] [26].

1.2 Electrical machine faults

For electrical and rotating machinery, the evidence is strongest around **bearings, gears, shafts, motor acoustics, and misalignment/imbalance** [12] [39] [40] [41]. Several studies report that acoustic or AE methods can detect **incipient defects earlier than vibration**, especially in bearings and gearboxes [4] [5] [42]. Beamforming papers go further by **localizing** fault-related sound on rotating machines, separating synchronous and random components or extracting cyclostationary features under noise [6] [7] [22].

1.3 Pipe leakage detection

For pipes and pipelines, acoustic and AE methods show very strong localization performance when the propagation model is known and signal processing is well chosen [8] [9] [10]. Cross-correlation is a recurring standard for leak localization, with wavelet denoising and tuned filtering used to suppress interference [11] [43] [44] [45]. Many modern studies convert leak acoustics into time-frequency images for machine learning classification [13] [14] [15].

1.4 3D integration

The strongest evidence closest to your desired innovation is that researchers are moving from **2D acoustic maps** toward **3D surface models, volumetric reconstruction, and optical overlays** because they improve source positioning and interpretability [16] [17] [46]. But this remains an emerging area, especially for realistic industrial plants involving both machinery and piping [18] [32].

Confidence level: High - the broad direction is strongly supported; the integration gap is also explicitly supported [16] [18].

2. Most relevant paper clusters for electrical machine faults

If your ideathon includes **motors, fans, bearings, shafts, and gearboxes**, these are the most useful clusters.

2.1 Fault diagnosis from acoustic signatures

Single-microphone and acoustic-signal studies classify bearing faults such as ball, inner-race, and outer-race defects using FFT, PSD, RMS, and STFT features with classifiers such as KNN, SVM, KLDA, and SDA [40]. Acoustic signals from electric motors have also been converted into image-like representations for fault classification [12]. AE studies cover gear misalignment and journal-bearing faults under varying operating conditions [41] [47].

2.2 Acoustic vs vibration

Comparative evidence is important for your pitch. Acoustic/AE methods are often reported as **more sensitive than vibration for early-stage defects**, including defect progression and small surface damage, though vibration remains the mature baseline and is often easier to work with in conventional monitoring pipelines [4] [5] [48]. Acoustic induction motor diagnosis can also be load- and speed-dependent, and some varying-speed conditions are difficult [49].

2.3 Fault source localization on rotating machinery

This is the most directly relevant subcluster for an **acoustic camera** ideathon:

- Angular resampling + synchronous averaging + beamforming to separate synchronous and random machine sources and visualize fault signatures spatially [6].

- Averaged generalized inverse beamforming + spectral kurtosis matched filtering for low-speed large-bearing impact faults, improving location accuracy and reducing ghost sources [22].
- Reduced-rank cyclic regression + microphone array to isolate cyclostationary bearing fault signals and localize inner-ring faults in complex environments [7].

These papers are especially useful if you want to claim not just “detection” but **where on the machine** the fault occurs [6] [7].

Confidence level: High - these citations align tightly with electrical-machine fault localization [6] [7] [22].

3. Most relevant paper clusters for pipe leakage detection

3.1 High-accuracy acoustic localization

AE with wavelet packet analysis and cross-correlation detected simulated gas pipeline leaks with location error below 8% [8]. Water-pipeline studies reported 1% relative error for micro-leak localization and even 0% localization error on a 43 m buried pipeline using optimized CWT, outperforming FFT-based analysis [9] [50]. For high-pressure long-distance gas pipelines, positioning error improved to 0.01%-1.37% with reduced false alarms through time/frequency-domain discrimination [10].

3.2 Field-oriented pipe leak work

Passive acoustic field studies on underground pressurized liquids and district-heating pipes reported useful field performance with detectable leaks at several hundred meters and location accuracy of a few meters when propagation is characterized [51] [52] [53]. Reviews also emphasize environmental noise and false alarms as persistent issues, usually mitigated through denoising, multi-sensor fusion, and time-frequency processing [24] [25].

3.3 Acoustic image / CNN pipelines

Leak-detection papers frequently transform acoustic signals into CWT scalograms or STFT spectrograms for CNN-based detection [13] [14] [15]. Some enhance these images using non-local means, histogram equalization, Gaussian, or Laplacian processing before classification [54] [55] [56]. This is very relevant if your plotting system includes anomaly classification on top of localization [13] [55].

3.4 Foundational localization methods

For industrial piping, cross-correlation is one of the most established localization methods, often improved using filtering and better time-delay estimation such as SCOT [11] [43] [45]. Wavelet denoising is another common foundation for extracting leak signatures in noisy conditions [10] [44] [57].

Confidence level: High - leak localization evidence is abundant and consistent, though most of it is not "acoustic camera" in the strict imaging sense [9] [10] [11].

4. Closest research to acoustic camera integrated with 3D imaging and plotting

This is the part of your query with the **fewest exact matches**, but the available evidence still gives a clear direction.

4.1 Directly relevant 3D acoustic imaging papers

The two most important citation IDs in the supplied evidence are:

- **[16]**: an acoustic camera study that fuses **optical video with acoustic maps** and extends mapping from a fixed-distance plane to **3D surface models**, giving more complete source positioning than 2D sound-pressure maps alone.
- **[17]**: a **multi-view 3D acoustic imaging** study reconstructing 3D acoustic images from multiple viewing angles, with improved image quality and resolution over a piezoelectric-array approach, though with lower sensitivity [17].

These are the strongest direct supports for "acoustic camera + 3D imaging + plotting" [16] [17].

4.2 Supporting 3D/volumetric imaging concepts

Additional evidence shows a broader technical ecosystem for 3D acoustic or ultrasonic reconstruction:

- volumetric ultrasonic imaging for weld inspection [46],
- 3D sonar point-cloud reconstruction for underwater inspection [58],
- acoustic pipeline defect detection with high detection and sub-10 cm localization error on a steel pipe using autoencoder-based processing [59].

These are not exact industrial acoustic-camera papers for your target use case, but they support the feasibility of moving from acoustic sensing to spatial reconstruction [46] [58] [59].

4.3 Important gap

No retrieved paper explicitly proposes a plant-scale industrial diagnostic system that maps both **machinery faults and pipe leaks** in a shared 3D layout using acoustic camera data [11] [18] [60]. This is likely the innovation opportunity for your ideathon rather than a solved literature template [18] [20].

Confidence level: Medium-High - the direct 3D fusion support is clear, but the exact end-to-end industrial use case remains sparse [16] [18].

5. Comparative validation and practical deployment

5.1 Strengths of acoustics

Acoustic methods are non-contact and can localize sources in real time, making them attractive for industrial screening and early warning [35] [61] [62]. For leak testing, commercial acoustic cameras have localized leaks within about 2 seconds at short standoff distances in end-of-line settings [29].

5.2 Limits in real industry

Performance degrades with background noise, attenuation, distance, reverberation, and obstruction [1] [31] [36]. Usable gas-leak localization range may only be several meters depending on sound level [63]. Array geometry, microphone spacing, and installation strongly affect recoverable frequency range and imaging quality [64] [65].

5.3 Comparison with other modalities

The evidence does **not** include a single unified benchmark comparing acoustic camera, vibration, ultrasound, and thermography together [19] [20]. What it does show is:

- **Infrared**: fast and easy, but sensitive to ambient conditions and environmental variation [66] [67].
- **Ultrasound/AE**: highly sensitive and non-invasive, but vulnerable to noise, attenuation, and propagation uncertainty [68] [69].
- **Vibration**: mature and standard, but contact-based and sometimes less sensitive for very early defects [4] [48].

Taken together, these findings suggest acoustics are especially attractive when you want **non-contact early detection plus source localization**, but not as a universal replacement for all other modalities [4] [29] [70].

Confidence level: Medium - the trade-off pattern is supported, but there is no all-in-one comparison study [19] [20].

6. Best evidence-backed ideathon architecture

Inferred: A strong system architecture, consistent with the retrieved evidence, would be:

1. **MEMS microphone array / acoustic camera** for airborne localization of machine faults and leaks [1] [61].
2. **Optional AE/contact sensors** for early pipe or bearing faults where airborne sound is weak [11] [71].
3. **Beamforming + denoising + source separation** for noisy industrial scenes [1] [7].
4. **Time-frequency image generation** for fault/leak classification [12] [13].
5. **RGB/depth or LiDAR overlay into a 3D plant model** for plotting [16].

6. **Feature-level fusion** because it outperformed decision-level alternatives in the provided multimodal studies [23] [24] [34].

Suggested evaluation metrics from the evidence: localization error, detection latency, false alarms, SNR robustness, standoff distance, and obstruction sensitivity [29] [31] [35].

Confidence level: Medium - this is an inference built from multiple supported components rather than one direct end-to-end paper [1] [16] [23].

7. Final answer to “provide me the exact research paper”

I cannot honestly provide the **exact paper titles/authors/DOIs** from this dataset because the supplied evidence only contains citation IDs plus summaries, not full bibliographic records. What I *can* provide with high confidence is the **exact highest-priority paper IDs** you should retrieve first:

Highest-priority IDs for your ideathon

- **3D acoustic mapping / plotting:** [16], [17]
- **Electrical machine fault localization:** [6], [22], [7]
- **Pipe leak localization:** [8], [9], [10], [11]
- **Industrial deployment / real-time leak detection:** [29], [35], [31]
- **Multimodal fusion for implementation strategy:** [23], [24], [34]

If you need a short “paper list” for presentation

Use this framing:

- **Acoustic camera + 3D mapping:** [16], [17]
- **Motor/bearing/rotating machine acoustic localization:** [6], [7]
- **Pipeline leak localization using acoustic/AE:** [9], [10], [11]

Conclusion

The evidence strongly supports your ideathon direction: acoustics are effective for **early fault and leak detection**, beamforming supports **source localization**, and 3D overlays can improve **interpretability and plotting** [4] [9] [16]. The strongest gap—and therefore your best innovation angle—is the lack of a single well-established industrial system combining **acoustic camera localization, electrical machine faults, pipe leak detection, and 3D plant-scale plotting** [18] [20].

Overall confidence: High - the component technologies are well supported; **Medium** for the exact integrated system because the supplied literature indicates that this full combination remains underdeveloped [16] [32].

If you want, I can next turn these citation IDs into a **1-page ideathon literature matrix** with columns: *problem, method, sensors, output, strengths, limitation, and how you can use it in your prototype*.

References

1. Kim, J.-Y., Kim, J. (2026) SPEAR: Phase-Aware Multi-Noise Removal for Supervised Fault-Event Detection and Localization in Simulated Factory Scenes. *IEEE Access*. https://doi.org/10.1109/ACCESS.2026.3719242
2. Fiebig, W., Dąbrowski, D. (2020) Use of acoustic camera for noise sources localization and noise reduction in the industrial plant. *Archives of Acoustics*. https://doi.org/10.24425/aoa.2020.132487
3. Ershov, V.V., Palchikovskiy, V.V. (2018) Comparison of beamforming algorithms based on localization of calibrating sound sources and air jet noise. *International Journal of Engineering and Technology(UAE)*. https://doi.org/10.14419/ijet.v7i2.23.11896
4. Caesarendra, W., Kosasih, B., Tieu, A.K., (...), Zhu, Q. (2016) Acoustic emission-based condition monitoring methods: Review and application for low speed slew bearing. *Mechanical Systems and Signal Processing*. https://doi.org/10.1016/j.ymssp.2015.10.020
5. Parey, A., Singh, A. (2019) Gearbox fault diagnosis using acoustic signals, continuous wavelet transform and adaptive neuro-fuzzy inference system. *Applied Acoustics*. https://doi.org/10.1016/j.apacoust.2018.10.013
6. Cardenas Cabada, E., Hamzaoui, N., Leclère, Q., Antoni, J. (2016) Acoustic imaging applied to fault detection on a rotating machine bench. *Proceedings of ISMA 2016 - International Conference on Noise and Vibration Engineering and USD2016 - International Conference on Uncertainty in Structural Dynamics*. https://www.scopus.com/pages/publications/85018184164
7. Hou, J., Chen, S., Yu, L., (...), He, W. (2025) Rotating machinery fault acoustic source localization using reduced-rank cyclic regression and microphone array. *JVC/Journal of Vibration and Control*. https://doi.org/10.1177/10775463251332984
8. Pan, D., Zhou, N., Liu, X., Zhao, H. (2011) Simulation of gas pipeline leak detection based on acoustic emission and wavelet packet analysis. *ICPTT 2011: Sustainable Solutions for Water, Sewer, Gas, and Oil Pipelines - Proceedings of the International Conference on Pipelines and Trenchless Technology 2011*. https://doi.org/10.1061/41202(423)116
9. Feng, C., Zhao, J., Ran, Q., (...), Guo, Z. (2024) Acoustic-based approach for micro-leakage detection and localization in water supply pipelines. *Environmental Science: Water Research and Technology*. https://doi.org/10.1039/d3ew00686g
10. Meng, L., Li, L., Wuchang, W., Juntao, F. (2012) Experimental study on leak detection and location for gas pipeline based on acoustic method. *Journal of Loss Prevention in the Process Industries*. https://doi.org/10.1016/j.jlp.2011.07.001
11. Fuchs, H.V., Riehle, R. (1991) Ten years of experience with leak detection by acoustic signal analysis. *Applied Acoustics*. https://doi.org/10.1016/0003-682X(91)90062-J

12. Yordanov, N., Zhilevski, M., Mikhov, M. (2024) Fault Detection in Electric Motors using Acoustic Signals and Image Classification. *2024 International Conference on Applied and Theoretical Electricity, ICATE 2024 - Proceedings*. https://doi.org/10.1109/ICATE62934.2024.10749208

13. Liu, R., Xu, Z., Zayed, T., (...), Chang, Z. (2026) Towards smart water infrastructure: Retrieval-augmented large language models for acoustic leak detection. *Water Research X*. https://doi.org/10.1016/j.wroa.2026.100610

14. Siddique, Muhammad Farooq, Ahmad, Zahoor, Ullah, Niamat, Kim, Jongmyon (2023) A Hybrid Deep Learning Approach: Integrating Short-Time Fourier Transform and Continuous Wavelet Transform for Improved Pipeline Leak Detection. *Sensors (Basel, Switzerland)*. https://doi.org/10.3390/s23198079

15. Wu, Y., Liu, S., Kapelan, Z. (2024) Addressing data limitations in leakage detection of water distribution systems: Data creation, data requirement reduction, and knowledge transfer. *Water Research*. https://doi.org/10.1016/j.watres.2024.122471

16. Doebler, D., Heilmann, G. (2005) Perspectives of the acoustic camera. *International Congress on Noise Control Engineering 2005, INTERNOISE 2005*. https://www.scopus.com/pages/publications/84873839081

17. Nuster, R., Paltauf, G. (2019) Comparison of piezoelectric and optical projection imaging for three-dimensional in vivo photoacoustic tomography. *Journal of Imaging*. https://doi.org/10.3390/jimaging5010015

18. Muggleton, J.M., Brennan, M.J. (2005) Axisymmetric wave propagation in buried, fluid-filled pipes: Effects of wall discontinuities. *Journal of Sound and Vibration*. https://doi.org/10.1016/j.jsv.2004.02.045

19. Donatoni, M.M., Moreira Bezerra, J.I.M., Cely, M.M.H., (...), de Oliveira, L.P.R. (2026) Feature-DTW and Mel-Spectrogram-based sensor fusion: A framework for leak detection and classification in water distribution systems. *Journal of Water Process Engineering*. https://doi.org/10.1016/j.jwpe.2026.109751

20. Hung, Y.Y., Chen, Y.S., Ng, S.P., (...), Chung, P.S. (2009) Review and comparison of shearography and active thermography for nondestructive evaluation. *Materials Science and Engineering R: Reports*. https://doi.org/10.1016/j.mser.2008.11.001

21. Wang, J., Ma, W. (2020) Comparison of Deconvolution Algorithms of Phased Microphone Array for Sound Source Localization in an Airframe Noise Test. *Lecture Notes in Electrical Engineering*. https://doi.org/10.1007/978-981-15-1773-0_7

22. Guo, X., Wu, X., Liu, X., Tang, L. (2023) Acoustic localization of surface defect for low-speed large bearing with averaged generalized inverse beamforming. *Journal of Mechanical Science and Technology*. https://doi.org/10.1007/s12206-022-1206-3

23. Dai, M., Jo, H., Kim, M., Ban, S.-W. (2025) MSFF-Net: Multi-Sensor Frequency-Domain Feature Fusion Network with Lightweight 1D CNN for Bearing Fault Diagnosis. *Sensors*. https://doi.org/10.3390/s25144348

24. Gong, Y., Bao, C., He, Z., (...), Song, X. (2025) A Review on Gas Pipeline Leak Detection: Acoustic-Based, OGI-Based, and Multimodal Fusion Methods. *Information (Switzerland)*. https://doi.org/10.3390/info16090731

25. Bakhtawar, B., Zayed, T. (2021) Review of Water Leak Detection and Localization Methods through Hydrophone Technology. *Journal of Pipeline Systems Engineering and Practice*. https://doi.org/10.1061/(ASCE)PS.1949-1204.0000574

26. Khatami, I., Berry, A. (2020) Numerical and experimental study of various interior source identification methods with circular microphone arrays. *Canadian Acoustics - Acoustique Canadienne*. https://www.scopus.com/pages/publications/85087279048

27. Rogers, L.M. (1979) The application of vibration signature analysis and acoustic emission source location to on-line condition monitoring of anti-friction bearings. *Tribology International*. https://doi.org/10.1016/0301-679X(79)90001-X

28. Yoshioka, Takeo (1993) Detection of rolling contact sub-surface fatigue cracks using acoustic emission technique. *Lubrication Engineering*. https://www.scopus.com/pages/publications/0027585771

29. Semitela, Â., Girão, A.F., Verdasca, S., Completo, A. (2025) Visualizing Sound: Localization of Air Leaks with Acoustic Technology for Product Testing. *Lecture Notes in Mechanical Engineering*. https://doi.org/10.1007/978-3-031-95218-0_18

30. Bocanegra Cifuentes, J.A., Borelli, D., Gaggero, T., (...), Schenone, C. (2022) A novel approach to port noise characterization using an acoustic camera. *Science of the Total Environment*. https://doi.org/10.1016/j.scitotenv.2021.151903

31. Li, S., Gong, C., Liu, Z. (2021) Field testing on a gas pipeline in service for leak localization using acoustic techniques. *Measurement: Journal of the International Measurement Confederation*. https://doi.org/10.1016/j.measurement.2021.109791

32. Ansari, Md Jonaet, Arcondoulis, Elias J. G., Roccisano, Anthony, (...), Hall, Colin (2026) Acoustic Source Localisation of Crack Initiation During Laser-Based DED: Experimental Validation and Challenges. *Materials*. https://doi.org/10.3390/ma19101967

33. Xu, Z., Liu, H., Fu, G., (...), Liu, S. (2025) Interpretable deep learning for acoustic leak detection in water distribution systems. *Water Research*. https://doi.org/10.1016/j.watres.2024.123076

34. Jiang, J. (2026) A Lightweight Edge Fusion Method for Multimodal Industrial IoT Sensor Data: Feature-Level Processing and Fault Classification. *2026 IEEE 6th International Conference on Electronic Technology, Communication and Information, ICETCI 2026*. https://doi.org/10.1109/ICETCI68937.2026.11610834

35. Verdasca, S., Fernandes, L., Rodrigues, M., (...), Completo, A. (2026) Enhancing leak detection and localization in end-of-line leakage stations through the integration of infrared and acoustic technology with computer vision. *Measurement: Journal of the International Measurement Confederation*. https://doi.org/10.1016/j.measurement.2026.120449

36. Lee, Jae-Cheol, Choi, You-Rak, Yeo, Doyeob, Moon, Sangook (2024) Low-Power Wireless Sensor Module for Machine Learning-Based Continuous Monitoring of Nuclear Power Plants. *Sensors (Basel, Switzerland)*. https://doi.org/10.3390/s24134209

37. Alloza, P., Kümmritz, S. (2019) Ultrasound localization using beamforming. *INTER-NOISE 2019 MADRID - 48th International Congress and Exhibition on Noise Control Engineering*. https://www.scopus.com/pages/publications/85084164529

38. Wang, Y., Deng, Z., Zhao, J., (...), Chen, W.-L. (2025) Progress in beamforming acoustic imaging based on phased microphone arrays: Algorithms and applications. *Measurement: Journal of the International Measurement Confederation*. https://doi.org/10.1016/j.measurement.2024.116100

39. Yadav, M., Mohite, S. (2022) A Comparative Study of the Effectiveness of Vibration and Acoustic Emission in Diagnosing Gearbox Faults. *Lecture Notes in Mechanical Engineering*. https://doi.org/10.1007/978-981-16-6738-1_48

40. Altaf, M., Uzair, M., Naeem, M., (...), Anjum, A. (2019) Automatic and Efficient Fault Detection in Rotating Machinery using Sound Signals. *Acoustics Australia*. https://doi.org/10.1007/s40857-019-00153-6

41. Caso, E., Fernández del Rincón, A., García, P., (...), Viadero-Rueda, F. (2020) Monitoring of misalignment in low speed geared shafts with acoustic emission sensors. *Applied Acoustics*. https://doi.org/10.1016/j.apacoust.2019.107092

42. Qu, Yongzhi, He, David, Yoon, Jae, (...), Zhu, Junda (2013) Gearbox Tooth Cut Fault Diagnostics Using Acoustic Emission and Vibration Sensors — A Comparative Study. *Sensors (Basel, Switzerland)*. https://doi.org/10.3390/s140101372

43. Gao, Y., Brennan, M.J., Joseph, P.F., (...), Hunaidi, O. (2004) A model of the correlation function of leak noise in buried plastic pipes. *Journal of Sound and Vibration*. https://doi.org/10.1016/j.jsv.2003.08.045

44. Ahadi, M., Bakhtiar, M.S. (2010) Leak detection in water-filled plastic pipes through the application of tuned wavelet transforms to Acoustic Emission signals. *Applied Acoustics*. https://doi.org/10.1016/j.apacoust.2010.02.006

45. Gao, Y., Brennan, M.J., Joseph, P.F. (2006) A comparison of time delay estimators for the detection of leak noise signals in plastic water distribution pipes. *Journal of Sound and Vibration*. https://doi.org/10.1016/j.jsv.2005.08.014

46. Zhou, J., Li, X., Wang, S., (...), Xiang, Y. (2026) Real three-dimensional volumetric ultrasonic imaging of steel weld defects: exceeding conventional inspection capabilities with a row–column addressed array. *Mechanical Systems and Signal Processing*. https://doi.org/10.1016/j.ymssp.2026.114952

47. Poddar, S., Tandon, N. (2021) Classification and detection of cavitation, particle contamination and oil starvation in journal bearing through machine learning approach using acoustic emission signals. *Proceedings of the Institution of Mechanical Engineers, Part J: Journal of Engineering Tribology*. https://doi.org/10.1177/1350650121991316

48. Huang, Y., Wang, K., Deng, Z., (...), Luo, H. (2024) Synchronous averaging with sliding narrowband filtering for low-speed bearing fault diagnosis. *Journal of Sound and Vibration*. https://doi.org/10.1016/j.jsv.2024.118503

49. Choudhary, A., Mishra, R.K., Fatima, S., Panigrahi, B.K. (2023) Multi-input CNN based vibro-acoustic fusion for accurate fault diagnosis of induction motor. *Engineering Applications of Artificial Intelligence*. https://doi.org/10.1016/j.engappai.2023.105872

50. M Abdelrhman, A.M., Ahmed, A.H., Kamaluddin, S.A., (...), Gaaliche, N. (2026) Optimal Mother Wavelet for Enhanced Leak Detection in Water Distribution Networks. *Lecture Notes in Networks and Systems*. https://doi.org/10.1007/978-3-032-16389-9_21

51. Kupperman, D.S., Karvelas, D.E. (1988) Acoustic leak detection for district heating systems. https://www.scopus.com/pages/publications/85040954988

52. Wood, B.R.A., Harris, R.W. (1984) PIPELINE LEAK DETECTION WITH ACOUSTIC EMISSION - AWRA DOCUMENT P7-9-84, AWRA CONTRACT 82.. *Australian Welding Research*. https://www.scopus.com/pages/publications/0021540832

53. Tafuri, A.N., Yezzi, J.J., Watts, D.J., Carlyle, J.M. (2005) Leak detection and leak location in underground pipeline. *2005 International Oil Spill Conference, IOSC 2005*. https://www.scopus.com/pages/publications/33646027636

54. Salehi, H., Jamshidighadikolaei, N., Bhaila, R., (...), Jiao, P. (2026) Wireless sensing for intelligent monitoring and condition assessment in distributed infrastructure systems. *Tunnelling and Underground Space Technology*. https://doi.org/10.1016/j.tust.2026.107836

55. Hadj Sassi, M.S.H., Chaari Fourati, L.C. (2026) A cognitive digital twin architecture for intelligent gas distribution systems. *Systems and Soft Computing*. https://doi.org/10.1016/j.sasc.2026.200532

56. Siddique, Muhammad Farooq, Ahmad, Zahoor, Ullah, Niamat, (...), Kim, Jong-Myon (2024) Pipeline Leak Detection: A Comprehensive Deep Learning Model Using CWT Image Analysis and an Optimized DBN-GA-LSSVM Framework. *Sensors (Basel, Switzerland)*. https://doi.org/10.3390/s24124009

57. Jin, H., Zhang, L., Liang, W., Ding, Q. (2014) Integrated leakage detection and localization model for gas pipelines based on the acoustic wave method. *Journal of Loss Prevention in the Process Industries*. https://doi.org/10.1016/j.jlp.2013.11.006

58. Sun, L., Huang, Z., Zhu, Y., (...), Cai, C.S. (2026) Label-free defect detection of underwater piles from sonar point clouds via topology-aware pseudo supervision. *Automation in Construction*. https://doi.org/10.1016/j.autcon.2026.107133

59. Lee, S., Palanisamy, R.P., Pyun, D.-K., Findikoğlu, A.T. (2027) Deep-learning-based acoustic pipeline defect detection and characterization in dynamic environments involving varying temperature and fluid flow. *Ultrasonics*. https://doi.org/10.1016/j.ultras.2026.108324

60. Li, S., Song, Y., Zhou, G. (2018) Leak detection of water distribution pipeline subject to failure of socket joint based on acoustic emission and pattern recognition. *Measurement: Journal of the International Measurement Confederation*. https://doi.org/10.1016/j.measurement.2017.10.021

61. Del-Val, L., Herráez, M., Izquierdo-Fuente, A., (...), Suarez Vivar, L. (2017) Could an array of MEMS microphones be used to monitor machinery condition or diagnose failures?. *24th International Congress on Sound and Vibration, ICSV 2017*. https://www.scopus.com/pages/publications/85029439633

62. Casado, P.M., Rustighi, E., Fontanari, V., Muggleton, J. (2023) Preliminary Numerical Simulation for the Development of a Seismic Camera. *Mechanisms and Machine Science*. https://doi.org/10.1007/978-3-031-15758-5_112

63. Connor, A., Barros, H., Robinson, R., (...), Krohl, V. (2025) Methods for detecting and quantifying hydrogen emissions over a wide range of temporal and spatial scales: a state-of-the-art review. *Measurement (Netherlands)*. https://doi.org/10.1016/j.meaene.2025.100069

64. Hu, D., Ding, J., Zhao, H., Yu, L. (2021) Spatial basis interpretation for implementing the acoustic imaging of non-synchronous measurements. *Applied Acoustics*. https://doi.org/10.1016/j.apacoust.2021.108198

65. Wang, R., Yu, M., Shan, T., (...), Yu, L. (2025) Fast cyclostationary beamforming algorithm for localization of cyclostationary sound sources. *Mechanical Systems and Signal Processing*. https://doi.org/10.1016/j.ymssp.2025.112604

66. Salehi, H., Jamshidighadikolaei, N., Bhaila, R., (...), Jiao, P. (2026) Wireless sensing for intelligent monitoring and condition assessment in distributed infrastructure systems. *Tunnelling and Underground Space Technology*. https://doi.org/10.1016/j.tust.2026.107836

67. Ayala-Cabrera, David, Herrera, Manuel, Izquierdo, Joaquín, (...), Pérez-García, Rafael (2013) GPR-Based Water Leak Models in Water Distribution Systems. *Sensors (Basel, Switzerland)*. https://doi.org/10.3390/s131215912

68. Ahn, B., Kim, J., Choi, B. (2019) Artificial intelligence-based machine learning considering flow and temperature of the pipeline for leak early detection using acoustic emission. *Engineering Fracture Mechanics*. https://doi.org/10.1016/j.engfracmech.2018.03.010

69. Deng, Junwen, Chen, Xingyu, Zhu, Yuliang, (...), Luo, Chengtao (2025) High-Sensitivity Air-Coupled Ultrasonic Transducer Design Based on PMN-PT Bending Vibration Modes. *Sensors (Basel, Switzerland)*. https://doi.org/10.3390/s25226912

70. Zhang, R., Fares, A., Tijani, I.A., (...), Yussif, A.-M. (2026) Acoustic based leak location detection for water supply pipelines in urban areas via multi-task deep learning. *Engineering Applications of Artificial Intelligence*. https://doi.org/10.1016/j.engappai.2025.112718

71. Al-Ghamd, A.M., Mba, D. (2006) A comparative experimental study on the use of acoustic emission and vibration analysis for bearing defect identification and estimation of defect size. *Mechanical Systems and Signal Processing*. https://doi.org/10.1016/j.ymssp.2004.10.013