PYTHON PROGRAMMING LAB RECORD

Professional Programming Laboratory Record

Submitted by: _____

Roll No.: _____ Class/Section: _____

Academic Year: 2026–2027

Table of Contents

Experiment	Title	Page
Experiment 1	Food Ordering Website	3
Experiment 2	Wedding Invitation Card	6
Experiment 3	Travel Destination – Goa	9

Important note: the six uploaded files are HTML/CSS web-programming files, not Python .py files. They are included exactly as uploaded and documented as web-programming experiments; no source lines were rewritten.

Experiment 1: Food Ordering Website

Aim

To design and present a responsive food ordering webpage using HTML structure and CSS styling.

Procedure

1. Create/open the required HTML and CSS files in a code editor.
2. Preserve the supplied source code without changing its lines or logic.
3. Keep linked CSS and referenced assets in the appropriate location.
4. Open the HTML file in a web browser and inspect the rendered page.
5. Verify headings, text, images, links, layout, colours, and responsive behaviour.
6. Record observations and compare the rendered result with the intended design.

Flowchart (Standard Symbols)



Oval = Start/Stop; Parallelogram = Input/Output; Rectangle = Process; arrows = direction of execution.

Pseudocode

```
START
LOAD HTML document and linked CSS
DISPLAY header and navigation
DISPLAY home, menu, offers and reviews sections
DISPLAY food cards and prices
APPLY responsive CSS rules
STOP
```

Algorithm

1. START.
2. LOAD HTML document and linked CSS.
3. DISPLAY header and navigation.
4. DISPLAY home, menu, offers and reviews sections.
5. DISPLAY food cards and prices.
6. APPLY responsive CSS rules.
7. STOP.

Source Code

abcd.html

```
<!DOCTYPE html>
<html>
<head>
    <title>Food Ordering Website</title>
    <link rel="stylesheet" href="aa.css">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
</head>
<body>

    <header>
        <h1>■ Foodie</h1>
        <nav>
            <a href="#home">Home</a>
            <a href="#menu">Menu</a>
            <a href="#offers">Offers</a>
            <a href="#reviews">Reviews</a>
        </nav>
    </header>

    <section id="home">
        <h2>Welcome to Foodie!</h2>
        <p>Delicious food delivered to your home.</p>
        <h3>Spice Villa Restaurant ■ 4.5</h3>
        <p>Indian Food | Delivery: 30 minutes</p>
    </section>

    <section id="menu">
        <h2>Our Menu</h2>
        <p>Pizza | Burgers | Biryani | Desserts</p>

        <div class="container">

            <div class="card">
                <img src="https://images.unsplash.com/photo-1513104890138-7c749659a591?w=400" alt="Pizza">
                <h3>Pizza</h3>
                <p>Cheese Pizza</p>
                <h3>■249</h3>
                <a href="#offers">Order Now</a>
            </div>

            <div class="card">
                <img src="https://images.unsplash.com/photo-1568901346375-23c9450c58cd?w=400" alt="Burger">
                <h3>Burger</h3>
                <p>Chicken Burger</p>
                <h3>■179</h3>
                <a href="#offers">Order Now</a>
            </div>

            <div class="card">
                <img src="https://tse1.mm.bing.net/th/id/OIP.VPJylD7GGrBI2uBTDEGCdgHaE8?r=0&rs=1&pid=ImgDetMain&o=7&rm=3">
                <h3>Biryani</h3>
                <p>Chicken Biryani</p>
                <h3>■229</h3>
                <a href="#offers">Order Now</a>
            </div>

        </div>
    </section>

    <section id="offers">
        <h2>Special Offer ■</h2>
        <p>Get 20% OFF on your first order!</p>
    </section>

    <section id="reviews">
        <h2>Customer Reviews</h2>
        <p>Priya ■■■■■ - Very tasty food!</p>
        <p>Rahul ■■■■ - Good service and fast delivery.</p>
    </section>

    <footer>
        <p>© 2026 Foodie | Thank you for visiting!</p>
    </footer>
</body>

</html>
```

aa.css

```
body {
    font-family: Arial, sans-serif;
    margin: 0;
    background-color: #fff5e6;
    text-align: center;
}

header {
    background-color: #ff6600;
    color: white;
    padding: 15px;
```

```
}

nav a {
    color: white;
    text-decoration: none;
    margin: 10px;
}

section {
    padding: 25px;
}

#home {
    background-color: #ffe0b2;
}

.container {
    display: flex;
    justify-content: center;
    flex-wrap: wrap;
    gap: 20px;
}

.card {
    background-color: white;
    width: 230px;
    margin: 10px;
    padding: 15px;
    border-radius: 12px;
    box-shadow: 0 4px 8px #ccc;
}

.card img {
    width: 100%;
    height: 150px;
    object-fit: cover;
    border-radius: 10px;
}

.card a {
    display: inline-block;
    background-color: #ff6600;
    color: white;
    padding: 10px;
    text-decoration: none;
    border-radius: 5px;
}

.card a:hover {
    background-color: green;
}

#offers {
    background-color: #ffcc80;
}

#reviews {
    background-color: white;
}

footer {
    background-color: #333;
    color: white;
    padding: 15px;
}

@media (max-width: 600px) {
    nav a {
        display: inline-block;
        margin: 5px;
    }

    .card {
        width: 90%;
    }
}
```

Output

The source defines a Foodie food-ordering page with Home, Menu, Offers and Reviews sections, including Pizza, Burger and Biryani cards.

```
EXECUTION: Open the corresponding HTML file in a web browser.
OUTPUT: A rendered web page is produced according to the supplied HTML/CSS.
STATUS: Not executed as Python; uploaded files are HTML/CSS.
```

Test Cases

Test Case	Input	Expected Output	Actual Output	Result
TC01	Open HTML in browser	Page loads with main content	Not Tested in Python runtime	Not Tested
TC02	Check linked CSS	Styles are applied	Not Tested in Python runtime	Not Tested
TC03	Resize browser / mobile width	Responsive rules apply where defined	Not Tested in Python runtime	Not Tested

Result

The supplied source has been documented and preserved. Python execution could not be verified because the uploads are HTML/CSS files rather than Python programs; execution-dependent items are therefore marked Not Tested instead of being invented.

Experiment 2: Wedding Invitation Card

Aim

To create a visually formatted wedding invitation webpage using HTML content and CSS presentation.

Procedure

1. Create/open the required HTML and CSS files in a code editor.
2. Preserve the supplied source code without changing its lines or logic.
3. Keep linked CSS and referenced assets in the appropriate location.
4. Open the HTML file in a web browser and inspect the rendered page.
5. Verify headings, text, images, links, layout, colours, and responsive behaviour.
6. Record observations and compare the rendered result with the intended design.

Flowchart (Standard Symbols)



Oval = Start/Stop; Parallelogram = Input/Output; Rectangle = Process; arrows = direction of execution.

Pseudocode

```
START
LOAD invitation HTML and linked CSS
DISPLAY invitation heading and names
DISPLAY date, day and venue
DISPLAY images and invitation message
APPLY card, typography and responsive styles
STOP
```

Algorithm

1. START.
2. LOAD invitation HTML and linked CSS.
3. DISPLAY invitation heading and names.
4. DISPLAY date, day and venue.
5. DISPLAY images and invitation message.
6. APPLY card, typography and responsive styles.
7. STOP.

Source Code

amma.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Invitation Card</title>
    <link rel="stylesheet" href="nana.css">
</head>
<body>

    <div class="card">
        <img src="m.jpg" height="500" width="500">
  <h3>You Are Cordially Invited</h3>

        <h1>Wedding Invitation</h1>

        <p>With love and blessings,</p>

        <h2>xxxxxxxxxx</h2>

        <h3 class="and">Weds</h3>

        <h2>xxxxx</h2>

        <p>
            We warmly invite you to join us
            and bless the couple on their special day.
        </p>

        <div class="details">
            <p><strong>Date:</strong> 3 december 2026</p>
            <p><strong>Day:</strong> Saturday</p>
            <p><strong>Venue:</strong> sagar convention hall</p>
        </div>

        <img
            src="https://images.unsplash.com/photo-1519225421980-888cb9e5e9f9?w=800"
            alt="Wedding flowers"
            class="bottom-image"
        >

        <h3 class="footer">Your Presence Makes Our Day Special!</h3>
        <audio loop controls>
    <source src="nana.mp3"
    type="audio/mpeg">
    your browser does not support audio
</audio>
    </div>

</body>
</html>
```

nana.css

```
css

body {
    margin: 0;
    padding: 30px 10px;
    font-family: Georgia, serif;
    background-color: #f8e8e8;
    text-align: center;
}


.card {
    max-width: 500px;
    margin: auto;
    padding: 25px;
    background-color: #fffaf0;
    border: 5px double #b8860b;
    border-radius: 15px;
    box-shadow: 0 5px 20px rgba(0, 0, 0, 0.2);
}


.top-image {
    width: 100%;
    height: 200px;
    object-fit: cover;
    border-radius: 10px;
}


h1 {
    color: #8b0000;
    font-size: 32px;
    margin: 15px 0;
}
```

```
h2 {
    color: #a0522d;
    font-size: 25px;
    margin: 10px 0;
}


h3 {
    color: #b8860b;
}

.and {
    color: #8b0000;
    font-style: italic;
}


p {
    color: #444;
    line-height: 1.6;
}


.details {
    margin: 20px 0;
    padding: 10px;
    background-color: #fdf0d5;
    border-radius: 10px;
}

.bottom-image {
    width: 100%;
    height: 150px;
    object-fit: cover;
    border-radius: 10px;
}


.footer {
    margin-top: 20px;
    color: #8b0000;
    font-size: 16px;
}


@media (max-width: 480px) {
    .card {
        padding: 15px;
    }

    h1 {
        font-size: 25px;
    }

    h2 {
        font-size: 21px;
    }
}

body{
  https://www.pinterest.com/ideas/beautiful-background-for-photo-editing/953123376343/
}

body{
    background-color: antiquewhite;
}
```

Output

The source defines a wedding invitation card with invitation text, names, date, day, venue, images and an audio control.

```
EXECUTION: Open the corresponding HTML file in a web browser.
OUTPUT: A rendered web page is produced according to the supplied HTML/CSS.
STATUS: Not executed as Python; uploaded files are HTML/CSS.
```

Test Cases

Test Case	Input	Expected Output	Actual Output	Result
TC01	Open HTML in browser	Page loads with main content	Not Tested in Python runtime	Not Tested
TC02	Check linked CSS	Styles are applied	Not Tested in Python runtime	Not Tested
TC03	Resize browser / mobile width	Responsive rules apply where defined	Not Tested in Python runtime	Not Tested

Result

The supplied source has been documented and preserved. Python execution could not be verified because the uploads are HTML/CSS files rather than Python programs; execution-dependent items are therefore marked Not Tested instead of being invented.

Experiment 3: Travel Destination – Goa

Aim

To design a travel destination webpage that presents information about Goa, places to visit, activities, and food.

Procedure

1. Create/open the required HTML and CSS files in a code editor.
2. Preserve the supplied source code without changing its lines or logic.
3. Keep linked CSS and referenced assets in the appropriate location.
4. Open the HTML file in a web browser and inspect the rendered page.
5. Verify headings, text, images, links, layout, colours, and responsive behaviour.
6. Record observations and compare the rendered result with the intended design.

Flowchart (Standard Symbols)



Oval = Start/Stop; Parallelogram = Input/Output; Rectangle = Process; arrows = direction of execution.

Pseudocode

```
START
LOAD travel HTML and linked CSS
DISPLAY Goa introduction
DISPLAY places to visit
DISPLAY things to do
DISPLAY food to try
APPLY page and image styling
STOP
```

Algorithm

1. START.
2. LOAD travel HTML and linked CSS.
3. DISPLAY Goa introduction.
4. DISPLAY places to visit.
5. DISPLAY things to do.
6. DISPLAY food to try.
7. APPLY page and image styling.
8. STOP.

Source Code

ddd.html

```
 !DOCTYPE html>
 <html>
 <head>
     <title>Travel Destination</title>
     <link rel="stylesheet" href="rrr.css">
 </head>
 <body>

     <div class="container">
         <h1>Welcome to Goa</h1>

         <img src="https://images.unsplash.com/photo-1512343879784-a960bf40e7f2?auto=format&fit=crop&w=600&q=80"
              alt="Goa Beach">

       <h2>About Goa</h2>
         <p>Goa is a beautiful tourist destination in India.
         It is famous for beaches, sunsets, and delicious food.</p>

         <h2>Places to Visit</h2>
         <ul>
             <li>Baga Beach</li>
             <li>Fort Aguada</li>
             <li>Dudhsagar Falls</li>
         </ul>

         <h2>Things to Do</h2>
         <ul>
             <li>Enjoy water sports</li>
             <li>Watch the sunset</li>
             <li>Explore beaches</li>
         </ul>

         <h2>Food to Try</h2>
         <ul>
             <li>Goan Fish Curry</li>
             <li>Prawn Curry</li>
             <li>Bebinca</li>

 </body>
 </html>

         </ul>
     </div>

 </body>
 </html>
```

rrr.css

```
 body {
     background-color: lightblue;
     font-family: Arial, sans-serif;
     margin: 20px;
 }

 .container {
     background-color: white;
     border: 2px solid blue;
     padding: 20px;
     margin: 10px;
 }

 h1 {
     color: darkblue;
     text-align: center;
 }

 h2 {
     color: green;
 }

 img {
     width: 300px;
     height: 200px;
     border: 2px solid black;
 }

 p {
     font-size: 16px;
     text-align: justify;
 }

 li {
     font-size: 16px;
     margin: 5px;
 }
 ```
 body{
```
```

```
    text-align: center;
}
```

Output

The source defines a Goa travel page with an introduction, places to visit, activities, and food recommendations.

```
EXECUTION: Open the corresponding HTML file in a web browser.
OUTPUT: A rendered web page is produced according to the supplied HTML/CSS.
STATUS: Not executed as Python; uploaded files are HTML/CSS.
```

Test Cases

Test Case	Input	Expected Output	Actual Output	Result
TC01	Open HTML in browser	Page loads with main content	Not Tested in Python runtime	Not Tested
TC02	Check linked CSS	Styles are applied	Not Tested in Python runtime	Not Tested
TC03	Resize browser / mobile width	Responsive rules apply where defined	Not Tested in Python runtime	Not Tested

Result

The supplied source has been documented and preserved. Python execution could not be verified because the uploads are HTML/CSS files rather than Python programs; execution-dependent items are therefore marked Not Tested instead of being invented.