
General_Countries
id bigint
name varchar(255) NN
iso3 varchar(3)
numeric_code varchar(3)
iso2 varchar(2)
phonecode varchar(255)
capital varchar(255)
currency varchar(255)
currency_name varchar(255)
currency_symbol varchar(255)
tld varchar(255)
native varchar(255)
region varchar(255)
subregion varchar(255)
latitude double
longitude double
emoji varchar(191)
emojiU varchar(191)
flag boolean
wikiDataId varchar(255)
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
deletedAt timestamptz
deletedBy uuid
General_States
id bigint
name varchar(255) NN
country_id bigint NN
country_code varchar(255)
fips_code varchar(255)
iso2 varchar(255)
type varchar(255)
latitude double
longitude double
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
deletedAt timestamptz
deletedBy uuid
General_Cities
id bigint
name varchar(255) NN
state_id bigint NN
state_code varchar(255)
country_id bigint NN
country_code varchar(255)
latitude double
longitude double
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
deletedAt timestamptz
deletedBy uuid
Users
id uuid
firstName varchar(50)
lastName varchar(50)
companyName varchar(50)
companyEmail varchar(50)
country_id bigint
state_id bigint
city_id bigint
password varchar(50) NN
userTypeId uuid NN
isReset boolean
ipAddress varchar(50)
thirdPartySubscriptionId varchar(50)
status integer
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
deletedAt timestamptz
deletedBy uuid
signupverifiedby uuid
profileverifiedby uuid
remarks varchar(500)
User_Role
id uuid
typeName varchar(50)
description varchar(255)
User_Info
userId uuid NN
settingId uuid NN
primary key(userId,settingId)
User_Role_Permissions
id uuid
permissionName varchar(50)
description varchar(255)
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
deletedAt timestamptz
deletedBy uuid
System_Sessions
id uuid
userId uuid NN
token varchar(50)
status integer
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
deletedAt timestamptz
deletedBy uuid
User_Codes
id uuid
userId uuid NN
code varchar(50)
identityName varchar(50)
type varchar(50)
status integer
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
deletedAt timestamptz
deletedBy uuid
User_History
id uuid
Type varchar(50)
statusName varchar(50)
status integer
remarks varchar(500)
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
deletedAt timestamptz
deletedBy uuid
User_Personal_Information
userId uuid NN
firstName varchar(100)
lastName varchar(100)
middleName varchar(100)
dateOfBirth timestamptz
contactNumber varchar(50)
email varchar(255)
gender varchar(50)
maritalStatus varchar(50)
residentialAddressLine1 varchar(255)
residentialAddressLine2 varchar(255)
country_id bigint
postalCode varchar(50)
state_id bigint
city_id bigint
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
User_Company_Registration_Tax
id uuid
userId uuid NN
companyRegistrationNo varchar(100)
taxRegistrationNo varchar(100)
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
deletedAt timestamptz
deletedBy uuid
User_Role_Permissions_Mapping
roleId uuid NN
permissionId uuid NN
primary key(roleId,permissionId)
User_Settings
id uuid
userId uuid NN
settingName varchar(50)
settingValue varchar(50)
status integer
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
deletedAt timestamptz
deletedBy uuid
IndustrySector
id serial
name varchar(255) NN
User_Bank_Account_Information
id uuid
userId uuid NN
bankName varchar(100)
accountHolderName varchar(100)
accountNumber varchar(100)
branchName varchar(100)
swiftCode varchar(100)
iban varchar(100)
country_id bigint
state_id bigint
city_id bigint
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
User_Business_Details
id uuid
userId uuid NN
companyName varchar(255)
industry varchar(255)
companySize varchar(255)
revenue varchar(255)
country_id bigint
state_id bigint
city_id bigint
addressLine1 varchar(255)
addressLine2 varchar(255)
postalCode varchar(50)
website varchar(255)
contactPerson varchar(255)
contactEmail varchar(255)
contactPhone varchar(255)
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
User_Package_Subscription
id uuid
userId uuid NN
packageName varchar(255)
subscriptionDate timestamptz
expiryDate timestamptz
status integer
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
deletedAt timestamptz
deletedBy uuid
Industry
id serial
company_name varchar(255) NN
sector_id int NN
User_Goals_Targets
id uuid
userId uuid NN
goal varchar(255)
target varchar(255)
status integer
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
deletedAt timestamptz
deletedBy uuid
dbdiagram.io


General_Countries
id bigint
name varchar(255) NN
iso3 varchar(3)
numeric_code varchar(3)
iso2 varchar(2)
phonecode varchar(255)
capital varchar(255)
currency varchar(255)
currency_name varchar(255)
currency_symbol varchar(255)
tld varchar(255)
native varchar(255)
region varchar(255)
subregion varchar(255)
latitude double
longitude double
emoji varchar(191)
emojiU varchar(191)
flag boolean
wikiDataId varchar(255)
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
deletedAt timestamptz
deletedBy uuid
General_States
id bigint
name varchar(255) NN
country_id bigint NN
country_code varchar(255)
fips_code varchar(255)
iso2 varchar(255)
type varchar(255)
latitude double
longitude double
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
deletedAt timestamptz
deletedBy uuid
General_Cities
id bigint
name varchar(255) NN
state_id bigint NN
state_code varchar(255)
country_id bigint NN
country_code varchar(255)
latitude double
longitude double
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
deletedAt timestamptz
deletedBy uuid
Users
id uuid
firstName varchar(50)
lastName varchar(50)
companyName varchar(50)
companyEmail varchar(50)
country_id bigint
state_id bigint
city_id bigint
password varchar(50) NN
userTypeId uuid NN
isReset boolean
ipAddress varchar(50)
thirdPartySubscriptionId varchar(50)
status integer
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
deletedAt timestamptz
deletedBy uuid
signupverifiedby uuid
profileverifiedby uuid
remarks varchar(500)
User_Role
id uuid
typeName varchar(50)
description varchar(255)
User_Info
userId uuid NN
settingId uuid NN
primary key(userId,settingId)
User_Role_Permissions
id uuid
permissionName varchar(50)
description varchar(255)
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
deletedAt timestamptz
deletedBy uuid
System_Sessions
id uuid
userId uuid NN
token varchar(50)
status integer
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
deletedAt timestamptz
deletedBy uuid
User_Codes
id uuid
userId uuid NN
code varchar(50)
identityName varchar(50)
type varchar(50)
status integer
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
deletedAt timestamptz
deletedBy uuid
User_History
id uuid
Type varchar(50)
statusName varchar(50)
status integer
remarks varchar(500)
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
deletedAt timestamptz
deletedBy uuid
User_Company_Registration_Tax
id uuid
userId uuid NN
companyRegistrationNo varchar(100)
taxRegistrationNo varchar(100)
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
deletedAt timestamptz
deletedBy uuid
User_Personal_Information
userId uuid NN
firstName varchar(100)
lastName varchar(100)
middleName varchar(100)
dateOfBirth timestamptz
contactNumber varchar(50)
email varchar(255)
gender varchar(50)
maritalStatus varchar(50)
residentialAddressLine1 varchar(255)
residentialAddressLine2 varchar(255)
country_id bigint
postalCode varchar(50)
state_id bigint
city_id bigint
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
User_Role_Permissions_Mapping
roleId uuid NN
permissionId uuid NN
primary key(roleId,permissionId)
User_Settings
id uuid
userId uuid NN
settingName varchar(50)
settingValue varchar(50)
status integer
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
deletedAt timestamptz
deletedBy uuid
IndustrySector
id serial
name varchar(255) NN
User_Bank_Account_Information
id uuid
userId uuid NN
bankName varchar(100)
accountHolderName varchar(100)
accountNumber varchar(100)
branchName varchar(100)
swiftCode varchar(100)
iban varchar(100)
country_id bigint
state_id bigint
city_id bigint
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
User_Business_Details
id uuid
userId uuid NN
companyName varchar(255)
industry varchar(255)
companySize varchar(255)
revenue varchar(255)
country_id bigint
state_id bigint
city_id bigint
addressLine1 varchar(255)
addressLine2 varchar(255)
postalCode varchar(50)
website varchar(255)
contactPerson varchar(255)
contactEmail varchar(255)
contactPhone varchar(255)
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
User_Package_Subscription
id uuid
userId uuid NN
packageName varchar(255)
subscriptionDate timestamptz
expiryDate timestamptz
status integer
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
deletedAt timestamptz
deletedBy uuid
Industry
id serial
company_name varchar(255) NN
sector_id int NN
User_Goals_Targets
id uuid
userId uuid NN
goal varchar(255)
target varchar(255)
status integer
createdAt timestamptz
createdBy uuid
updatedAt timestamptz
updatedBy uuid
deletedAt timestamptz
deletedBy uuid
dbdiagram.io