

name saima naz
assignment cyber

1 Scan an IP range

```
└─$ nmap 192.168.208.129/24
Starting Nmap 7.94SVN ( https://nmap.org ) at 2026-05-20 12:44 EDT
Nmap scan report for 192.168.208.1
Host is up (0.00014s latency).
All 1000 scanned ports on 192.168.208.1 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)
MAC Address: 00:50:56:C0:00:08 (VMware)

Nmap scan report for 192.168.208.2
Host is up (0.000074s latency).
Not shown: 999 closed tcp ports (reset)
PORT      STATE SERVICE
53/tcp    open  domain
MAC Address: 00:50:56:F5:A3:6F (VMware)

Nmap scan report for 192.168.208.129
Host is up (0.0011s latency).
Not shown: 977 closed tcp ports (reset)
PORT      STATE SERVICE
21/tcp    open  ftp
22/tcp    open  ssh
23/tcp    open  telnet
25/tcp    open  smtp
53/tcp    open  domain
```

```
22/tcp open  ssh
23/tcp open  telnet
25/tcp open  smtp
53/tcp open  domain
80/tcp open  http
111/tcp open  rpcbind
139/tcp open  netbios-ssn
445/tcp open  microsoft-ds
512/tcp open  exec
513/tcp open  login
514/tcp open  shell
1099/tcp open  rmiregistry
1524/tcp open  ingreslock
2049/tcp open  nfs
2121/tcp open  ccproxy-ftp
3306/tcp open  mysql
5432/tcp open  postgresql
5900/tcp open  vnc
6000/tcp open  X11
6667/tcp open  irc
8009/tcp open  ajp13
8180/tcp open  unknown
MAC Address: 00:0C:29:CB:BF:80 (VMware)
```

Nmap scan report for 192.168.208.254

2 Scan an entire subnet

```
(saimanaz@saimanaz)-[~]
$ nmap 192.168.208.129-100
Starting Nmap 7.94SVN ( https://nmap.org ) at 2026-05-20 12:44 EDT
Failed to resolve "192.168.208.129-100".
WARNING: No targets were specified, so 0 hosts scanned.
Nmap done: 0 IP addresses (0 hosts up) scanned in 19.13 seconds
```

3 Scan all 65535 ports

```

Salimnaz@Salimnaz:~$ nmap -p- 192.168.208.129
Starting Nmap 7.94SVN ( https://nmap.org ) at 2026-05-20 12:47 EDT
Nmap scan report for 192.168.208.129
Host is up (0.00073s latency).
Not shown: 65505 closed tcp ports (reset)
PORT      STATE SERVICE
21/tcp    open  ftp
22/tcp    open  ssh
23/tcp    open  telnet
25/tcp    open  smtp
53/tcp    open  domain
80/tcp    open  http
111/tcp   open  rpcbind
139/tcp   open  netbios-ssn
445/tcp   open  microsoft-ds
512/tcp   open  exec
513/tcp   open  login
514/tcp   open  shell
1099/tcp  open  rmiregistry
1524/tcp  open  ingreslock
2049/tcp  open  nfs
2121/tcp  open  ccproxy-ftp
3306/tcp  open  mysql
3632/tcp  open  distccd

514/tcp   open  shell
1099/tcp  open  rmiregistry
1524/tcp  open  ingreslock
2049/tcp  open  nfs
2121/tcp  open  ccproxy-ftp
3306/tcp  open  mysql
3632/tcp  open  distccd
5432/tcp  open  postgresql
5900/tcp  open  vnc
6000/tcp  open  X11
6667/tcp  open  irc
6697/tcp  open  ircs-u
8009/tcp  open  ajp13
8180/tcp  open  unknown
8787/tcp  open  msgsrvr
35998/tcp open  unknown
45143/tcp open  unknown
58341/tcp open  unknown
59577/tcp open  unknown
MAC Address: 00:0C:29:CB:BF:80 (VMware)

Nmap done: 1 IP address (1 host up) scanned in 2.96 seconds

```

4 Fast scan

```

(salmanaz@salmanaz) ~
$ nmap -F 192.168.208.129
Starting Nmap 7.94SVN ( https://nmap.org ) at 2026-05-20 12:50 EDT
Nmap scan report for 192.168.208.129
Host is up (0.00020s latency).
Not shown: 82 closed tcp ports (reset)
PORT      STATE SERVICE
21/tcp    open  ftp
22/tcp    open  ssh
23/tcp    open  telnet
25/tcp    open  smtp
53/tcp    open  domain
80/tcp    open  http
111/tcp   open  rpcbind
139/tcp   open  netbios-ssn
445/tcp   open  microsoft-ds
513/tcp   open  login
514/tcp   open  shell
2049/tcp  open  nfs
2121/tcp  open  ccproxy-ftp
3306/tcp  open  mysql
5432/tcp  open  postgresql
5900/tcp  open  vnc
6000/tcp  open  X11
8009/tcp  open  ajp13

```

5 Detect operating system

```

(salmanaz@salmanaz) ~
$ nmap -O 192.168.208.129
Starting Nmap 7.94SVN ( https://nmap.org ) at 2026-05-20 12:51 EDT
Nmap scan report for 192.168.208.129
Host is up (0.00033s latency).
Not shown: 977 closed tcp ports (reset)
PORT      STATE SERVICE
21/tcp    open  ftp
22/tcp    open  ssh
23/tcp    open  telnet
25/tcp    open  smtp
53/tcp    open  domain
80/tcp    open  http
111/tcp   open  rpcbind
139/tcp   open  netbios-ssn
445/tcp   open  microsoft-ds
512/tcp   open  exec
513/tcp   open  login
514/tcp   open  shell
1099/tcp  open  rmiregistry
1524/tcp  open  ingreslock
2049/tcp  open  nfs
2121/tcp  open  ccproxy-ftp
3306/tcp  open  mysql
5432/tcp  open  postgresql
5900/tcp  open  vnc
6000/tcp  open  X11
6667/tcp  open  irc
8009/tcp  open  ajp13
8180/tcp  open  unknown
MAC Address: 00:0C:29:CB:BF:80 (VMware)
Device type: general purpose
Running: Linux 2.6.X
OS CPE: cpe:/o:linux:linux_kernel:2.6
OS details: Linux 2.6.9 - 2.6.33
Network Distance: 1 hop

OS detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 5.62 seconds

```

6 Aggressive scan

```
(saimanaz@saimanaz)-[~]
$ nmap -A 192.168.208.129
Starting Nmap 7.94SVN ( https://nmap.org ) at 2026-05-20 12:52 EDT
Nmap scan report for 192.168.208.129
Host is up (0.00036s latency).
Not shown: 977 closed tcp ports (reset)
PORT      STATE SERVICE      VERSION
21/tcp    open  ftp          vsftpd 2.3.4
| ftp-syst:
|   STAT:
|   FTP server status:
|     Connected to 192.168.208.128
|     Logged in as ftp
|     TYPE: ASCII
|     No session bandwidth limit
|     Session timeout in seconds is 300
|     Control connection is plain text
|     Data connections will be plain text
|     vsFTPd 2.3.4 - secure, fast, stable
|_End of status
|_ftp-anon: Anonymous FTP login allowed (FTP code 230)
22/tcp    open  ssh          OpenSSH 4.7p1 Debian 8ubuntu1 (protocol 2.0)
| ssh-hostkey:
|   1024 60:0f:cf:e1:c0:5f:6a:74:d6:90:24:fa:c4:d5:6c:cd (DSA)
|   1024 60:0f:cf:e1:c0:5f:6a:74:d6:90:24:fa:c4:d5:6c:cd (DSA)
|_ 2048 56:56:24:0f:21:1d:de:a7:2b:ae:61:b1:24:3d:e8:f3 (RSA)
23/tcp    open  telnet       Linux telnetd
25/tcp    open  smtp         Postfix smtpd
|_ssl-date: 2026-05-20T16:53:24+00:00; +3s from scanner time.
|_smtp-commands: metasploitable.localdomain, PIPELINING, SIZE 10240000, VRFY, ETRN, STARTTLS, ENHANCEDSTATUSCODES, 8BITMIME, DSN
|_ssl-cert: Subject: commonName=ubuntu804-base.localdomain/organizationName=OCOSA/stateOrProvinceName=There is no such thing outside US/count
ryName=XX
|_ Not valid before: 2010-03-17T14:07:45
|_ Not valid after: 2010-04-16T14:07:45
|_ sslv2:
|   SSLv2 supported
|   ciphers:
|     SSL2_RC4_128_WITH_MD5
|     SSL2_DES_64_CBC_WITH_MD5
|     SSL2_RC4_128_EXPORT40_WITH_MD5
|     SSL2_DES_192_EDE3_CBC_WITH_MD5
|     SSL2_RC2_128_CBC_EXPORT40_WITH_MD5
|     SSL2_RC2_128_CBC_WITH_MD5
|_ 53/tcp    open  domain       ISC BIND 9.4.2
|_ dns-nsid:
|_ bind.version: 9.4.2
80/tcp    open  http         Apache httpd 2.2.8 ((Ubuntu) DAV/2)
|_http-title: Metasploitable2 - Linux
|_http-server-header: Apache/2.2.8 (Ubuntu) DAV/2
111/tcp   open  rpcbind      2 (RPC #100000)
|_ rpcinfo:
|   program version    port/proto  service
|   100000  2                111/tcp    rpcbind
|   100000  2                111/udp    rpcbind
|   100003  2,3,4           2049/tcp    nfs
|   100003  2,3,4           2049/udp    nfs
|   100005  1,2,3           37049/udp   mountd
|   100005  1,2,3           58341/tcp   mountd
|   100021  1,3,4           40890/udp   nlockmgr
|   100021  1,3,4           45143/tcp   nlockmgr
|   100024  1                40978/udp   status
|   100024  1                59577/tcp   status
139/tcp   open  netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
445/tcp   open  netbios-ssn Samba smbd 3.0.20-Debian (workgroup: WORKGROUP)
512/tcp   open  exec         netkit-rsh rexecd
513/tcp   open  login        OpenBSD or Solaris rlogind
514/tcp   open  tcpwrapped
1099/tcp  open  java-rmi     GNU Classpath grmiregistry
```

```

1099/tcp open  java-rmi      GNU Classpath grmiregistry
1524/tcp open  bindshell     Metasploitable root shell
2049/tcp open  nfs          2-4 (RPC #100003)
2121/tcp open  ftp          ProFTPD 1.3.1
3306/tcp open  mysql        MySQL 5.0.51a-3ubuntu5
| mysql-info:
|   Protocol: 10
|   Version: 5.0.51a-3ubuntu5
|   Thread ID: 8
|   Capabilities flags: 43564
|   Some Capabilities: LongColumnFlag, Support41Auth, SupportsTransactions, ConnectWithDatabase, Speaks41ProtocolNew, SupportsCompression, SwitchToSSLAfterHandshake
|   Status: Autocommit
|_  Salt: M1Ijyi"kv21A1pavPjEZ
5432/tcp open  postgresql   PostgreSQL DB 8.3.0 - 8.3.7
|_ssl-date: 2026-05-20T16:53:20+00:00; +3s from scanner time.
|_ssl-cert: Subject: commonName=ubuntu804-base.localdomain/organizationName=OCOSA/stateOrProvinceName=There is no such thing outside US/countyName=XX
|_ Not valid before: 2010-03-17T14:07:45
|_ Not valid after:  2010-04-16T14:07:45
5900/tcp open  vnc          VNC (protocol 3.3)
| vnc-info:
|   Protocol version: 3.3
|   Security types:
|_   VNC Authentication (2)

```

Service Info: Hosts: metasploitable.localdomain, irc.Metasploitable.LAN; OSs: Unix, Linux; CPE: cpe:/o:linux:linux_kernel

```

Host script results:
| smb-security-mode:
|   account_used: guest
|   authentication_level: user
|   challenge_response: supported
|_  message_signing: disabled (dangerous, but default)
|_smb2-time: Protocol negotiation failed (SMB2)
|_clock-skew: mean: 1h00m03s, deviation: 2h00m00s, median: 2s
|_nbstat: NetBIOS name: METASPLOITABLE, NetBIOS user: <unknown>, NetBIOS MAC: <unknown> (unknown)
| smb-os-discovery:
|   OS: Unix (Samba 3.0.20-Debian)
|   Computer name: metasploitable
|   NetBIOS computer name:
|   Domain name: localdomain
|   FQDN: metasploitable.localdomain
|_  System time: 2026-05-20T12:53:11-04:00

```

```

TRACEROUTE
HOP RTT      ADDRESS
1   0.36 ms  192.168.208.129

```

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> .
Nmap done: 1 IP address (1 host up) scanned in 38.60 seconds

7 TCP SYN scan (Stealth scan)

```
(saimanaz@~)~$ nmap -sS 192.168.208.129
Starting Nmap 7.94SVN ( https://nmap.org ) at 2026-05-20 12:57 EDT
Nmap scan report for 192.168.208.129
Host is up (0.0012s latency).
Not shown: 977 closed tcp ports (reset)
PORT      STATE SERVICE
21/tcp    open  ftp
22/tcp    open  ssh
23/tcp    open  telnet
25/tcp    open  smtp
53/tcp    open  domain
80/tcp    open  http
111/tcp   open  rpcbind
139/tcp   open  netbios-ssn
445/tcp   open  microsoft-ds
512/tcp   open  exec
513/tcp   open  login
514/tcp   open  shell
1099/tcp  open  rmiregistry
1524/tcp  open  ingreslock
2049/tcp  open  nfs
2121/tcp  open  ccproxy-ftp
3306/tcp  open  mysql
```

8 Uses full TCP connection.

```
(saimanaz@~)~$ nmap -sT 192.168.208.129
Starting Nmap 7.94SVN ( https://nmap.org ) at 2026-05-20 12:58 EDT
Nmap scan report for 192.168.208.129
Host is up (0.00042s latency).
Not shown: 977 closed tcp ports (conn-refused)
PORT      STATE SERVICE
21/tcp    open  ftp
22/tcp    open  ssh
23/tcp    open  telnet
25/tcp    open  smtp
53/tcp    open  domain
80/tcp    open  http
111/tcp   open  rpcbind
139/tcp   open  netbios-ssn
445/tcp   open  microsoft-ds
512/tcp   open  exec
513/tcp   open  login
```

9 UDP scan

10 Ping scanning

Finds live hosts without port scanning.

```

(saimanaz@~)~$ nmap -sn 192.168.208.129/24
Starting Nmap 7.94SVN ( https://nmap.org ) at 2026-05-20 13:08 EDT
Nmap scan report for 192.168.208.1
Host is up (0.00011s latency).
MAC Address: 00:50:56:C0:00:08 (VMware)
Nmap scan report for 192.168.208.2
Host is up (0.000068s latency).
MAC Address: 00:50:56:F5:A3:6F (VMware)
Nmap scan report for 192.168.208.129
Host is up (0.000095s latency).
MAC Address: 00:0C:29:CB:BF:80 (VMware)
Nmap scan report for 192.168.208.254
Host is up (0.00018s latency).
MAC Address: 00:50:56:E1:75:1F (VMware)
Nmap scan report for 192.168.208.128
Host is up. 256 IP addresses (5 hosts up) scanned in 6.01 seconds

```

11 Save output to a file

```

(saimanaz@~)~$ nmap -oN result.txt 192.168.208.129
Starting Nmap 7.94SVN ( https://nmap.org ) at 2026-05-20 13:09 EDT
Nmap scan report for 192.168.208.129
Host is up (0.00040s latency).
Not shown: 977 closed tcp ports (reset)
PORT     /tcp STATE SERVICE
21/tcp    open  ftp
22/tcp    open  sshroxy-ftp
23/tcp    open  telnet
25/tcp    open  smtpgresql
53/tcp    open  domain
80/tcp    open  http
111/tcp   open  rpcbind
139/tcp   open  netbios-ssn
445/tcp   open  microsoft-ds
512/tcp   open  exec
513/tcp   open  login
514/tcp   open  rsh
1099/tcp  open  rmiregistry
1524/tcp  open  ingreslock-
2049/tcp  open  nfs
2121/tcp  open  ccproxy-ftp
3306/tcp  open  mysql

```

12 Verbose mode


```
└─(saimanaz@saimanaz)-[~]
└─$ nmap -v 192.168.208.129
```

```
Starting Nmap 7.94SVN ( https://nmap.org ) at 2026-05-20 13:10 EDT
Initiating ARP Ping Scan at 13:10
Scanning 192.168.208.129 [1 port]
Completed ARP Ping Scan at 13:10, 0.06s elapsed (1 total hosts)
Initiating Parallel DNS resolution of 1 host. at 13:10
Completed Parallel DNS resolution of 1 host. at 13:10, 4.05s elapsed
Initiating SYN Stealth Scan at 13:10
Scanning 192.168.208.129 [1000 ports]
Discovered open port 139/tcp on 192.168.208.129
Discovered open port 5900/tcp on 192.168.208.129
Discovered open port 53/tcp on 192.168.208.129
Discovered open port 21/tcp on 192.168.208.129
Discovered open port 80/tcp on 192.168.208.129
Discovered open port 25/tcp on 192.168.208.129
Discovered open port 22/tcp on 192.168.208.129
Discovered open port 23/tcp on 192.168.208.129 0.37 seconds
Discovered open port 445/tcp on 192.168.208.129
Discovered open port 3306/tcp on 192.168.208.129
Discovered open port 111/tcp on 192.168.208.129
Discovered open port 1524/tcp on 192.168.208.129 2026-05-20 12:59 EDT
Discovered open port 2121/tcp on 192.168.208.129
```

```
Discovered open port 2121/tcp on 192.168.208.129
Discovered open port 8180/tcp on 192.168.208.129
Discovered open port 8009/tcp on 192.168.208.129
Discovered open port 512/tcp on 192.168.208.129
Discovered open port 514/tcp on 192.168.208.129
Discovered open port 1099/tcp on 192.168.208.129
Discovered open port 5432/tcp on 192.168.208.129
Discovered open port 513/tcp on 192.168.208.129
Discovered open port 2049/tcp on 192.168.208.129
Discovered open port 6000/tcp on 192.168.208.129
Discovered open port 6667/tcp on 192.168.208.129
Completed SYN Stealth Scan at 13:10, 0.07s elapsed (1000 total ports)
Nmap scan report for 192.168.208.129
Host is up (0.00023s latency).
Not shown: 977 closed tcp ports (reset)
PORT      tcp STATE SERVICE
21/tcp    open  ftp
22/tcp    open  ssh:29:CB:8F:80 (VMware)
23/tcp    open  telnet
25/tcp    open  smtp
53/tcp    open  domain
80/tcp    open  http
111/tcp   open  rpcbind
139/tcp   open  netbios-ssn
445/tcp   open  microsoft-ds
2026-05-20 12:59 EDT
```

```
111/tcp open  rpcbind
139/tcp open  netbios-ssn
445/tcp open  microsoft-ds
512/tcp open  exec
513/tcp open  login
514/tcp open  shell
1099/tcp open  rmiregistry
1524/tcp open  ingreslock
2049/tcp open  nfs
2121/tcp open  ccproxy-ftp
3306/tcp open  mysql
5432/tcp open  postgresql
5900/tcp open  vnc
6000/tcp open  X11
6667/tcp open  irc
8009/tcp open  ajp13
8180/tcp open  unknown
MAC Address: 00:0C:29:CB:BF:80 (VMware)
```

Read data files from: /usr/share/nmap scanned in 0.37 seconds

Nmap done: 1 IP address (1 host up) scanned in 4.30 seconds

Raw packets sent: 1001 (44.028KB) | Rcvd: 1001 (40.120KB)