



Desk Assistant

by Saimon Mihretu


Funktionen



EIN CONTROLLER ZUM STEUERN DER
APP.




BEDIENT ZEITBEZOGENE
FUNKTIONEN: ALARM, TIMER,
STOPPUHR




Hardware des Desk Assistants

- 1 Raspberry Pi Pico
- 4 Navigations-Tasten
- 1 Aktions- Taste
- 1 Klingel (Buzzer)

Hardware des Desk Assistants



Software des Desk Assistants



Größte Hürden

Button-Binding

```
self.frame.bind("<Left>", lambda event: self.navigate("left"))
self.frame.bind("<Right>", lambda event: self.navigate("right"))
self.frame.bind("<Up>", lambda event: self.navigate("up"))
self.frame.bind("<Down>", lambda event: self.navigate("down"))
self.frame.bind("<F13>", lambda event: self.navigate("f13"))

if action == "up" and current_focus == self.container3:
    print("Neuen Alarm erstellen")
    self.new_alarm_btn.invoke()

if action == "down" and current_focus == self.container3:
    self.app.show_menu()
    print("Zurück zum Menü")

if action == "f13":
    self.stop_alarm()
```

Verknüpfung von Seiten

```
class Alarmscreen():
    def __init__(self, frame, app_controller):
        self.app = app_controller
        self.frame = frame

self.home = Homescreen(self.window, self)
self.menu = MenuScreen(self.window, self)
self.alarm = Alarmscreen(self.window, self)
self.timer = Timerscreen(self.window, self)
self.stopwatch = Stopwatch(self.window, self)
```