

In [12]: *#importing lib.*

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
```

In [47]: `df = pd.read_csv('mymoviedb.csv', lineterminator='\n')`
`df.head()`

Out[47]:

	Release_Date	Title	Overview	Popularity	Vote_Count	Vote_Average	Original_Lan
--	--------------	-------	----------	------------	------------	--------------	--------------

0	2021-12-15	Spider-Man: No Way Home	Peter Parker is unmasked and no longer able to...	5083.954	8940	8.3	
1	2022-03-01	The Batman	In his second year of fighting crime, Batman u...	3827.658	1151	8.1	
2	2022-02-25	No Exit	Stranded at a rest stop in the mountains durin...	2618.087	122	6.3	
3	2021-11-24	Encanto	The tale of an extraordinary family, the Madri...	2402.201	5076	7.7	
4	2021-12-22	The King's Man	As a collection of history's worst tyrants and...	1895.511	1793	7.0	



In [48]: *#viewing dataset*
`df.info()`

```

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 9827 entries, 0 to 9826
Data columns (total 9 columns):
 #   Column                Non-Null Count  Dtype
---  -
 0   Release_Date          9827 non-null   object
 1   Title                 9827 non-null   object
 2   Overview              9827 non-null   object
 3   Popularity            9827 non-null   float64
 4   Vote_Count            9827 non-null   int64
 5   Vote_Average          9827 non-null   float64
 6   Original_Language     9827 non-null   object
 7   Genre                 9827 non-null   object
 8   Poster_Url           9827 non-null   object
dtypes: float64(2), int64(1), object(6)
memory usage: 691.1+ KB

```

Here looks like our dataset has no NaNs. overview, original_Language and poster-Url wouldn't be so during analysis. Release_Date column needs to be casted into date time and to extract only year value.

```
In [49]: df['Genre'].head()
```

```

Out[49]: 0    Action, Adventure, Science Fiction
        1           Crime, Mystery, Thriller
        2                      Thriller
        3    Animation, Comedy, Family, Fantasy
        4    Action, Adventure, Thriller, War
        Name: Genre, dtype: object

```

genres are saperated by commas followed by whitespaces.

```
In [50]: #checking for duplicated rows
df.duplicated().sum()
```

```
Out[50]: 0
```

Here we can see our dataset has no duplicated rows

```
In [51]: # exploring summery statistics
df.describe()
```

Out[51]:

	Popularity	Vote_Count	Vote_Average
count	9827.000000	9827.000000	9827.000000
mean	40.326088	1392.805536	6.439534
std	108.873998	2611.206907	1.129759
min	13.354000	0.000000	0.000000
25%	16.128500	146.000000	5.900000
50%	21.199000	444.000000	6.500000
75%	35.191500	1376.000000	7.100000
max	5083.954000	31077.000000	10.000000

Exploration Summary

- We have a dataframe consisting of 9827 rows and 9 columns.
- Our dataset looks a bit tidy with no NaNs nor duplicated values.
- Release_Date column needs to be casted into date time and to extract only the year.
- Overview, Original_Language and Poster-Url wouldn't be so useful during analysis.
- There are noticeable outliers in Popularity column.
- Vote_Average should be categorised for proper analysis.
- Genre column has comma separated values and white spaces that need to be handled.

```
In [ ]: # Data cleanig
```

```
In [ ]: casting Release_Date column and extracing year values
```

```
In [52]: df.head()
```

Out[52]:

	Release_Date	Title	Overview	Popularity	Vote_Count	Vote_Average	Original_Lan
0	2021-12-15	Spider-Man: No Way Home	Peter Parker is unmasked and no longer able to...	5083.954	8940	8.3	
1	2022-03-01	The Batman	In his second year of fighting crime, Batman u...	3827.658	1151	8.1	
2	2022-02-25	No Exit	Stranded at a rest stop in the mountains durin...	2618.087	122	6.3	
3	2021-11-24	Encanto	The tale of an extraordinary family, the Madri...	2402.201	5076	7.7	
4	2021-12-22	The King's Man	As a collection of history's worst tyrants and...	1895.511	1793	7.0	



```
In [53]: #casting column a
df['Release_Date'] = pd.to_datetime(df['Release_Date'])

#confirming changes
print(df['Release_Date'].dtypes)
```

datetime64[ns]

```
In [54]: df['Release_Date'] = df['Release_Date'].dt.year
df['Release_Date'].dtypes
```

Out[54]: dtype('int32')

```
In [55]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 9827 entries, 0 to 9826
Data columns (total 9 columns):
#   Column                Non-Null Count  Dtype
---  -
0   Release_Date          9827 non-null   int32
1   Title                 9827 non-null   object
2   Overview              9827 non-null   object
3   Popularity            9827 non-null   float64
4   Vote_Count            9827 non-null   int64
5   Vote_Average          9827 non-null   float64
6   Original_Language     9827 non-null   object
7   Genre                 9827 non-null   object
8   Poster_Url            9827 non-null   object
dtypes: float64(2), int32(1), int64(1), object(5)
memory usage: 652.7+ KB
```

```
In [56]: df.head()
```

Out[56]:	Release_Date	Title	Overview	Popularity	Vote_Count	Vote_Average	Original_Lan
0	2021	Spider-Man: No Way Home	Peter Parker is unmasked and no longer able to...	5083.954	8940	8.3	
1	2022	The Batman	In his second year of fighting crime, Batman u...	3827.658	1151	8.1	
2	2022	No Exit	Stranded at a rest stop in the mountains durin...	2618.087	122	6.3	
3	2021	Encanto	The tale of an extraordinary family, the Madri...	2402.201	5076	7.7	
4	2021	The King's Man	As a collection of history's worst tyrants and...	1895.511	1793	7.0	

Dropping overview, orginal_Language and poster-url

```
In [57]: #making list of column to be droppoeed
cols = ['Overview', 'Original_Language', 'Poster_Url']
```

```
In [58]: df.drop(cols ,axis = 1 , inplace = True)
df.columns
```

```
Out[58]: Index(['Release_Date', 'Title', 'Popularity', 'Vote_Count', 'Vote_Average',
               'Genre'],
              dtype='object')
```

```
In [59]: df.head()
```

```
Out[59]:
```

	Release_Date	Title	Popularity	Vote_Count	Vote_Average	Genre
0	2021	Spider-Man: No Way Home	5083.954	8940	8.3	Action, Adventure, Science Fiction
1	2022	The Batman	3827.658	1151	8.1	Crime, Mystery, Thriller
2	2022	No Exit	2618.087	122	6.3	Thriller
3	2021	Encanto	2402.201	5076	7.7	Animation, Comedy, Family, Fantasy
4	2021	The King's Man	1895.511	1793	7.0	Action, Adventure, Thriller, War

we would cut the vote_average values and make 4 categories. Popular, average, below_avg, not_popular to describe it more using catigorize_col() function provided above

```
In [60]: # setting the edges to cut the column accordingly

def catigorize_col(df, col, labels):

    edges = [df[col].describe()['min'],
             df[col].describe()['25%'],
             df[col].describe()['50%'],
             df[col].describe()['75%'],
             df[col].describe()['max']]

    df[col] = pd.cut(df[col], edges, labels=labels, duplicates='drop')

    return df
```

```
In [61]: #define Labels for edges
labels = ['not_popular', 'below_avg', 'average', 'popular']

#categorize column based on lable and edges
catigorize_col(df, 'Vote_Average', labels)
```

```
#confirming changes
df['Vote_Average'].unique()
```

```
Out[61]: ['popular', 'below_avg', 'average', 'not_popular', NaN]
Categories (4, object): ['not_popular' < 'below_avg' < 'average' < 'popular']
```

```
In [62]: df.head()
```

```
Out[62]:
```

	Release_Date	Title	Popularity	Vote_Count	Vote_Average	Genre
0	2021	Spider-Man: No Way Home	5083.954	8940	popular	Action, Adventure, Science Fiction
1	2022	The Batman	3827.658	1151	popular	Crime, Mystery, Thriller
2	2022	No Exit	2618.087	122	below_avg	Thriller
3	2021	Encanto	2402.201	5076	popular	Animation, Comedy, Family, Fantasy
4	2021	The King's Man	1895.511	1793	average	Action, Adventure, Thriller, War

```
In [63]: #explorig column
df['Vote_Average'].value_counts()
```

```
Out[63]: Vote_Average
not_popular    2467
popular        2450
average        2412
below_avg      2398
Name: count, dtype: int64
```

```
In [64]: #dropping Nans
df.dropna(inplace = True)
```

```
In [65]: #confirming
df.isna().sum()
```

```
Out[65]: Release_Date    0
Title                  0
Popularity             0
Vote_Count             0
Vote_Average           0
Genre                  0
dtype: int64
```

```
In [66]: df.head()
```

Out[66]:

	Release_Date	Title	Popularity	Vote_Count	Vote_Average	Genre
0	2021	Spider-Man: No Way Home	5083.954	8940	popular	Action, Adventure, Science Fiction
1	2022	The Batman	3827.658	1151	popular	Crime, Mystery, Thriller
2	2022	No Exit	2618.087	122	below_avg	Thriller
3	2021	Encanto	2402.201	5076	popular	Animation, Comedy, Family, Fantasy
4	2021	The King's Man	1895.511	1793	average	Action, Adventure, Thriller, War

we'd split genres into a list and then explode our dataframe to have only one genre per row for each movie

In [67]:

```
#split the strings into lists
df['Genre'] = df['Genre'].str.split(', ')

#explode the lists
df = df.explode('Genre').reset_index(drop = True)
df.head()
```

Out[67]:

	Release_Date	Title	Popularity	Vote_Count	Vote_Average	Genre
0	2021	Spider-Man: No Way Home	5083.954	8940	popular	Action
1	2021	Spider-Man: No Way Home	5083.954	8940	popular	Adventure
2	2021	Spider-Man: No Way Home	5083.954	8940	popular	Science Fiction
3	2022	The Batman	3827.658	1151	popular	Crime
4	2022	The Batman	3827.658	1151	popular	Mystery

In [68]:

```
df.head()
```


Out[68]:

	Release_Date	Title	Popularity	Vote_Count	Vote_Average	Genre
0	2021	Spider-Man: No Way Home	5083.954	8940	popular	Action
1	2021	Spider-Man: No Way Home	5083.954	8940	popular	Adventure
2	2021	Spider-Man: No Way Home	5083.954	8940	popular	Science Fiction
3	2022	The Batman	3827.658	1151	popular	Crime
4	2022	The Batman	3827.658	1151	popular	Mystery

```
In [69]: #casting column into category
df ['Genre'] = df ['Genre'].astype('category')

#confirming changes
df ['Genre'].dtype
```

```
Out[69]: CategoricalDtype(categories=['Action', 'Adventure', 'Animation', 'Comedy', 'Crime',
                                     'Documentary', 'Drama', 'Family', 'Fantasy', 'History',
                                     'Horror', 'Music', 'Mystery', 'Romance', 'Science Fiction',
                                     'TV Movie', 'Thriller', 'War', 'Western'],
                             , ordered=False, categories_dtype=object)
```

```
In [70]: df.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 25552 entries, 0 to 25551
Data columns (total 6 columns):
#   Column          Non-Null Count  Dtype
---  ---
0   Release_Date    25552 non-null  int32
1   Title           25552 non-null  object
2   Popularity      25552 non-null  float64
3   Vote_Count      25552 non-null  int64
4   Vote_Average    25552 non-null  category
5   Genre           25552 non-null  category
dtypes: category(2), float64(1), int32(1), int64(1), object(1)
memory usage: 749.6+ KB
```

```
In [71]: df.nunique()
```

```
Out[71]: Release_Date    100
Title                9415
Popularity           8088
Vote_Count           3265
Vote_Average         4
Genre                19
dtype: int64
```

Now that our dataset is clean and tidy, we are left with a total of 6 columns and 25551 rows to dig into during our analysis

Data Visualization : Now that our dataset is clean and tidy, we are left with a total of 6 columns and 25551 rows to dig into during our analysis


```
In [72]: #setting up seaborn configurations
sns.set_style('whitegrid')
```

Q1: What is the most frequent genre in the dataset?

```
In [73]: #showing stats. on genre column
df['Genre'].describe()
```

```
Out[73]: count      25552
         unique        19
         top      Drama
         freq      3715
         Name: Genre, dtype: object
```


```
In [74]: #visualizing genre column
sns.catplot(y = 'Genre', data = df, kind = 'count',
            order = df['Genre'].value_counts().index,
            color = '#4287f5')
plt.title ('genre column distrubution')
plt.show()
```



we can notice from the above visual that Drama genre is the most frequent genre in our dataset and has appeared more than 14% of the times among 19 other genres

Q2: What genres has highest votes?

```
In [75]: #visualizing genre column
sns.catplot(y = 'Vote_Average', data = df, kind = 'count',
            order = df['Vote_Average'].value_counts().index,
            color = '#4287f5')
plt.title ('Vote destribution')
plt.show()
```



Q3: What movie got the highest popularity ? what's its genre ?

```
In [76]: #checking max popularity in dataset
df[df['Popularity']== df['Popularity'].max()]
```

```
Out[76]:
```

	Release_Date	Title	Popularity	Vote_Count	Vote_Average	Genre
0	2021	Spider-Man: No Way Home	5083.954	8940	popular	Action
1	2021	Spider-Man: No Way Home	5083.954	8940	popular	Adventure
2	2021	Spider-Man: No Way Home	5083.954	8940	popular	Science Fiction

Q4: What movie got the lowest popularity? what's its genre?


```
In [77]: #checking max popularity in dataset
df[df['Popularity']== df['Popularity'].min()]
```

Out[77]:

	Release_Date	Title	Popularity	Vote_Count	Vote_Average	Genre
25546	2021	The United States vs. Billie Holiday	13.354	152	average	Music
25547	2021	The United States vs. Billie Holiday	13.354	152	average	Drama
25548	2021	The United States vs. Billie Holiday	13.354	152	average	History
25549	1984	Threads	13.354	186	popular	War
25550	1984	Threads	13.354	186	popular	Drama
25551	1984	Threads	13.354	186	popular	Science Fiction

Q5: Which year has the most filmed movies?

```
In [79]: df['Release_Date'].hist()
plt.title('Release_date column distribution')
plt.show()
```



Conclusion:

Q1: What is the most frequent genre in the dataset?

Drama genre is the most frequent genre in our dataset and has appeared more than 14% of the times among 19 other genres.

Q2: What genres has highest votes ?

we have 25.5% of our dataset with popular vote (6520 rows). Drama again gets the highest popularity among fans by being having more than 18.5% of movies popularities.

Q3: What movie got the highest popularity? what's its genre ?

Spider-Man: No Way Home has the highest popularity rate in our dataset and it has genres of Action, Adventure and Sience Fiction

Q3: What movie got the lowest popularity ? what's its genre ?

The united states, thread' has the highest lowest rate in our dataset and it has genres of music, drama, 'war', 'sci-fi' and history.

Q4: Which year has the most filmed movies?

year 2020 has the highest filmming rate in our dataset.

In []:

In []:

In []: