

# DDT\_CHS\_Validation\_Test Suite

## Execution Environment

Host name	sainadh - 192.168.1.2
Local OS	Windows 11 64bit
Katalon version	9.3.0.212
Browser	Firefox 122.0

## Summary

ID	Test Suites/DDT_CHS_Validation_Test Suite_001/DDT_CHS_Validation_Test Suite		
Description			
Total	3		
Passed	3	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	07-02-2024 19:53:17	End	07-02-2024 20:02:53
Elapsed	9m - 35.424s		

#	ID	Description	Status
1	Test Cases/Data Driven Testing/DDT_CHS_Validation_Login_Excel		PASSED
2	Test Cases/Data Driven Testing/DDT_CHS_Validation_Login_Excel		PASSED
3	Test Cases/Data Driven Testing/DDT_CHS_Validation_Login_Excel		PASSED

# DDT\_CHS\_Validation\_Login\_Excel

## Information

ID	Test Cases/Data Driven Testing/DDT_CHS_Validation_Login_Excel		
Description			
Tag			
Start	07-02-2024 19:53:18	End	07-02-2024 19:56:32
Elapsed	3m - 13.968s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
---	-------------	---------	--------

# DDT\_CHS\_Validation\_Login\_Excel

#	Description	Elapsed	Status
1	<p>Start listener action : sampleBeforeTestCase</p> <p>com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/input_username'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:85)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)</p> <p>at CURA_TL_AppointmentConfirmation.sampleBeforeTestCase (CURA_TL_AppointmentConfirmation.groovy:33)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.invokeMethod (TestHooker.java:111)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.lambda\$3 (TestHooker.java:95)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)</p> <p>at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)</p> <p>at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent (TestListenerCollector.java:85)</p> <p>at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:268)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180)</p> <p>at TempTestSuite1707315788499.run (TempTestSuite1707315788499.groovy:36)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch:</p>	0.601s	ERROR

# DDT\_CHS\_Validation\_Login\_Excel

#	Description	Elapsed	Status
	'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1023) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:1008) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory. java:994) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:53) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		
2	openBrowser("")  Browser is opened with url: "	4.977s	PASSED
3	navigateToUrl("https://katalon-demo-cura.herokuapp.com/")  Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully	3.252s	PASSED
4	click(findTestObject("Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/a_Make Appointment"))  Object: 'Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/a_Make Appointment' is clicked on	31.909s	PASSED

# DDT\_CHS\_Validation\_Login\_Excel

#	Description	Elapsed	Status
5	setText(findTestObject("Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/input_username"), username)  Text 'John Doe' is set on object 'Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/input_username'	1m - 0.231s	PASSED
6	setText(findTestObject("Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/input_password"), password)  Text 'ThisIsNotAPassword' is set on object 'Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/input_password'	1m - 0.122s	PASSED
7	click(findTestObject("Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/button_Login"))  Object: 'Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/button_Login' is clicked on	32.195s	PASSED
8	closeBrowser()  Browser is closed	0.399s	PASSED

# DDT\_CHS\_Validation\_Login\_Excel

#	Description	Elapsed	Status
9	Start listener action : sampleAfterTestCase	0.099s	ERROR
	<pre>com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/i_fa fa-bars'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)     at CURA_TL_AppointmentConfirmation.sampleAfterTestCase (CURA_TL_AppointmentConfirmation.groovy:54)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1707315788499.run(TempTestSuite1707315788499.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'</pre>		

# DDT\_CHS\_Validation\_Login\_Excel

#	Description	Elapsed	Status
	<pre>Driver info: driver.version: RemoteWebDriver     at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)     at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 28)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)     at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)     at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

# DDT\_CHS\_Validation\_Login\_Excel

## Information

ID	Test Cases/Data Driven Testing/DDT_CHS_Validation_Login_Excel		
Description			
Tag			
Start	07-02-2024 19:56:32	End	07-02-2024 19:59:43
Elapsed	3m - 10.903s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
---	-------------	---------	--------



# DDT\_CHS\_Validation\_Login\_Excel

#	Description	Elapsed	Status
1	<p>Start listener action : sampleBeforeTestCase</p> <p>com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/input_username'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:85)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)</p> <p>at CURA_TL_AppointmentConfirmation.sampleBeforeTestCase (CURA_TL_AppointmentConfirmation.groovy:33)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)</p> <p>at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)</p> <p>at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent (TestListenerCollector.java:85)</p> <p>at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:268)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180)</p> <p>at TempTestSuite1707315788499.run (TempTestSuite1707315788499.groovy:36)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch:</p>	0.071s	ERROR

# DDT\_CHS\_Validation\_Login\_Excel

#	Description	Elapsed	Status
	'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 28) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:53) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		
2	openBrowser("")  Browser is opened with url: "	2.937s	PASSED

# DDT\_CHS\_Validation\_Login\_Excel

#	Description	Elapsed	Status
3	<code>navigateToUrl("https://katalon-demo-cura.herokuapp.com/")</code>  Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully	3.191s	PASSED
4	<code>click(findTestObject("Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/a_Make Appointment"))</code>  Object: 'Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/a_Make Appointment' is clicked on	31.332s	PASSED
5	<code>setText(findTestObject("Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/input_username"), username)</code>  Text 'John Doe' is set on object 'Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/input_username'	1m - 0.632s	PASSED
6	<code>setText(findTestObject("Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/input_password"), password)</code>  Text 'ThisIsNotAPassword' is set on object 'Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/input_password'	1m - 0.231s	PASSED
7	<code>click(findTestObject("Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/button_Login"))</code>  Object: 'Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/button_Login' is clicked on	32.045s	PASSED
8	<code>closeBrowser()</code>  Browser is closed	0.382s	PASSED

# DDT\_CHS\_Validation\_Login\_Excel

#	Description	Elapsed	Status
9	Start listener action : sampleAfterTestCase	0.052s	ERROR
	<pre>com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/i_fa fa-bars'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)     at CURA_TL_AppointmentConfirmation.sampleAfterTestCase (CURA_TL_AppointmentConfirmation.groovy:54)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1707315788499.run(TempTestSuite1707315788499.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'</pre>		

# DDT\_CHS\_Validation\_Login\_Excel

#	Description	Elapsed	Status
	<pre>Driver info: driver.version: RemoteWebDriver     at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)     at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 28)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)     at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)     at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

# DDT\_CHS\_Validation\_Login\_Excel

## Information

ID	Test Cases/Data Driven Testing/DDT_CHS_Validation_Login_Excel		
Description			
Tag			
Start	07-02-2024 19:59:43	End	07-02-2024 20:02:53
Elapsed	3m - 9.804s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
---	-------------	---------	--------

# DDT\_CHS\_Validation\_Login\_Excel

#	Description	Elapsed	Status
1	<p>Start listener action : sampleBeforeTestCase</p> <p>com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/input_username'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:85)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)</p> <p>at CURA_TL_AppointmentConfirmation.sampleBeforeTestCase (CURA_TL_AppointmentConfirmation.groovy:33)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.invokeMethod (TestHooker.java:111)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.lambda\$3 (TestHooker.java:95)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)</p> <p>at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)</p> <p>at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent (TestListenerCollector.java:85)</p> <p>at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:268)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180)</p> <p>at TempTestSuite1707315788499.run (TempTestSuite1707315788499.groovy:36)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch:</p>	0.035s	ERROR

# DDT\_CHS\_Validation\_Login\_Excel

#	Description	Elapsed	Status
	'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 28) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:53) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		
2	openBrowser("")  Browser is opened with url: "	2.815s	PASSED



## DDT\_CHS\_Validation\_Login\_Excel

#	Description	Elapsed	Status
3	<code>navigateToUrl("https://katalon-demo-cura.herokuapp.com/")</code>  Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully	3.146s	PASSED
4	<code>click(findTestObject("Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/a_Make Appointment"))</code>  Object: 'Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/a_Make Appointment' is clicked on	31.430s	PASSED
5	<code>setText(findTestObject("Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/input_username"), username)</code>  Text 'John Doe123' is set on object 'Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/input_username'	1m - 0.232s	PASSED
6	<code>setText(findTestObject("Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/input_password"), password)</code>  Text 'ThisIsNotAPassword' is set on object 'Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/input_password'	1m - 0.172s	PASSED
7	<code>click(findTestObject("Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/button_Login"))</code>  Object: 'Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/button_Login' is clicked on	31.496s	PASSED
8	<code>closeBrowser()</code>  Browser is closed	0.391s	PASSED

# DDT\_CHS\_Validation\_Login\_Excel

#	Description	Elapsed	Status
9	Start listener action : sampleAfterTestCase	0.067s	ERROR
<pre>com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/i_fa fa-bars'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)     at CURA_TL_AppointmentConfirmation.sampleAfterTestCase (CURA_TL_AppointmentConfirmation.groovy:54)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1707315788499.run(TempTestSuite1707315788499.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'</pre>			

# DDT\_CHS\_Validation\_Login\_Excel

#	Description	Elapsed	Status
	<pre>Driver info: driver.version: RemoteWebDriver     at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)     at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 28)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)     at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)     at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		