TL_CURA_TestSuite_001

Execution Environment

Host name sainadh - 192.168.1.2 Local OS Windows 11 64bit

Katalon version 9.2.0.212

Browser Chrome 120.0.0.0

Summary

ID Test Suites/CURA TestSuite/TL_CURA_TestSuite_001

Description

Total 2

Passed 0 Failed 1
Error 1 Incomplete 0

Skipped 0

Start 27-01-2024 22:29:13 End 27-01-2024 22:34:24

Elapsed 5m - 10.697s

#	ID	Description	Status
1	Test Cases/Test Listener- 1/TC_AppointmentConfirmation_001		ERROR
2	Test Cases/Test Listener- 1/TC_AppointmentConfirmation_001		FAILED

Information

ID Test Cases/Test Listener-1/TC_AppointmentConfirmation_001

Description

Tag

Start 27-01-2024 22:29:53 End 27-01-2024 22:34:23

Elapsed 4m - 30.696s

Status ERROR

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	2m - 3.170s	PASSED
	Object: 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/button_Login' is clicked on		
2	selectOptionByValue(findTestObject("Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center _5b4107"), "Hongkong CURA Healthcare Center", true)	1m - 30.615s	PASSED
	All options with value 'Hongkong CURA Healthcare Center' are selected in object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center5b4107' using regular expression		

# Description	Elapsed	Status
3 com.qa.test.customFunctions.CheckDropDownListElementExist(findTestObject ("TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/select_Tokyo CUI Healthcare Center5b4107"), "Tokyo CURA Healthcare Center")	0.129s RA	ERROR
Test Cases/Test Listener-1/TC_AppointmentConfirmation_001 FAILED. Reason:		
com.kms.katalon.core.exception.StepErrorException: groovy.lang. MissingPropertyException: No such property: WebUiCommonHelper for class: com.qa.tocustomFunctions	est.	
at com.kms.katalon.core.main.CustomKeywordDelegatingMetaClass.throwErr (CustomKeywordDelegatingMetaClass.java:101) at com.kms.katalon.core.main.CustomKeywordDelegatingMetaClass.	ror	
invokeStaticMethod(CustomKeywordDelegatingMetaClass.java:73) at TC_AppointmentConfirmation_001.run(TC_AppointmentConfirmation_001:2 at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine java:119)	e.	
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)	r.	
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecut java:439)	tor.	
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPh		
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.		
106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.ja		
180) at TempTestSuite1706374746127.run(TempTestSuite1706374746127.groovy		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43) Caused by: groovy.lang.MissingPropertyException: No such property:		
WebUiCommonHelper for class: com.qa.test.customFunctions at com.qa.test.customFunctions.CheckDropDownListElementExist		
(customFunctions.groovy:43) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.main.CustomKeywordDelegatingMetaClass.		
invokeStaticMethod(CustomKeywordDelegatingMetaClass.java:55) 16 more		

Description Elapsed Status

Description	Elapsed	Status
Start listener action : sampleAfterTestCase	56.553s	ERROF
com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/a_Logout'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:659) at CURA_TL_AppointmentConfirmation.sampleAfterTestCase		
(CURA_TL_AppointmentConfirmation.groovy:56) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)		
at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)		
at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)		
at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)		
at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)		
at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:315)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180) at TempTestSuite1706374746127.run(TempTestSuite1706374746127.groovy:36)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools		
(failed to check if window was closed: disconnected: not connected to DevTools)		
(Session info: chrome=120.0.6099.225) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		

Elapsed

Status

```
Description
System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch:
'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66...,
userDataDir: C:\Users\sainadh\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:52898}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 57c7e94055ea61f04697421a84f74350
*** Element info: {Using=xpath, value=(//a[@onclick="$('#menu-close').click();"])[5]}
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at\ org. open qa. selenium. remote. service. Driver Command Executor. execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
          at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XP ath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
          at jdk.proxy2/jdk.proxy2.$Proxy25.findElements(Unknown Source)
          at org.openga.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
```

Description Elapsed Status at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) $at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements$ (WebUiCommonHelper.java:718) $at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement$ (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more

Information

ID Test Cases/Test Listener-1/TC_AppointmentConfirmation_001

Description

Tag

Start 27-01-2024 22:34:23 End 27-01-2024 22:34:24

Elapsed 0.322s Status FAILED

Details

Description Elapsed Status

Description	Elapsed	Statu
Start listener action : sampleBeforeTestCase	0.106s	ERRC
com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of		
object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare		
Service/input_username'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUlKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	4	
(WebUlKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(SetTextKeyword.groovy:66)		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(SetTextKeyword.groovy:37)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(WebUiBuiltInKeywords.groovy:1019)		
at CURA_TL_AppointmentConfirmation.sampleBeforeTestCase		
(CURA_TL_AppointmentConfirmation.groovy:33)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
$at\ com. kms. katalon. core. context. internal. Test Hooker. invoke Method (Test Hooker.)$		
java:111)		
at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
95)		
at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(TestHooker.java:94)		
at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(TestListenerCollector.java:88)		
at com.kms.katalon.core.context.internal.TestListenerCollector.		
handleListenerEvent(TestListenerCollector.java:85)		
at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:268)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java	n:	
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)		
at TempTestSuite1706374746127.run(TempTestSuite1706374746127.groovy:36)	
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native	•	
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.WebDriverException: disconnected: not connected to		
DevTools		

(failed to check if window was closed: disconnected: not connected to DevTools)

(Session info: chrome=120.0.6099.225)

Status

```
Description
                                                                                            Elapsed
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch:
'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66...,
userDataDir: C:\Users\sainadh\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:52898}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 57c7e94055ea61f04697421a84f74350
*** Element info: {Using=xpath, value=//input[@id='txt-username']}
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.iava:187)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
          at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
          at jdk.proxy2/jdk.proxy2.$Proxy25.findElements(Unknown Source)
          at org.openga.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
```

findElementsBySelectedMethod(WebUiCommonHelper.java:915)

at com.kms.katalon.core.webui.common.WebUiCommonHelper.

Status

Description Elapsed findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. find Elements With Self Healing (Web Ui Common Helper. java: 734) $at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements$ (WebUiCommonHelper.java:718) $at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement$ (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)

at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.

findWebElement(WebUIAbstractKeyword.groovy:26)

at com.kms.katalon.core.webui.keyword.builtin.

SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)

at com.kms.katalon.core.webui.keyword.builtin.

SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword

(WebUlKeywordMain.groovy:20)

... 23 more

#	Description	Elapsed	Status
2	selectOptionByValue(findTestObject("Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center _5b4107"), "Hongkong CURA Healthcare Center", true)	0.080s	FAILED
	Unable to select option by value 'Hongkong CURA Healthcare Center' of object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center5b4107' using regular expression (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to select option by value 'Hongkong CURA Healthcare Center' of object 'Object Repository/TL_Appointment		
	Confirmation_OR/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center _5b4107' using regular expression at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword. selectOptionByValue(SelectOptionByValueKeyword.groovy:99)		
	at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword. execute(SelectOptionByValueKeyword.groovy:71) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
	selectOptionByValue(WebUiBuiltInKeywords.groovy:1207) at TC_AppointmentConfirmation_001.run(TC_AppointmentConfirmation_001:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	at TempTestSuite1706374746127.run(TempTestSuite1706374746127.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	Caused by: org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools)		
	(Session info: chrome=120.0.6099.225) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch:		

Elapsed

Status

```
Description
 'amd64', os.version: '10.0', java.version: '17.0.7'
 Driver info: com.kms.katalon.selenium.driver.CChromeDriver
 Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
 120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66...,
 userDataDir: C:\Users\sainadh\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions:
 {debuggerAddress: localhost:52898}, javascriptEnabled: true, networkConnectionEnabled:
 false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
 Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
 credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
 Session ID: 57c7e94055ea61f04697421a84f74350
 *** Element info: {Using=xpath, value=//select[@id='combo_facility']}
                at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown
 Source)
                at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
                at\ or g. open qa. selenium. remote. http. W3CHttpResponseCodec. create Exception
 (W3CHttpResponseCodec.java:187)
                at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:122)
                at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:49)
               at org.openga.selenium.remote.HttpCommandExecutor.execute
 (HttpCommandExecutor.java:158)
               at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
 (DriverCommandExecutor.java:83)
                at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
                at\ com. kms. katalon. selenium. driver. CChrome Driver. execute (CChrome Driver. java:
 19)
                at org.openqa.selenium.remote.RemoteWebDriver.findElements
 (RemoteWebDriver.java:353)
               at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
 (RemoteWebDriver.java:432)
               at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
                at org.openqa.selenium.remote.RemoteWebDriver.findElements
 (RemoteWebDriver.java:311)
                at java.base/jdk.internal.reflect.Native Method Accessor Impl. invoke 0 (Native Method Accessor Impl. invoke 2) and the properties of th
Method)
                at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
 (NativeMethodAccessorImpl.java:77)
                at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
 (DelegatingMethodAccessorImpl.java:43)
                at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
 (EventFiringWebDriver.java:105)
                at jdk.proxy2/jdk.proxy2.$Proxy25.findElements(Unknown Source)
                at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
 (EventFiringWebDriver.java:182)
               at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementBvNormalMethods(WebUiCommonHelper.iava:1025)
               at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
               at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
               at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
               at\ com.kms. katalon. core. webui. common. WebUiCommon Helper.
```

```
Description
                                                                                          Elapsed
                                                                                                            Status
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:718)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SelectOptionByValueKeyword$_selectOptionByValue_closure1.doCall
(SelectOptionByValueKeyword.groovy:86)
         at com.kms.katalon.core.webui.keyword.builtin.
SelectOptionByValueKeyword$_selectOptionByValue_closure1.call
(SelectOptionByValueKeyword.groovy)
         at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword.
selectOptionByValue(SelectOptionByValueKeyword.groovy:99)
         at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword.
execute(SelectOptionByValueKeyword.groovy:71)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
selectOptionByValue(WebUiBuiltInKeywords.groovy:1207)
         at Script1706337698868.run(Script1706337698868.groovy:26)
         ... 15 more
```

Do	parintian	Elapsed	Statu
	scription	•	
Sta	art listener action : sampleAfterTestCase	0.102s	ERRC
CO	m.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
Re	pository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/i_fa fa-bars'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(W	ebUIKeywordMain.groovy:64)		
() A	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(VV	ebUIKeywordMain.groovy:26)		
arc	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
git	ovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(C	ickKeyword.groovy:40)		
(0)	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
ex	ecuteKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(W	ebUiBuiltInKeywords.groovy:659)		
	at CURA_TL_AppointmentConfirmation.sampleAfterTestCase		
(C	JRA_TL_AppointmentConfirmation.groovy:54)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Me	thod)		
/NI	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(IN	ativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(D	elegatingMethodAccessorImpl.java:43)		
(D	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
iav	a:111)		
1	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
95			
	$at\ com. kms. katalon. core. context. internal. Test Hooker. invoke Context Methods$		
(Te	estHooker.java:94)		
/ -	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(16	estListenerCollector.java:88)		
ha	at com.kms.katalon.core.context.internal.TestListenerCollector. ndleListenerEvent(TestListenerCollector.java:85)		
IIa	at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(E	ecutionEventManager.java:36)		
(at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
jav	a:315)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(C	ommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(Te	estSuiteExecutor.java:148)		
40	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
10	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
18			
10	at TempTestSuite1706374746127.run(TempTestSuite1706374746127.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Me	thod)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Na	ativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	elegatingMethodAccessorImpl.java:43)		
	used by: org.openqa.selenium.WebDriverException: disconnected: not connected to		
	vTools		
	ailed to check if window was closed: disconnected: not connected to DevTools)		
- 15	Specion into: cnf0m0=120 H blud 2251		

(Session info: chrome=120.0.6099.225)

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

Status

```
Description
                                                                                           Elapsed
System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch:
'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66...,
userDataDir: C:\Users\sainadh\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:52898}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 57c7e94055ea61f04697421a84f74350
*** Element info: {Using=xpath, value=//a[@id='menu-toggle']/i}
         at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.iava:122)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.iava:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor9.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy25.findElements(Unknown Source)
         at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
```

at com.kms.katalon.core.webui.common.WebUiCommonHelper.

... 23 more

Description Elapsed Status findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718) $at\ com. kms. katalon. core. we bui. common. We bUi Common Helper. find Web Element$ (WebUiCommonHelper.java:1374) $at\ com. kms. katalon. core. we bui. keyword. internal. We bUIAbstract Keyword.$ findWebElement(WebUIAbstractKeyword.groovy:27) $at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.$ doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)