TL_CURA_TestSuite_001

Execution Environment

Host name sainadh - 192.168.1.2 Local OS Windows 11 64bit

Katalon version 9.2.0.212

Browser Chrome 120.0.0.0

Summary

ID Test Suites/CURA TestSuite/TL_CURA_TestSuite_001

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 27-01-2024 20:14:32 End 27-01-2024 20:20:01

Elapsed 5m - 29.386s

ID Description Status

1 Test Cases/Test Listener1/TC_AppointmentConfirmation_001

FAILED

Information

ID Test Cases/Test Listener-1/TC_AppointmentConfirmation_001

Description

Tag

Start 27-01-2024 20:20:01 End 27-01-2024 20:20:01

Elapsed 0.427s Status FAILED

Details

Description Elapsed Status

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | Start listener action : sampleBeforeTestCase | 0.208s | FAILED |
| | Unable to click on object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/button_Login' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to click on object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/button_Login' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. | | |
| | groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute | | |
| | (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click | | |
| | (WebUiBuiltInKeywords.groovy:659) at CURA_TL_AppointmentConfirmation.sampleBeforeTestCase (CURA_TL_AppointmentConfirmation.groovy:39) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. | | |
| | java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: | | |
| | 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods | | |
| | (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 | | |
| | (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) | | |
| | at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| | (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| | 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) | | |
| | at TempTestSuite1706366668206.run(TempTestSuite1706366668206.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| | Method) | | |

 $at\ java.base/jdk.internal.reflect. Native Method Accessor Impl. invoke$

Elapsed

Status

```
Description
(NativeMethodAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window
already closed
from unknown error: web view not found
 (Session info: chrome=120.0.6099.225)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch:
'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66...,
userDataDir: C:\Users\sainadh\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:52072}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 017729563cff00e756c0555d58ddbf26
*** Element info: {Using=xpath, value=//buttonf@id='btn-login']}
          at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
          at\ com. kms. katalon. selenium. driver. CChrome Driver. execute (CChrome Driver. java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
          at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XP ath
(RemoteWebDriver.java:432)
          at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
          at jdk.internal.reflect.GeneratedMethodAccessor9.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.iava:105)
          at jdk.proxy2/jdk.proxy2.$Proxy25.findElements(Unknown Source)
          at org.openga.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
```

at com.kms.katalon.core.webui.common.WebUiCommonHelper.

```
Description
                                                                                         Elapsed
                                                                                                          Status
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:718)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         ... 26 more
```

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 2 | selectOptionByValue(findTestObject("Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center _5b4107"), "Hongkong CURA Healthcare Center", true) | 0.055s | FAILED |
| | Unable to select option by value 'Hongkong CURA Healthcare Center' of object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center5b4107' using regular expression (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to select option by value 'Hongkong CURA Healthcare Center' of object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center _5b4107' using regular expression at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword.selectOptionByValue(SelectOptionByValueKeyword.groovy:99) at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword.execute(SelectOptionByValueKeyword.groovy:71) at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. selectOptionByValue(WebUiBuiltInKeywords.groovy:1207) at TC_AppointmentConfirmation_001.run(TC_AppointmentConfirmation_001:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| | (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| | 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| | at TempTestSuite1706366668206.run(TempTestSuite1706366668206.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| | Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| | (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| | (DelegatingMethodAccessorImpl.java:43) | | |

Elapsed

Status

```
Description
Caused by: org.openga.selenium.NoSuchWindowException: no such window: target window
already closed
from unknown error: web view not found
 (Session info: chrome=120.0.6099.225)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch:
'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66...,
userDataDir: C:\Users\sainadh\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:52072}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 017729563cff00e756c0555d58ddbf26
*** Element info: {Using=xpath, value=//select[@id='combo_facility']}
          at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at\ org. open qa. selenium. remote. Http Command Executor. execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XP ath
(RemoteWebDriver.java:432)
          at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
          at jdk.internal.reflect.GeneratedMethodAccessor9.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
          at jdk.proxy2/jdk.proxy2.$Proxy25.findElements(Unknown Source)
          at org.openga.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
```

```
Description
                                                                                        Elapsed
                                                                                                         Status
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SelectOptionByValueKeyword$_selectOptionByValue_closure1.doCall
(SelectOptionByValueKeyword.groovy:86)
         at com.kms.katalon.core.webui.keyword.builtin.
SelectOptionByValueKeyword$_selectOptionByValue_closure1.call
(SelectOptionByValueKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword.
selectOptionByValue(SelectOptionByValueKeyword.groovy:99)
         at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword.
execute(SelectOptionByValueKeyword.groovy:71)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
selectOptionByValue(WebUiBuiltInKeywords.groovy:1207)
         at Script1706337698868.run(Script1706337698868.groovy:26)
         ... 18 more
```

| Description | Elapsed | Status |
|--|---------|--------|
| com.qa.test.customFunctions.CheckDropDownListElementExist(findTestObject ("TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center5b4107"), "Tokyo CURA Healthcare Center ") | 0.026s | ERROR |
| Test Cases/Test Listener-1/TC_AppointmentConfirmation_001 FAILED. Reason: | | |
| com.kms.katalon.core.exception.StepErrorException: groovy.lang. MissingPropertyException: No such property: WebUiCommonHelper for class: com.qa.test. customFunctions | | |
| at com.kms.katalon.core.main.CustomKeywordDelegatingMetaClass.throwError (CustomKeywordDelegatingMetaClass.java:101) | | |
| at com.kms.katalon.core.main.CustomKeywordDelegatingMetaClass. invokeStaticMethod(CustomKeywordDelegatingMetaClass.java:73) | | |
| at TC_AppointmentConfirmation_001.run(TC_AppointmentConfirmation_001:29) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| 180) at TempTestSuite1706366668206.run(TempTestSuite170636668206.groovy:36) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) | | |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) | | |
| Caused by: groovy.lang.MissingPropertyException: No such property: WebUiCommonHelper for class: com.qa.test.customFunctions | | |
| at com.qa.test.customFunctions.CheckDropDownListElementExist (customFunctions.groovy:43) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| (DelegatingMethodAccessorImpl.java:43) | | |

Description Elapsed Status

at com.kms.katalon.core.main.CustomKeywordDelegatingMetaClass.invokeStaticMethod(CustomKeywordDelegatingMetaClass.java:55) ... 19 more

| Description | Elapsed | Status |
|--|---------|--------|
| Start listener action : sampleAfterTestCase | 0.117s | FAILED |
| Linchia to aliak an abject !Object Panasitan/TL Appaintment Confirmation OR/Days CLID/ | | |
| Unable to click on object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA | 1 | |
| Healthcare Service/a_Logout' (Root cause: com.kms.katalon.core.exception. | | |
| StepFailedException: Unable to click on object 'Object Repository/TL_Appointment | | |
| Confirmation_OR/Page_CURA Healthcare Service/a_Logout' | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| (WebUIKeywordMain.groovy:64) | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| (WebUIKeywordMain.groovy:26) | | |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. | | |
| groovy:74) | | |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute | | |
| (ClickKeyword.groovy:40) | | |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click | | |
| (WebUiBuiltInKeywords.groovy:659) | | |
| at CURA_TL_AppointmentConfirmation.sampleAfterTestCase | | |
| (CURA_TL_AppointmentConfirmation.groovy:56) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| Method) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| (NativeMethodAccessorImpl.java:77) | | |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| (DelegatingMethodAccessorImpl.java:43) | | |
| at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. | | |
| java:111) | | |
| at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: | | |
| 95) | | |
| at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods | | |
| (TestHooker.java:94) | | |
| at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 | | |
| (TestListenerCollector.java:88) | | |
| at com.kms.katalon.core.context.internal.TestListenerCollector. | | |
| handleListenerEvent(TestListenerCollector.java:85) | | |
| at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent | | |
| (ExecutionEventManager.java:36) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:315) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | | |
| java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:369) | | |
| | | |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:369) | | |
| at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| (CommonExecutor.java:65) | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| (TestSuiteExecutor.java:148) | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java | | |
| 106) | | |
| at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| 180) | | |
| at TempTestSuite1706366668206.run(TempTestSuite1706366668206.groovy:36) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| Method) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |

Elapsed

Status

```
Description
(NativeMethodAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window
already closed
from unknown error: web view not found
 (Session info: chrome=120.0.6099.225)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch:
'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66...,
userDataDir: C:\Users\sainadh\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:52072}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 017729563cff00e756c0555d58ddbf26
*** Element info: {Using=xpath. value=(//a[@onclick="$('#menu-close').click():"])[5]}
          at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
          at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
          at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
          at jdk.internal.reflect.GeneratedMethodAccessor9.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
          at jdk.proxy2/jdk.proxy2.$Proxy25.findElements(Unknown Source)
          at org.openga.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
          at\ com.kms. katalon. core. webui. common. WebUiCommon Helper.
```

Description Elapsed Status findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) $at\ com. kms. katalon. core. webui. common. WebUiCommon Helper.$ findElementsWithSelfHealing(WebUiCommonHelper.java:734) $at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements$ (WebUiCommonHelper.java:718) $at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement$ (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) $at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.$ doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) ... 26 more