#### 1. Create a React app named eventexamplesapp

## 2. Implement a counter with Increment and Decrement buttons

• The Increment button should call multiple methods (e.g., increase count and say hello).

# 3. Add a "Say Welcome" button

• This button should call a function with a message argument.

## 4. Handle a synthetic event

• Create a button that displays "I was clicked" when pressed.

### 5. Create a CurrencyConvertor component

• Convert Indian Rupees to Euro using input and a Convert button.

```
▷ ឯ □ ··· ッペ+ ๖ ౖౖౖౖౖౖ
66
                                                                                                                                                       Ask Copilot
                                                                                                                                                 Copilot is powered by
\Box
                                                                                                                                                   Al, so mistakes are
                   alert("Please enter a valid number");
                                                                                                                                                    output carefully
                                                                                                                                                     before use.
                  <h2>Currency Converter</h2>
                                                                                                                                               @ to chat with extensions
                                                                                                                                               Type / to use commands
                   <button onClick={handleSubmit}>Convert</button>
                   {euro && (
                       {rupees} INR = <strong>{euro} EUR</strong>
                                                                                                                                                  R Add Context...
                                                                                                Ln 38, Col 1 Spaces: 2 UTF-8 CRLF {} JavaScript 🔠 📦 Go Live 🗸 Prettier
```







