


Create a react app for Student Management Portal named StudentApp and create a component named Home which will display the Message “Welcome to the Home page of Student Management Portal”. Create another component named About and display the Message “Welcome to the About page of the Student Management Portal”. Create a third component named Contact and display the Message “Welcome to the Contact page of the Student Management Portal”. Call all the three components.



The screenshot shows a Visual Studio Code editor with a React application project. The Explorer sidebar on the left shows the project structure:

- WEAK-6 (HANDS ON SOLUTION) - Copy
  - .dist
  - react-hol-1
  - react-hol-2
  - .dist
  - studnet\_management
    - .dist
    - studentapp
      - node\_modules
      - public
      - src
        - Components
          - About.js
          - Contact.js
          - Home.js
        - App.css
        - App.js
        - App.test.js
        - index.css
        - index.js
        - logo.svg
        - reportWebVitals.js
        - setupTests.js
        - .gitignore
        - package-lock.json
        - package.json
        - README.md
        - desktop.ini
        - output-2.png
  - react-hol-3
  - react-hol-4
  - react-hol-5
  - Weak-6 (hands on solution)
- OUTLINE
- TIMELINE

The main editor shows the `App.js` file with the following code:

```
1 import Home from './Components/Home';
2 import About from './Components/About';
3 import Contact from './Components/Contact';
4 function App() {
5   return (
6     <div className="container">
7       <Home/>
8       <About/>
9       <Contact/>
10    </div>
11  );
12 }
13
14 export default App;
```

The right sidebar shows the Copilot welcome message:

Welcome to Copilot  
Let's get started

Ask Copilot

Build workspace

Show project config

Review AI output carefully before use.

File Edit Selection View Go Run Terminal Help Weak-6 (hands on solution) - Copy

EXPLORER

- WEAK-6 (HANDS ON SOLU...
  - react-hol-1
  - react-hol-2
  - studnet\_management
    - studentapp
      - node\_modules
      - public
      - src
        - Components
          - App.js

react-hol-2 > studnet\_management > studentapp > src > JS App.js > ...

```
1 import Home from './Components/Home';
2 import About from './Components/About';
3 import Contact from './Components/Contact';
4 function App() {
5   return (
6     <div className="container">
7       <Home/>
8       <About/>
9       <Contact/>
10    </div>
11  );
12 }
13
14
15 export default App;
16
```

Ln 1, Col 1 Spaces: 2 UTF-8 LF JavaScript Go Live Prettier

Welcome to Copilot

Let's get started

Ask Copilot

Build workspace

Show project config

Review AI output carefully before use.

File Edit Selection View Go Run Terminal Help Weak-6 (hands on solution) - Copy

EXPLORER

- WEAK-6 (HANDS ON SOLU...
  - react-hol-1
  - react-hol-2
  - studnet\_management
    - studentapp
      - node\_modules
      - public
      - src
        - Components
          - Contact.js

react-hol-2 > studnet\_management > studentapp > src > Components > JS Contact.js > ...

```
1 import React from 'react';
2 class Contact extends React.Component {
3   render() {
4     return <h1>Welcome to the Contact page student management portal</h1>
5   }
6 }
7 export default Contact;
```

C:\Users\R siva kumar\Documents\Weak-6 (hands on solution) - Copy\react-hol-2\studnet\_management\studentapp\src\Components\Contact.js

Ln 1, Col 1 Spaces: 2 UTF-8 CRLF JavaScript Go Live Prettier

Welcome to Copilot


Let's get started

Ask Copilot

Build workspace

Show project config

Review AI output carefully before use.



**Welcome to the Home page student management portal**

**Welcome to the about page student management portal**

**Welcome to the Contact page student management portal**