

Bootstrap Components – Assignment with Sample Outputs

1. Collapse

Real-world use: Show/hide content like FAQs, blog sections, or order details.

Problem Statements:

1. Blog Post Read More

- **Task:** Create a blog article where only the first 3 lines are visible. Add a **“Read More” button** that, when clicked, expands the rest of the article. Clicking again should collapse it.
- **Sample Output:** A blog card with text preview → button expands the full text → button toggles back to “Read Less.”

2. Restaurant Menu

- **Task:** Build a restaurant menu page where categories like “Starters,” “Main Course,” and “Desserts” are collapsible. By default, only category names are shown.
- **Sample Output:** Page with buttons for categories → clicking “Starters” expands items like Soup, Salad, etc. → clicking again collapses.

3. Student Dashboard

- **Task:** Design a student dashboard where sections “Assignments,” “Exams,” and “Results” are collapsible. Each contains a small list of items.
- **Sample Output:** Clicking “Assignments” shows a list of homework. “Exams” collapses to show upcoming exams. Only one section may be expanded at a time (accordion style).

4. Course Outline

- **Task:** A subject like “Mathematics” expands to show topics: Algebra, Geometry, Trigonometry.
- **Sample Output:** A clean course list where subjects hide topics until clicked.

5. Order History

- **Task:** In a shopping site, display past orders. Each order (Order ID, Date) expands to show purchased items, price, and delivery details.
 - **Sample Output:** Orders listed → clicking Order #123 expands details like “Shoes - \$50, Delivered on 25 Sept.”
-

2. Accordion

Real-world use: FAQs or structured information where only one item expands at a time.

Problem Statements:

1. FAQ Section

- **Task:** Build a Netflix-style FAQ where clicking one question shows its answer and hides others.
- **Sample Output:** “What is Netflix?” expands with an answer, while other questions collapse.

2. Travel Website

- **Task:** Accordion with “Flights,” “Hotels,” “Packages.” Opening “Flights” collapses “Hotels” and “Packages.”
- **Sample Output:** Only one travel option open at a time.

3. Student Profile

- **Task:** Profile accordion with “Personal Info,” “Academics,” “Projects.” Expanding “Academics” should collapse the others.
- **Sample Output:** Shows student marks under “Academics” while “Projects” stays hidden.

4. Job Portal

- **Task:** Accordion for job listings. Each job expands to show description, salary, and an “Apply Now” button.
- **Sample Output:** Clicking “Software Engineer” opens details, while “Data Analyst” collapses.

5. Real Estate Listing

- **Task:** Property listing accordion with tabs: “Overview,” “Pricing,” “Location Map.”
 - **Sample Output:** Clicking “Pricing” shows costs, hiding “Overview.”
-

3. Dropdown

Real-world use: Menus, profile settings, language selectors.

Problem Statements:

1. Profile Menu

- **Task:** Dropdown in navbar with options “View Profile,” “Settings,” “Logout.”
- **Sample Output:** User clicks avatar icon → dropdown opens with clickable items.

2. Language Selector

- **Task:** Dropdown with languages (English, Hindi, French) and country flag icons.
- **Sample Output:** Clicking globe icon opens dropdown → user selects Hindi → site language updates.

3. Payment Method

- **Task:** Checkout dropdown with “UPI,” “Credit Card,” “Net Banking.”
- **Sample Output:** User clicks → dropdown opens → selects “Credit Card.”

4. Product Categories

- **Task:** Dropdown menu labeled “Products” with “Electronics,” “Clothing,” “Books.”
- **Sample Output:** Hover/click on Products → list of categories appears.

5. Shopping Cart Preview

- **Task:** Shopping cart icon with dropdown showing 3 latest items added with price.
 - **Sample Output:** Clicking cart icon shows items list + “Checkout” button.
-

4. Nav & Tabs

Real-world use: Switching between content sections without page reload.

Problem Statements:

1. Authentication Tabs

- **Task:** Tabs for “Login,” “Register,” “Forgot Password.” Each tab contains a form.
- **Sample Output:** Clicking “Register” shows registration form → clicking “Login” hides it.

2. Music App

- **Task:** Tabs for “Songs,” “Albums,” “Playlists.” Each tab shows different music content.
- **Sample Output:** Switching tabs changes visible content dynamically.

3. Course Details

- **Task:** Tabs for “Overview,” “Syllabus,” “Reviews” on a course page.
- **Sample Output:** Clicking “Syllabus” shows chapters list while hiding “Overview.”

4. News Categories

- **Task:** News portal with “Sports,” “Politics,” “Entertainment” tabs.
- **Sample Output:** Clicking “Sports” tab updates the page to show only sports news.

5. Student Portal

- **Task:** Tabs for “Dashboard,” “Courses,” “Grades.”
 - **Sample Output:** Clicking “Grades” shows student marks instantly.
-

5. Navbar

Real-world use: Website navigation, branding, search bar.

Problem Statements:

1. Basic Navbar

- **Task:** Navbar with logo on the left and links “Home,” “About,” “Contact” on the right. Should be responsive.
- **Sample Output:** On desktop, links shown inline; on mobile, links collapse into hamburger menu.

2. Services Dropdown

- **Task:** Navbar with a “Services” dropdown containing “Web Development,” “Mobile Apps,” “Cloud Solutions.”
- **Sample Output:** Clicking “Services” opens dropdown with options.

3. E-Commerce Navbar

- **Task:** Navbar with logo left, search bar center, cart icon right.
- **Sample Output:** User types in search bar and clicks cart icon.

4. Sticky Navbar

- **Task:** Navbar remains fixed at the top while scrolling.
- **Sample Output:** User scrolls down page → navbar stays visible.

5. Social Media Navbar

- **Task:** Dark navbar with logo left, social media icons (FB, Instagram, Twitter) right.
 - **Sample Output:** Responsive navbar with icons neatly aligned.
-

Code Format :

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Bootstrap Components Assignment (Part 2)</title>

  <!-- Bootstrap 5 CDN -->

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">

  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>

</head>

<body class="p-4">

  <h1 class="text-center mb-4">Bootstrap Components Assignment (Collapse, Accordion, Dropdown,
Nav & Tabs, Navbar)</h1>

  <!-- ===== -->

  <!-- ★ COLLAPSE -->

  <!-- ===== -->

  <!-- Problem 21: Blog Post Read More (Collapse)

Scenario:

A blog website shows only an introduction by default.

Task:

Create a collapse section that expands with a "Read More" button and collapses back with "Read
Less".

-->

<div class="mb-4">
```

```
<!-- Code here -->

</div>
```

```
<!-- Problem 22: Restaurant Menu (Collapse) -->
```

```
<!-- Scenario:
```

A restaurant wants to display its menu categories (Starters, Main Course, Desserts).

Task:

Create collapsible sections for each category. Only titles visible by default.

```
-->
```

```
<div class="mb-4">

  <!-- Code here -->

</div>
```

```
<!-- Problem 23: Student Dashboard (Collapse) -->
```

```
<!-- Scenario:
```

A student portal shows Assignments, Exams, and Results.

Task:

Create collapsible panels for each section with content hidden initially.

```
-->
```

```
<div class="mb-4">

  <!-- Code here -->

</div>
```

```
<!-- Problem 24: Course Outline (Collapse) -->
```

```
<!-- Scenario:
```

An online course lists subjects and topics.

Task:

Use collapse to hide/show topics under each subject.

```
-->
```

```
<div class="mb-4">

  <!-- Code here -->
```

</div>

<!-- Problem 25: Order History (Collapse) -->

<!-- Scenario:

An e-commerce site displays past orders.

Task:

Each order ID should expand to show items purchased and delivery status.

-->

<div class="mb-4">

<!-- Code here -->

</div>

<!-- ===== -->

<!-- ✦ ACCORDION -->

<!-- ===== -->

<!-- Problem 26: FAQ Section (Accordion)

Scenario:

Netflix-style FAQ where only one answer is visible at a time.

Task:

Create an accordion with at least 3 questions and answers.

-->

<div class="mb-4">

<!-- Code here -->

</div>

<!-- Problem 27: Travel Website (Accordion) -->

<!-- Scenario:

A travel booking site wants categories Flights, Hotels, Packages.

Task:

Build an accordion with these 3 items, only one open at a time.

-->

<div class="mb-4">

<!-- Code here -->

</div>

<!-- Problem 28: Student Profile (Accordion) -->

<!-- Scenario:

A portal displays student details under Personal Info, Academics, Projects.

Task:

Build an accordion with 3 sections where only one expands at a time.

-->

<div class="mb-4">

<!-- Code here -->

</div>

<!-- Problem 29: Job Portal (Accordion) -->

<!-- Scenario:

Job listings with title, description, and Apply button.

Task:

Use accordion so only one job expands at a time.

-->

<div class="mb-4">

<!-- Code here -->

</div>

<!-- Problem 30: Real Estate Listing (Accordion) -->

<!-- Scenario:

A property page shows Overview, Pricing, Location.

Task:

Create an accordion for these property details.

-->

```
<div class="mb-4">

  <!-- Code here -->

</div>
```

```
<!-- ===== -->

<!-- ✎ DROPDOWN -->

<!-- ===== -->
```

<!-- Problem 31: Profile Menu (Dropdown)

Scenario:

A website needs a profile dropdown with options.

Task:

Create a dropdown with: View Profile, Settings, Logout.

-->

```
<div class="mb-4">

  <!-- Code here -->

</div>
```

<!-- Problem 32: Language Selector (Dropdown) -->

<!-- Scenario:

A site allows language selection.

Task:

Build a dropdown with English, Hindi, French. Add flag icons if possible.

-->

```
<div class="mb-4">

  <!-- Code here -->

</div>
```

<!-- Problem 33: Payment Method (Dropdown) -->

<!-- Scenario:

A checkout page allows payment selection.

Task:

Create a dropdown with UPI, Credit Card, Net Banking options.

-->

<div class="mb-4">

<!-- Code here -->

</div>

<!-- Problem 34: Product Categories (Dropdown) -->

<!-- Scenario:

An e-commerce site has categories.

Task:

Create a dropdown with Electronics, Clothing, Books.

-->

<div class="mb-4">

<!-- Code here -->

</div>

<!-- Problem 35: Shopping Cart Preview (Dropdown) -->

<!-- Scenario:

Clicking the cart icon shows recently added items.

Task:

Create a dropdown with 3 items and a Checkout button.

-->

<div class="mb-4">

<!-- Code here -->

</div>

<!-- ===== -->

<!-- 🚀 NAV & TABS -->

<!-- ===== -->

<!-- Problem 36: Authentication Tabs (Nav & Tabs)

Scenario:

A student portal has Login, Register, and Forgot Password forms.

Task:

Create a nav-tab interface to switch between these forms.

-->

<div class="mb-4">

<!-- Code here -->

</div>

<!-- Problem 37: Music App (Nav & Tabs) -->

<!-- Scenario:

A music app needs tabs for Songs, Albums, Playlists.

Task:

Use nav-tabs to switch between sections.

-->

<div class="mb-4">

<!-- Code here -->

</div>

<!-- Problem 38: Course Details (Nav & Tabs) -->

<!-- Scenario:

An online course displays Overview, Syllabus, and Reviews.

Task:

Create tab navigation for these sections.

-->

<div class="mb-4">

<!-- Code here -->

</div>

<!-- Problem 39: News Categories (Nav & Tabs) -->

<!-- Scenario:

A news site shows Sports, Politics, Entertainment.

Task:

Create nav-tabs to display news by category.

-->

<div class="mb-4">

<!-- Code here -->

</div>

<!-- Problem 40: Student Portal (Nav & Tabs) -->

<!-- Scenario:

A student portal has Dashboard, Courses, Grades.

Task:

Build tabs to switch between these pages dynamically.

-->

<div class="mb-4">

<!-- Code here -->

</div>

<!-- ===== -->

<!-- 🚀 NAVBAR -->

<!-- ===== -->

<!-- Problem 41: Basic Navbar (Navbar)

Scenario:

A company website with Home, About, Contact.

Task:

Create a responsive navbar with logo left and links right.

-->

<div class="mb-4">

<!-- Code here -->

</div>

<!-- Problem 42: Services Dropdown (Navbar) -->

<!-- Scenario:

A software company offers multiple services.

Task:

Add a dropdown under Services with Web Development, Mobile Apps, Cloud Solutions.

-->

<div class="mb-4">

<!-- Code here -->

</div>

<!-- Problem 43: E-Commerce Navbar (Navbar) -->

<!-- Scenario:

An online store requires search functionality.

Task:

Add a search bar in the navbar with a cart icon on the right.

-->

<div class="mb-4">

<!-- Code here -->

</div>

<!-- Problem 44: Sticky Navbar (Navbar) -->

<!-- Scenario:

A blog site wants a navigation bar that stays on top when scrolling.

Task:

Create a sticky navbar with blog categories.

-->

<div class="mb-4">

<!-- Code here -->

</div>

<!-- Problem 45: Social Media Navbar (Navbar) -->

<!-- Scenario:

A startup wants a brand-focused navbar.

Task:

Build a dark navbar with brand name left and social icons (FB, IG, Twitter) right.

-->

<div class="mb-4">

<!-- Code here -->

</div>

</body>

</html>