



CJC

Complete Java Classes

by **Kunal Sir**

Part A – MCQs (20 Questions)

1. JSX stands for _____.
 - a) Java Syntax Extension
 - b) JavaScript XML
 - c) JavaScript eXtension
 - d) JSON Syntax eXchange

2. To write JavaScript code inside JSX, we use:
 - a) []
 - b) ()
 - c) { }
 - d) < >

3. JSX is used in React to _____.
 - a) Write CSS code only
 - b) Combine HTML and JavaScript
 - c) Execute SQL queries
 - d) Write backend code

4. Inline CSS in JSX is written inside:
 - a) Double quotes “ ”
 - b) Curly braces { }
 - c) Parentheses ()
 - d) Backticks `



CJC

Complete Java Classes

by **Kunal Sir**

5. In JSX, inline CSS is represented as a/an:
 - a) Array
 - b) Function
 - c) Object
 - d) String

6. CSS properties in JSX follow which naming convention?
 - a) Snake case
 - b) Camel case
 - c) Kebab case
 - d) Pascal case

7. Which of the following is a valid inline style in JSX?
 - a) `style="color:red"`
 - b) `style={color:'red'}`
 - c) `style={ {color:'red'} }`
 - d) `style=color:red`

8. JSX code must be enclosed inside:
 - a) One parent element
 - b) Multiple divs
 - c) Any two elements
 - d) It has no restriction

9. In JSX, we can use JavaScript expressions inside:
 - a) `{ }` only
 - b) `" "` only
 - c) Both `{ }` and `" "`
 - d) Not allowed



CJC

Complete Java Classes

by **Kunal Sir**

10. What is the correct syntax to render JSX code to the DOM?

- a) `React.insert()`
- b) `ReactDOM.render()`
- c) `JSX.render()`
- d) `DOM.renderJSX()`

11. What will this code output?

```
const name = "Riya";  
<h1>{name}</h1>
```

- a) `{name}`
- b) `name`
- c) `Riya`
- d) `undefined`

12. Find the error:

```
<h2>Sum: {5 + 5}</h2>
```

- a) Syntax error
- b) Runtime error
- c) No error, output: 10
- d) Output: `{5 + 5}`

13. Identify the incorrect JSX code:

- a) `<div style={{color: 'red'}}>Hello</div>`
- b) `<div style="color: 'red'">Hello</div>`
- c) `<div style={{fontSize: '20px'}}>Hello</div>`
- d) `<div style={{backgroundColor: 'blue'}}>Hello</div>`



CJC

Complete Java Classes

by **Kunal Sir**

14. Which of the following correctly applies multiple CSS properties inline?

- a) `<div style={color:'blue',fontSize:'20px'}>`
- b) `<div style={{color:'blue',fontSize:'20px'}}>`
- c) `<div style="{color:'blue',fontSize:'20px'}">`
- d) `<div style={'color':'blue','fontSize':'20px'}>`

15. How do you print the current year dynamically in JSX?

- a) `<p>{Date.now()}</p>`
- b) `<p>{new Date().getFullYear()}</p>`
- c) `<p>new Date().getFullYear()</p>`
- d) `<p>{Date.getFullYear()}</p>`

16. What will happen if you forget the outer {} in inline style?

- a) Error: Invalid JSX
- b) Style will still apply
- c) React automatically fixes it
- d) No difference

17. JSX elements must return:

- a) A single element
- b) Multiple elements
- c) Strings only
- d) None

18. Inline CSS property `font-size` is written as _____ in JSX.

- a) `font_size`
- b) `font-size`
- c) `fontSize`
- d) `FontSize`



19. Which of the following JSX snippet is correct?

```
const textColor = 'green';
```

- a) `<p style={{color:textColor}}>Hello</p>`
- b) `<p style={color:textColor}>Hello</p>`
- c) `<p style={color:'textColor'}>Hello</p>`
- d) `<p style={{color:'textColor'}}>Hello</p>`

20. What is the purpose of the second {} in `style={{color:'red'}}?`

- a) To escape the JSX
- b) Represents an object
- c) Represents a function
- d) Represents a string

Practical Problem Statements

Q1.

Create a simple JSX component that displays your **name** and **age** using JavaScript variables.

Q2.

Create a component that prints the result of an arithmetic expression (like `a + b`) using JSX curly braces.



CJC

Complete Java Classes

by Kunal Sir

Q3.

Create a component that displays **“Pass”** if marks ≥ 40 else **“Fail”** using JavaScript conditions inside JSX.

Q4.

Create a component that displays the **current date and time** using JavaScript's `Date()` object.

Q5.

Design a small **profile card** component with inline CSS that includes:

- Image
 - Name (heading)
 - Short description
 - Button “Follow”
-

Q6.

Create a `<div>` with text **“Welcome to React!”** and apply inline CSS for color, font size, and background.

Q7.

Create a card layout using JSX with inline styles that displays **3 product items** in a row (each with name, price, button).



CJC

Complete Java Classes

by **Kunal Sir**

Q8.

Make a JSX component that uses a JavaScript variable to dynamically apply background color (red or green) based on a Boolean value.

Q9.

Design a small “**Welcome Page**” with heading, paragraph, and button using JSX and inline CSS. Use a function to print a greeting message in the console when the button is clicked.



CJC

Complete Java Classes