

ENCAPSULATION TASK: -

List of tasks related to Encapsulation–

Question 1. What is Encapsulation? Give the example of it?

Question 2. How to achieve Encapsulation in Java?

Question 3. Check the program and correct if it's wrong?

```
package com.cjc.model;  
  
default class Laptop  
{  
    private int modelno;  
    private String lname;  
    private double lprize;  
}
```



CJC
Complete Java Classes

```
package com.cjc.client;  
  
default class Test  
{  
    //create object of Laptop  
}
```

Question 4. Check the program and correct if it's wrong?

```
package com.braindata.model;  
  
public class Doctor  
{  
    protected int did;  
    protected String dname;  
    protected String dhospitalname;  
    protected String haddress;  
    protected long dmobileno;  
    protected double dsalary;  
}
```



CJC
Complete Java Classes

```
package com.braindata.client;
```

```
public class DoctorTest
```

```
{
```

```
//create object of Doctor and call all the data members
```

```
}
```

Question 5. Solve the program and check the output?

```
package org.braindata.model;
```

```
public class Student
```

```
{
```

```
int rollno;
```

```
String name;
```

```
long mobileno;
```

```
double fees;
```

```
String address;
```

```
String clgname;
```

```
}
```



```
package org.braindata.Test;
```

```
public class StudentTest
```

```
{
```

```
// call student data
```

```
// why we cannot call the data member of Student
```

```
// and solve this problem
```

```
}
```

Question 6. Solve the program and check the output?

```
package org.braindata.model;
```

```
public class Student
```

```
{
```

```
protected int rollno;
```

```
protected String name;
```

```
protected long mobileno;
```

```
protected double fees;
```

```
protected String address;
```



CJC
Complete Java Classes

```
protected String clname;  
}
```

```
package org.braindata.impl;
```

```
public class Display Extends Student
```

```
{
```

```
public void Studentfirst()
```

```
{
```

```
Display d=new Display();
```

```
//set data and get data of Student first
```

```
}
```

```
public void StudentSecond()
```

```
{
```

```
Display d=new Display();
```

```
//set data and get data of Student second
```

```
}
```

```
}
```



CJC
Complete Java Classes

```
package org.braindata.test;
```

```
public class TestData extends Display
```

```
{
```

```
main()
```

```
{
```

```
//create object of TestData and call methods
```

```
}
```

```
}
```

Question 7. Solve the program and check the output?

```
package com.cjc.karvenagar;
```

```
public class A
```

```
{
```

```
public void m1()
```

```
{
```

```
SOP("public m1--A");
```

```
}
```



CJC
Complete Java Classes

```
default void m2()
{
    SOP("default m2_____A");
}

private void m3()
{
    SOP("private m3_____A");
}

protected void m4()
{
    SOP("protected m4_____A");
}

public void aa()
{
    //Call methods here which are valid for calling
}
}
```



CJC
Complete Java Classes

```
package com.cjc.karvenagar;
```

```
public class B
```

```
{
```

```
public void bb()
```

```
{
```

```
A a=new A();
```

```
//Call methods here which are valid for calling
```

```
}
```

```
}
```

```
package com.cjc.karvenagar;
```

```
public class C extends A
```

```
{
```

```
public void cc()
```

```
{
```

```
A a=new A();
```

```
//Call methods here which are valid for calling
```



CJC
Complete Java Classes

```
C c=new C();
```

```
//Call methods here which are valid for calling
```

```
}
```

```
}
```

```
package com.cjc.akurdi;
```

```
public class X extends A
```

```
{
```

```
public void xx()
```

```
{
```

```
A a=new A();
```

```
//Call methods here which are valid for calling
```

```
X x=new X();
```

```
//Call methods here which are valid for calling
```

```
}
```

```
}
```



CJC
Complete Java Classes

```
package com.cjc.akurdi;  
  
public class Y  
{  
    public void yy()  
    {  
        A a=new A();  
        //Call methods here which are valid for calling  
    }  
}
```

```
package com.cjc.akurdi;  
  
public class Z extends X  
{  
    public void zz()  
    {  
        Z z=new Z();  
        //Call methods here which are valid for calling  
    }  
}
```



CJC
Complete Java Classes

```
X x=new X();
```

```
//Call methods here which are valid for calling
```

```
A a=new A();
```

```
//Call methods here which are valid for calling
```

```
}
```

```
main()
```

```
{
```

```
}
```

```
}
```

THANK YOU