

1. Program to create new text file.

```
import java.io.File;
import java.io.IOException;

public class A {

    //to create a New txt File
    public static void main(String[] args) throws
IOException
    {
        File f = new File("ABC.txt");
        boolean b = f.createNewFile();
        System.out.println(b);
    }
}
```

2. Program to create new folder.

```
import java.io.File;

public class B {

    //to create New Folder
    public static void main(String[] args) {
        File f=new File("New_Folder");
        boolean b= f.mkdir();
        System.out.println(b);
    }
}
```

3. Program to create new text file inside folder.

```
import java.io.File;
import java.io.IOException;

public class C {

    //to create new txt File inside Folder
    public static void main(String[] args) throws
IOException
    {
        File f = new File("Java");
        boolean ne= f.mkdir();
        System.out.println(ne);
        File b = new File(f, "A.txt");
        boolean c = b.createNewFile();
        System.out.println(c);
    }
}
```

4. Program to create new text file inside sub-folder in Folder.

```
import java.io.File;
import java.io.IOException;

public class H {

    //to create text file in sub folder in
    Folder
    public static void main(String[] args)
    throws IOException {
        File f = new File("CJC");
        boolean ne= f.mkdir();
        System.out.println("Folder Created="+ne);

        File f1=new File(f,"Java");
        boolean n=f1.mkdir();
        System.out.println("Sub Folder created="+n);

        File b = new File(f1,"A.txt");
        boolean c = b.createNewFile();
        System.out.println("Text File created="+c);
    }
}
```

5. Program to write the data in text file.

```
import java.io.FileWriter;
import java.io.IOException;

public class D {

    //to write the File
    public static void main(String[] args) throws
IOException {
        FileWriter f=new FileWriter("ABC.txt");
        f.write("HELLO JAVA");
        f.flush();
        f.close();
        System.out.println("Written successfully");
    }
}
```

6. Program to read the data in text file.

```
import java.io.FileNotFoundException;
import java.io.FileReader;
import java.util.Scanner;

public class E {

    //to Read the File
    public static void main(String[] args) throws
FileNotFoundException {
        FileReader f=new FileReader("ABC.txt");
        Scanner sc=new Scanner(f);
        String d=sc.nextLine();
        System.out.println(d);
    }
}
```

7. Program to delete the file.

```
import java.io.File;

public class F {

    //to Delete the File
    public static void main(String[] args) {
        File file = new File("Java/A.txt");
        boolean deleted = file.delete();
        System.out.println(deleted);
    }
}
```

8. Program to delete the folder.

```
import java.io.File;

public class G {

    //to Delete a Folder
    public static void main(String[] args) {

        File file = new File("Java");
        boolean deleted = file.delete();
        System.out.println(deleted);
    }
}
```

9. Complete the following task.

Create School Folder.

Create sub folder Department in School .


Create sub folder Staff in Department.

Create 5 teachers File in & Create 5 Students File Staff.


Write Teachers & Students Data in each file .

For example(Teacher-Id, Name, Address, Phone no)

10. Complete the following task.



11. Complete the following task.



12. Complete the following task.

