



CJC
Complete Java Classes

OVERRIDING (POLYMORPHISM) TASK: -

List of tasks related to Overriding (Polymorphism)–

Question 1. Define Overriding. What are advantages and example of Overriding?

Question 2. Explain the syntax rules of Overriding?

Question 3. Difference between Overloading and Overriding in java?

Question 4. Can we override static method? If yes then how?

Question 5. Can we override java main method? If yes then how?

Question 6. Check the above program of overriding and method calling correct or not. What will be the output?



CJC
Complete Java Classes

```
public class Parent {
```

```
    void diplay(){
```

```
        System.out.println("Parent_ diplay_method");
```

```
    }
```

```
    private void m1(){
```

```
        System.out.println("parent_m1");
```

```
    }
```

```
    protected void m2() {
```

```
        System.out.println("parent_m2");
```

```
    }
```

```
    public static void m3(){
```

```
        System.out.println("parent_m3");
```

```
    }
```

```
}
```

```
public class Child extends Parent{
```

```
    @Override
```

```
    public void diplay() {
```



CJC
Complete Java Classes

```
        System.out.println("Child_display_method");
    }
    private void m1(){
        System.out.println("child_m1");
    }
    @Override
    public void m2(){
        System.out.println("child_m2");
    }
    public static void m3(){
        System.out.println("child_m3");
    }
}

public class Test{
    public static void main(String[] args) {
        Parent p = new Parent();
        p.display();
    }
}
```



CJC
Complete Java Classes

```
p.m1();  
p.m2();  
p.m3();  
Parent p1 = new Child();  
p1.diplay();  
p1.m1();  
p1.m2();  
p1.m3();  
}  
}
```

Question 7. What will be the output of the program

```
public class Animal {  
    public void move(){  
        System.out.println("Animals can move");  
    }  
}
```



CJC
Complete Java Classes

```
public class Dog extends Animal {
```

```
    public void move(){
```

```
        System.out.println("Dogs can walk and run");
```

```
    }
```

```
    public void bark(){
```

```
        System.out.println("Dogs can bark");
```

```
    }
```

```
}
```

```
public class Test {
```

```
    public static void main(String args[]){
```

```
        Animal a = new Animal();
```

```
        a.move();
```

```
        Animal b = new Dog();
```

```
        b.move();
```

```
    }
```

```
}
```

THANK YOU