



Dependency Injection(DI)

Setter-Based Dependency Injection-

1. Create a Student class having fields (sId, sName, sAddress, sPhoneNo) and create their Setter-Getters then create bean file and perform DI by using SetterBased Injection and call it through Test class.
2. Create a Customer class having fields (cId, cName, cAddress, cPhoneNo, cEmailId) and create their Setter-Getters then create bean file and create 5 bean of Customer class and perform DI by using Setter-Based Injection and call it through Test class.
3. Create a Person class having fields (pId, pName, pAddress, pPhoneNo) and create their Setter-Getters then create bean file and create 4 bean of Person class , perform DI by using Setter-Based Injection and call it through Test class.
4. Create a Department class having fields (dId, dName, dAddress, emp).it also contain reffernce (Has-A) of Employee class having fields (eId, eName, eAddress) and create their Setter-Getters then create bean file and perform DI by using Setter-Based Injection and call it through Test Class.



by Kunal Sir

5. Create a Bank class having fields (bId, bName, bAddress, cus). It also contains a reference (Has-A) of Customer class having fields (cId, cName, cAddress) and create their Setter-Getters then create bean file and create 2 beans of Customer as well as Bank class and perform separate DI by using Setter-Based Injection and call it through Test Class.

6. Create a Company class having fields (cId, List<String> employeeNames, Set<Integer> employeeNumbers, Map companyProjects) and create their Setter-Getters, then create bean file and perform DI by using SetterBased Injection and call it through Test Class and also iterate list, set and map in it.

7. Create a Car class having fields (cId, List carManufacturerNames, Map salesAndManufacturer) and create their Setter-Getters, then create bean file and perform DI by using Setter-Based Injection and call it through Test class and also iterate list and map in it by using iterator as well as enhanced for loop.

8. Create a Student class having fields (sId, sName, sAddress) after that create Teacher class having fields (tId, tName, tAddress, Map courseAndTheirDuration, stu) after that create Principal class having fields (pId, pName, Set teachersName, tea) after that create College class having



CJC

Complete Java Classes

by Kunal Sir

fields (cId, cName, List nameOfDepartments, pri) after that create University class having fields (uId, uName, col). Create their setter-getters and after that create bean file and perform DI using Setter-Based Injection and call it through Test Class and iterate list,set and map in it.



CJC

Complete Java Classes