

Bootstrap Components Assignment (Real-World Problems)

Alerts

Problem 1: Low Balance Alert (Alerts)

Scenario:

A banking website wants to notify users when their account balance drops below ₹500. The message should appear in a warning alert.

- The alert should have a **title**, a **subtitle message**, and a **help link**.
- The alert must be **dismissible**.

Task:

Create a **warning alert** with the title “Low Balance”, a subtitle “Your balance is below ₹500”, and a “Know More” link. Add a dismiss button that closes the alert.

Problem 2: Assignment Submission Success (Alerts)

Scenario:

A student portal needs to display a confirmation message after a student submits an assignment successfully.

- The alert should be styled as a **success alert**.
- It should include a **custom OK button** inside the alert.

Task:

Create a **success alert** that says “Assignment Submitted Successfully”. Include an **OK button** inside the alert, and allow the alert to be dismissed.

Problem 3: Order Cancellation Alert (Alerts)

Scenario:

An online food delivery website wants to notify users when their order is canceled.

- The alert should use the **danger theme (red)**.
- It should include a **dismiss button**.

☞ **Task:**

Create a **danger alert** with the title “Order Cancelled” and the subtitle “Payment has been refunded”. Add a close button.

Problem 4: New Blog Post Alert (Alerts)

Scenario:

A blogging platform needs to show a confirmation message when a user publishes a new blog post.

- The alert should be styled as a **primary alert**.
- It should contain a **link** to view the new post.

☞ **Task:**

Create a **primary alert** with the text “New post added successfully. View Post”. Make it dismissible.

Problem 5: Profile Update Notification (Alerts)

Scenario:

A company’s HR portal should display a notification when a user updates their profile.

- The alert should be an **info alert**.
- It should be dismissible.

☞ **Task:**

Create an **info alert** with the text “Profile Updated Successfully”. Add a dismiss button.

Modals

Problem 6: User Login Modal (Modals)

Scenario:

A shopping site wants to allow users to log in through a popup dialog.

- The modal should contain **username and password fields**.
- It should open on clicking a **Login button** and close on **Cancel**.

🔗 Task:

Create a **Login Modal** that opens with a button. Include Username and Password fields with Login and Cancel buttons.

Problem 7: User Registration Modal (Modals)

Scenario:

A travel booking website requires users to register before booking.

- The modal should contain **Name, Email, and Date of Travel fields**.
- It should open when clicking the **Register button**.

🔗 Task:

Create a **Register Modal** with a form (Name, Email, Date of Travel). Include Register and Reset buttons.

Problem 8: Product Detail Modal (Modals)

Scenario:

An e-commerce site wants to show product details in a fullscreen popup.

- The modal should contain a **product image and description**.
- It should open when the user clicks a **View Details button**.

🔗 Task:

Create a **fullscreen modal** that shows product details (image + description).

Problem 9: Feedback Form Modal (Modals)

Scenario:

A library website wants to collect feedback from users in a popup.

- The modal should contain a **textarea** for feedback.
- It should have **Submit and Cancel buttons**.

👉 Task:

Create a **centered modal** with a feedback form. Include Submit and Cancel buttons.

Problem 10: Playlist Modal (Modals)

Scenario:

A music app wants to allow users to select a playlist from a popup.

- The modal should list **multiple playlists** in a scrollable area.
- The modal should be dismissible.

👉 Task:

Create a **scrollable modal** containing a list of playlists.

Offcanvas

Problem 11: Shopping Menu (Offcanvas)

Scenario:

A shopping app wants a slide-in menu from the left.

- It should contain links: **Home, Cart, Orders**.
- The menu should open with a **hamburger button (≡)**.

🔑 Task:

Create a **left-side offcanvas menu** with navigation links.

Problem 12: Movie Posters Panel (Offcanvas)

Scenario:

A movie booking website wants to showcase upcoming movies.

- The offcanvas should open from the **right side**.
- It should display **movie posters**.

🔑 Task:

Create a **right-side offcanvas** with images of upcoming movies.

Problem 13: Breaking News Panel (Offcanvas)

Scenario:

A news website wants to display breaking news updates.

- The panel should slide up from the **bottom**.
- It should contain **scrollable news headlines**.

🔑 Task:

Create a **bottom offcanvas** with multiple news headlines.

Problem 14: Social Media Navbar (Offcanvas)

Scenario:

A social media app needs a mobile-friendly navigation bar.

- The navbar should slide down from the **top**.
- It should include links: **Feed, Messages, Notifications**.

☞ Task:

Create a **top offcanvas navbar** with links.

Problem 15: Music Playlist Panel (Offcanvas)

Scenario:

A music streaming app wants to show the current playlist.

- The offcanvas should be scrollable.
- It should open and close with buttons.

☞ Task:

Create an **offcanvas playlist panel** that shows a list of songs.

Carousel

Problem 16: Homepage Carousel (Carousel)

Scenario:

An educational site wants to display banners on its homepage.

- The carousel should contain **3 slides with images**.
- One slide must always be active.

🔑 Task:

Create a **basic carousel** with 3 image slides.

Problem 17: Destination Showcase (Carousel)

Scenario:

A travel agency wants to showcase tourist destinations.

- The carousel should use the **fade effect**.
- It should auto-slide between images.

🔑 Task:

Create a **fade carousel** with 3 travel destination images.

Problem 18: Product Showcase (Carousel)

Scenario:

An e-commerce website wants to showcase products.

- The carousel should have **next and previous controls**.
- It should display product images.

🔑 Task:

Create a **carousel with navigation controls** for 3 product images.

Problem 19: Blog Image Carousel (Carousel)

Scenario:

A tech blog wants to highlight featured posts.

- The carousel should include **indicators (dots)**.
- Users should be able to jump to any slide.

🔑 Task:

Create a **carousel with indicators** for 3 slides.

Problem 20: Food Delivery App Carousel (Carousel)

Scenario:

A food delivery app wants to display categories (Pizza, Burger, Drinks).

- Each slide should have a **different interval time** (1s, 3s, 5s).
- It should contain images of food.

🔑 Task:

Create a **carousel with different intervals per slide**.

Code Format :

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Bootstrap Components Assignment</title>

  <!-- Bootstrap 5 CDN -->

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">

  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>

</head>

<body class="p-4">

  <h1 class="text-center mb-4">Bootstrap Components Assignment</h1>

  <!-- ===== -->

  <!-- 🚨 ALERTS -->

  <!-- ===== -->

  <!-- Problem 1: Low Balance Alert (Alerts)

Scenario:

A banking website wants to notify users when their account balance drops below ₹500.

- The alert should have a title, subtitle message, and a help link.

- The alert must be dismissible.

Task:

Create a warning alert with the title "Low Balance", a subtitle, and a "Know More" link. Add a
dismiss button.

-->

<div class="mb-4">
```

```
<!-- Code here -->
```

```
</div>
```

```
<!-- Problem 2: Assignment Submission Success (Alerts) -->
```

```
<!-- Scenario:
```

A student portal needs to display a confirmation message after a student submits an assignment successfully.

Task:

Create a success alert with the text “Assignment Submitted Successfully”. Include an OK button inside the alert and make it dismissible.

```
-->
```

```
<div class="mb-4">
```

```
<!-- Code here -->
```

```
</div>
```

```
<!-- Problem 3: Order Cancellation Alert (Alerts) -->
```

```
<!-- Scenario:
```

An online food delivery website wants to notify users when their order is canceled.

Task:

Create a danger alert with the text “Order Cancelled – Payment Refunded”. Make it dismissible.

```
-->
```

```
<div class="mb-4">
```

```
<!-- Code here -->
```

```
</div>
```

```
<!-- Problem 4: New Blog Post Alert (Alerts) -->
```

```
<!-- Scenario:
```

A blogging platform shows a message when a user publishes a post.

Task:

Create a primary alert with “New post added successfully. View Post” and make it dismissible.

```
-->
```

```
<div class="mb-4">
```

```
<!-- Code here -->

</div>
```

```
<!-- Problem 5: Profile Update Notification (Alerts) -->
```

```
<!-- Scenario:
```

A company's HR portal shows a message when a user updates their profile.

Task:

Create an info alert with "Profile Updated Successfully" and make it dismissible.

```
-->
```

```
<div class="mb-4">
```

```
<!-- Code here -->
```

```
</div>
```

```
<!-- ===== -->
```

```
<!-- 🗨 MODALS -->
```

```
<!-- ===== -->
```

```
<!-- Problem 6: User Login Modal (Modals) -->
```

```
<!-- Scenario:
```

A shopping site wants to allow users to log in via popup.

Task:

Create a modal with Username and Password fields. Add Login and Cancel buttons.

```
-->
```

```
<div class="mb-4">
```

```
<!-- Code here -->
```

```
</div>
```

```
<!-- Problem 7: User Registration Modal (Modals) -->
```

```
<!-- Scenario:
```

A travel booking site requires registration.

Task:

Create a modal with Name, Email, and Date of Travel fields. Add Register and Reset buttons.

-->

```
<div class="mb-4">
```

```
  <!-- Code here -->
```

```
</div>
```

<!-- Problem 8: Product Detail Modal (Modals) -->

<!-- Scenario:

An e-commerce site wants to show product details in fullscreen.

Task:

Create a fullscreen modal with a product image and description.

-->

```
<div class="mb-4">
```

```
  <!-- Code here -->
```

```
</div>
```

<!-- Problem 9: Feedback Form Modal (Modals) -->

<!-- Scenario:

A library wants to collect feedback.

Task:

Create a centered modal with a textarea for feedback. Add Submit and Cancel buttons.

-->

```
<div class="mb-4">
```

```
  <!-- Code here -->
```

```
</div>
```

<!-- Problem 10: Playlist Modal (Modals) -->

<!-- Scenario:

A music app allows playlist selection.

Task:

Create a scrollable modal listing multiple playlists.

-->

<div class="mb-4">

<!-- Code here -->

</div>

<!-- ===== -->

<!-- 📺 OFFCANVAS -->

<!-- ===== -->

<!-- Problem 11: Shopping Menu (Offcanvas) -->

<!-- Scenario:

A shopping app needs a left-side menu.

Task:

Create an offcanvas with links: Home, Cart, Orders.

-->

<div class="mb-4">

<!-- Code here -->

</div>

<!-- Problem 12: Movie Posters Panel (Offcanvas) -->

<!-- Scenario:

A movie booking site shows upcoming movies.

Task:

Create a right-side offcanvas with images of upcoming movies.

-->

<div class="mb-4">

<!-- Code here -->

</div>

<!-- Problem 13: Breaking News Panel (Offcanvas) -->

<!-- Scenario:

A news site shows breaking updates.

Task:

Create a bottom offcanvas with scrollable news headlines.

-->

```
<div class="mb-4">
```

```
  <!-- Code here -->
```

```
</div>
```

```
<!-- Problem 14: Social Media Navbar (Offcanvas) -->
```

```
<!-- Scenario:
```

A social media app needs a top navbar.

Task:

Create a top offcanvas with links: Feed, Messages, Notifications.

-->

```
<div class="mb-4">
```

```
  <!-- Code here -->
```

```
</div>
```

```
<!-- Problem 15: Music Playlist Panel (Offcanvas) -->
```

```
<!-- Scenario:
```

A music streaming app shows the current playlist.

Task:

Create a scrollable offcanvas panel that lists songs.

-->

```
<div class="mb-4">
```

```
  <!-- Code here -->
```

```
</div>
```

```
<!-- ===== -->
```

```
<!-- 🐾 CAROUSEL -->
```

```
<!-- ===== -->
```

<!-- Problem 16: Homepage Carousel (Carousel) -->

<!-- Scenario:

An educational site wants homepage banners.

Task:

Create a basic carousel with 3 image slides.

-->

<div class="mb-4">

<!-- Code here -->

</div>

<!-- Problem 17: Destination Showcase (Carousel) -->

<!-- Scenario:

A travel agency wants to show destinations.

Task:

Create a fade carousel with 3 travel images.

-->

<div class="mb-4">

<!-- Code here -->

</div>

<!-- Problem 18: Product Showcase (Carousel) -->

<!-- Scenario:

An e-commerce site showcases products.

Task:

Create a carousel with next/previous controls for 3 product images.

-->

<div class="mb-4">

<!-- Code here -->

</div>

<!-- Problem 19: Blog Image Carousel (Carousel) -->

<!-- Scenario:

A tech blog highlights featured posts.

Task:

Create a carousel with indicators for 3 slides.

-->

<div class="mb-4">

<!-- Code here -->

</div>

<!-- Problem 20: Food Delivery App Carousel (Carousel) -->

<!-- Scenario:

A food app wants to show categories.

Task:

Create a carousel with different intervals per slide (1s, 3s, 5s).

-->

<div class="mb-4">

<!-- Code here -->

</div>

</body>

</html>