

Form handling in React

In client-side application form are used to take the information or data from end-users, that data can be use to perform client side operations or server side operations.

In User-interface form are by default handle by DOM object. In React we take this control from DOM object and allow particular component to handle the from.

Ways to handle the form in React

1. Using useState hook.
2. Using useForm hook.

1. Using useState():-

In useState() hook we declare the state and once user enter some value in from input (onChange) the we update the state.

And on submit event we read the current state.

```
4 function Search()
5 {
6   const [productName,setProductName]=useState("");
7   function handelSubmit(e)
8   {
9     alert("From is submitted")
10    e.preventDefault();
11    console.log("Product Name:- "+productName)
12  }
13  function handelChange(e)
14  {
15    setProductName(e.target.value);
16  }
17  return (
18    <div className='box'>
19      <h1>Search here..!</h1>
20      <form onSubmit={handelSubmit}>
21        <label>Enter Product name..!</label>
22        <input type='text' onChange={ handelChange }/>
23        <button type='submit'>Search</button>
24      </form>
25      <h1>User searched:- {productName}</h1>
26    </div>
27  )
28 }
```



CJC

Complete Java Classes

by Kunal Sir

```
src > component > login > JS Login.js > ...
```

```
1  import { useState } from 'react';
2  import './Login.css'
3  function Login()
4  {
5      let defaultUser={
6          username:'abc123',
7          password:'abc@123'
8      }
9      const [userDetails,setUserDetails]  =useState(defaultUser);
10
11      function onLogin(e)
12      {
13          alert('Login submit..!')
14          e.preventDefault();
15          console.log(userDetails)
16      }
17      function handelChange(e)
18      {
19          setUserDetails(preUserDetails=>({
20              ...preUserDetails,
21              [e.target.name]:e.target.value
22          }))
23      }
24  }
```

```
26      return <div className='box'>
27          <h1>Login Here..!</h1>
28          <form onSubmit={onLogin}>
29              <label>Enter username</label>
30              <input type='text' name="username"
31                  value={userDetails.username} onChange={ handelChange}/><br/><br/>
32
33              <label>Enter Password</label>
34              <input type='text' name="password"
35                  value={userDetails.password} onChange={handelChange}/><br/><br/>
36
37              <button type='submit'>Login</button>
38
39          </form>
40      </div>
41  }
42
43  export default Login;
```



CJC

Complete Java Classes

by Kunal Sir

2. Using useFrom(): -

react-hook-form is a JavaScript library which has useForm hook, useForm() hook make it easy to create and handle the form in react.

useForm() hook return an object which has below property.

register: the property stores a function expression, which is use to bind the form field with input, and also for validating user input.

handleSubmit: this property contains a function which automatically invoke on form submit event, it accepts a callback function to omit the form data

reset: a function to reset the form data.

setValue(fieldname,value): to partially set the value of form field

to use useForm hook install react-hook-form library.

npm install react-hook-form



CJC

Complete Java Classes

by Kunal Sir

```
src > component > register > JS Register.js > Register
1  import { useForm } from 'react-hook-form';
2  import './Register.css'
3
4  function Register()
5  {
6
7      const {register ,handleSubmit,setValue } = useForm()
8
9      function getFromData (parameter) fromData: any
10     {
11         console.log(fromData)
12     }
13
14     return (<div className='box'>
15         <h1> Sign-Up Here..!</h1>
16
17         <form onSubmit={handleSubmit(getFromData)}>
18             <label>Enter First Name</label>
19             <input type='text' {...register('firstName')}/><br/><br/>
20
21             <label>Enter Last Name</label>
22             <input type='text' {...register('lastName')}/><br/><br/>
23
24             <label>Enter Age </label>
25             <input type='text' {...register('age')}/><br/><br/>
26
27             <label>Enter Email id</label>
28             <input type='text' {...register('email')}/><br/><br/>
29
30             <button type='submit'>Submit</button>
31         </form>
32
33     </div>
34 )
35
36 }
37
38 export default Register;
```