




CSS Float and Display



CSS Float and Display

[Go to Video Page](#) →


Your Notes


CSS Float and Display







Float : right;





To remove the float property for html element we use 'clear : value of float which is applied' property.



Float and Display pptx.pdf - Adobe Reader

File Edit View Window Help

CSS Float Properties

skill academy

| Property | Description | Values |
|----------|---|----------------------------|
| float | Specifies the position of the element, whether it should float or not, and where it should float. | left, right, none, inherit |

Values description

| Property | Value | Description |
|----------|---------|---|
| float | left | To make the element float to the left side of the container. |
| float | right | To make the element float to the right side of the container. |
| float | inherit | To inherit the float value of the parent element. |
| float | none | No float. |

CSS Float

Float properties

CSS Display

Display properties

Float and Display pptx.pdf - Adobe Reader

File Edit View Window Help

CSS Float Properties

skill academy

Example:

```
<body>
</img>
<h2 class="profile name">Kunal</h2>
<h4 class="profile">Web designer</h4>
<p class="profile">Web design refers to <span
style="color: skyblue">the design of websites
that are displayed on the internet </span>. It
usually refers to the user experience aspects of
website development rather than software
development... A web designer works on the
appearance, layout, and, in some cases, content
of a website. The professionals who perform this
process are called web designers</p>
</body>
```

```
img{
width: 100px;
height: 100px;
border-radius: 15px;
border-color: grey;
border-style: groove;
border-width: 10px;
margin: 5px;
float: left;
}

.profile{
margin-left: 190px;
}
```

CSS Float

Float properties

CSS Display

Display properties

Float and Display pptx.pdf - Adobe Reader

File Edit View Window Help

CSS Clear

skill academy

- To clear the next element that flows around the floating element, a **clear** property is used.
- The **clear** property is used to specify what should happen to the next element that is next to the floating element.

| Property | Description | Values |
|----------|---|----------------------------------|
| clear | To clear the next element that flows around the floating element. If the next element is to be positioned below, not left or right of the floating element. | left, right, both, none, inherit |

CSS Float

Float properties

CSS Display

Display properties

CSS Clear

skill academy

Example:

```
<body>
  </img>
  <h2 class="profile name">Kunal</h2>
  <h4 class="profile">Web designer</h4>
  <p class="profile">Web design refers to <span
style="color: skyblue"> the design of websites
that are displayed on the internet </span>. It
usually refers to the user experience aspects of
website development rather than software
development.... A web designer works on the
appearance, layout, and, in some cases, content
of a website. The professionals who perform this
process are called web designers</p>
</body>
```

```
img{
width: 100px;
height: 100px;
border-radius: 15px;
border-color: grey;
border-style: groove;
border-width: 10px;
margin: 5px;
float: left;
}

.profile{
clear:left;
}
```

CSS Float Float properties CSS Display Display properties

CSS Display Property

skill academy

- The **display** property is used to specify how the element should be displayed on the web page.
- The **display** property is used to control the layout of the display.
- Every HTML element has a default display property, depending on their type.
 - Block level element - starts on a new line.
 - Inline element - does not start in a new line, takes up necessary space.
- To override the default display nature of the elements, the **display** property is used.
- The **display** property specifies the display behavior (type of rendering box - all elements are considered to be surrounded by the rectangular box in HTML) of an element.

CSS Float Float properties CSS Display Display properties

CSS Display Property

skill academy

Values and Description of **display** property

| Value | Description |
|--------------|---|
| inline | Does not force the line break, makes the element take only the required space. |
| inline-block | Same as value inline, but addition to that height and width can be applied to the elements. |
| block | Make the element take as much horizontal space as they can. |
| run-in | Displays the element as block or inline depending on the content. |
| none | Totally removes the element from the page. Does not provide any space. |
| flex | Displays an element as a block level flex container. |
| grid | Displays an element as a block level grid container. |

CSS Float Float properties CSS Display Display properties

