

Media in HTML

Topics covered:

- What is media?
- How can images be included in HTML?
- How can audio/sounds/videos be added to your web page?
- How to include the youtube link and make them play in your web page?

Topics in detail:

Media:

- Media on the web page is images, sounds, videos, and animations.
- Media elements can be included in different formats.

Images in HTML:

- Images can be added to the web page by using the tag ``. Images are linked to the web pages and not inserted in the web pages.
- `` tag can be included in the `<body>` of the HTML document.
- Attributes of `` tag:
 - **src** - source attribute specifies the path of the image that needs to be displayed/linked to the web page.
 - **alt** - alternate attribute specifies the alternate text that has to be displayed on the web page in case of issues in viewing the image (slow connection).
 - **width** and **height** attributes are used to define the width and height of the image in pixels.
- Syntax: ``

- Example:

```
</img>
```

Common image formats:

File extension	File format
.png	Portable Network Graphics
.jpg, .jpeg, .jfif, .pjpeg, .jpg	Joint Photographic Expert Group image
.svg	Scalable Vector Graphics
.gif	Graphics Interchange Format
.apng	Animated Portable Network Graphics

Audio in HTML:

- <audio> element is used to include and play audio files in the HTML.
- The <source> element allows you to specify the audio link.
- Multiple <source> elements can be included under a single <audio> element, where the browser will choose the first recognized format.
- Play, pause and volume can be controlled by using the **controls** attribute to the audio element.
- The text in between the <audio> and </audio> element will be displayed when the browser does not support the included audio source.
- Example:

```
<audio controls autoplay>
```

```
<source src="alligator.mp3" type="audio/ogg">
```

```
Your browser does not support the audio element.
```

```
</audio>
```

- Output:



- As the controls attribute is given there is an option for play, pause and volume control in the audio, and since autoplay is given before clicking the play button the sound will be played.
- If the controls attribute is not given, then nothing will be displayed in the output screen, only the audio will be played automatically without any controls.

Common audio formats:

File extension	File format
mp3	MPEG audio Layer-3.
ogg	Ogging
wav	Waveform Audio File Format

Video in HTML:

- <video> element is used to include and play audio files in the HTML.
- The <source> element allows you to specify the audio link.
- Multiple <source> elements can be included under a single <video> element, where the browser will choose the first recognized format.
- Play, pause and volume can be controlled by using the **controls** attribute to the audio element.
- The text in between the <video> and </video> element will be displayed when the browser does not support the included audio source.
- Width and height attributes can be added to specify the area of the video clip and to avoid unwanted flickering.
- Example:

```
<video width="320" height="240" autoplay>
  <source src="video1.mp4" type="video/mp4">
  Your browser does not support the video tag.
</video>
```


- Output:



- In the above example, as the controls attribute is not included in the <video> element no control is there in the output for play, pause and volume adjustment.
- Example:

```
<video controls width="320" height="240" autoplay>
  <source src="video1.mp4" type="video/mp4">
  Your browser does not support the video tag.
</video>
```

- Output:



Iframes:

- HTML Iframes are used to display a webpage within a webpage.
- <iframe> is an inline level tag.
- Youtube videos can be played inside a webpage by using <iframe> tag.
- Example:

```
<iframe width="420" height="315"
src="https://www.youtube.com/embed/tgbNymZ7vqY">
</iframe>
```

- Options like autoplay, mute, loop, and controls can be added along with the youtube link for additional features.
- Autoplay of a youtube video is not allowed, however it is allowed when the video is muted.
- Example (Autoplay + Mute):

```
<iframe width="420" height="315"
src="https://www.youtube.com/embed/tgbNymZ7vqY?autoplay=1&mute=1">
</iframe>
```

- To play the video loop=1 has to be added along with the youtube link.
- Example (loop):

```
<iframe width="420" height="315"
src="https://www.youtube.com/embed/tgbNymZ7vqY?playlist=tgbNymZ7vqY&loop=1">
</iframe>
```

- By default the player control will be displayed for youtube video, the default value of controls is 1.

Utility of topics learned in Static linkedin page project:

Images and video:

The image illustrates the utility of topics learned in a static LinkedIn page project, specifically focusing on images and video. It shows a browser view of a static LinkedIn profile and two callout boxes detailing the code and output for images and video.

Image Callout:

CODE

```



```

Images in folder

- 1.svg
- 2.svg
- 3.svg

Output

The output shows three small image icons (1, 2, 3) rendered on the page.

Video Callout:

CODE

```
<video width="100%" controls class="post_item_body_video" style="outline:none;">
  <source src="demo.mp4" type="video/mp4">
</video>
```

Video in folder

- demo.mp4

Output

The output shows a video player rendered on the page, displaying a rocket launch video.