Date of Submission:

Experiment No.2
Mapping ER/EER to Relational schema model.
Date of Performance:



Vidyavardhini's College of Engineering and Technology

Department of Artificial Intelligence & Data Science

Aim :- Prepare the schema for Relational Model with the ER/ERR diagram, drawn for the identified case study in experiment no.1.

Objective :- To map the Entity Relationship (ER) / Extended Entity-Relationship (EER) Diagram to Relational Model schema and learn to incorporate various schema-based constraints.

Theory:

Mapping an Entity-Relationship (ER) model to a relational database schema involves translating the conceptual model represented in the ER diagram into tables and relationships in a relational database management system (DBMS). Here are the general rules for mapping ER to a schema in a DBMS:

1. Entities to Tables:

- a. Each entity in the ER diagram corresponds to a table in the relational schema.
- b. The attributes of the entity become the columns of the table.
- c. The primary key of the entity becomes the primary key of the table.

2. Relationships to Tables:

- a. Many-to-Many Relationships:
 - i. Convert each many-to-many relationship into a new table.
 - ii. Include foreign key columns in this table to reference the participating entities.
 - iii. The primary key of this table may consist of a combination of the foreign keys from the participating entities.
- b. One-to-Many and One-to-One Relationships:
 - i. Represented by foreign key columns in one of the participating tables.
 - ii. The table on the "many" side of the relationship includes the foreign key column referencing the table on the "one" side.
 - iii. The foreign key column typically references the primary key of the related table.

3. Attributes to Columns:

- a. Each attribute of an entity becomes a column in the corresponding table.
- b. Choose appropriate data types for each attribute based on its domain and constraints.
- c. Ensure that attributes participating in relationships are represented as foreign keys when needed.

4. Primary and Foreign Keys:

- a. Identify the primary key(s) of each table based on the primary key(s) of the corresponding entity.
- b. Ensure referential integrity by defining foreign keys in tables to establish relationships between them.
- c. Foreign keys should reference the primary key(s) of related tables.



Vidyavardhini's College of Engineering and Technology Department of Artificial Intelligence & Data Science

d. Ensure that foreign keys have appropriate constraints, such as ON DELETE CASCADE or ON UPDATE CASCADE, to maintain data integrity.

5. Cardinality Constraints:

- a. Use the cardinality constraints from the ER diagram to determine the multiplicity of relationships in the relational schema.
- b. Ensure that the constraints are enforced through the appropriate use of primary and foreign keys.


6. Normalization:


- a. Normalize the schema to minimize redundancy and dependency.
- b. Follow normalization rules such as First Normal Form (1NF), Second Normal Form (2NF), Third Normal Form (3NF), etc., to ensure data integrity and minimize anomalies.

7. Indexing and Optimization:

- a. Consider indexing frequently queried columns to improve query performance.
- b. Evaluate the schema design for optimization opportunities based on query patterns and performance requirements.

Implementation:





Conclusion:

1. write definition of relational schema and notations

Relational Schema and Notations:

Definition: Relational schema organizes data in a database. It consists of relation schemas, detailing attributes and types. Notations represent these schemas.

Notations:

Relation Name: Uppercase. Attribute Names: Lowercase. Attribute Types: Data types. Primary Key: Underlined.

Foreign Key: Dashed underline or different font.

Referential Integrity Constraints: Arrows connecting foreign keys to primary keys.

2. write various schema-based constraints

Various Schema-based Constraints:

Primary Key Constraint: Ensures uniqueness.

Foreign Key Constraint: Maintains referential integrity.

Unique Constraint: Enforces uniqueness.

Check Constraint: Specifies conditions for validity. Not Null Constraint: Requires non-null values. Default Constraint: Provides default values. Check Constraint: Limits acceptable values.

Assertion Constraint: Global condition for the database.