


# Add the terminal status check

An introduction to C#




# Screenshot of Visual Studio



Coding the  
Console.ReadLine

Coding the  
Console.WriteLine

Introducing written  
context on the  
console




```
Microsoft Visual Studio Debug Console
Type the cereal box you would like to buy: Choco Krispis
Choco Krispis
Country of Origin: Mexico

C:\Users\LIB\source\repos\saines007\CS077-Fall-2026-Team\02-Week-02-Systems-Online\evidence\TerminalCheck\bin\Debug\TerminalCheck.exe (process 15552) exited with code 0 (0x0).
To automatically close the console when debugging stops, enable Tools->Options->Debugging->Automatically close the console when debugging stops.
Press any key to close this window . . .|
```

Successfully completed tutorial in  
Console.

In this part of the assignment we successfully used the Console.ReadLine and Console.WriteLine to ask the user what type of cereal they would like.



The screenshot shows the Visual Studio IDE with the 'TerminalCheck' project open. The main window displays the source code for 'TerminalCheckProgram.cs'. The code uses 'Console.ReadLine()' to get user input and 'Console.WriteLine()' to display the cereal name and its country of origin. The 'Output' window at the bottom shows the program's execution, including the user input 'Choco Krispis' and the resulting output 'Choco Krispis' and 'Country of Origin: Mexico'.


```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;

namespace TerminalCheck
{
    [reference]
    internal class Program
    {
        static string chocoKrispis = "Choco Krispis\n Country of Origin: Mexico";

        [reference]
        static void Main(string[] args)
        {
            Console.WriteLine("Type the cereal box you would like to buy: ");
            if (Console.ReadLine() == "Choco Krispis")
            {
                Console.WriteLine(chocoKrispis);
            }
            else Console.WriteLine("Sorry, we don't have that cereal box in stock.");
        }
    }
}
```

Output

```
TerminalCheck.exe (CLR v4.0.30319; DefaultDomain): Loaded 'C:\Windows\Microsoft.Net\assembly\GAC_32\mscorlib.v4.0.30319_x-ww_65958641\mscorlib.dll'. Skipped loading symbols. Module
TerminalCheck.exe (CLR v4.0.30319; DefaultDomain): Loaded 'C:\Users\LIB\source\repos\saines007\CS077-Fall-2026-Team\02-Week-02-Systems-Online\Evidence\TerminalCheck\bin\Debug\TerminalChe
TerminalCheck.exe (CLR v4.0.30319; TerminalCheck.exe): Loaded 'C:\Program Files\Microsoft Visual Studio\2019\Community\Common7\IDE\Remote Debugger\x64\Shimless\Microsoft.VisualStudio.Debug
The program '[7200] TerminalCheck.exe' has exited with code 0 (0x0).
```



The screenshot shows a 'Microsoft Visual Studio Debug' console window. It displays the program's output, including the user input 'Choco Krispis' and the resulting output 'Choco Krispis' and 'Country of Origin: Mexico'. The window also shows the program's exit code and a message to press any key to close the window.

```
Type the cereal box you would like to buy: Choco Krispis
Choco Krispis
Country of Origin: Mexico

C:\Users\LIB\source\repos\saines007\CS077-Fall-2026-Team\02-Week-02-Systems-Online\Evidence\TerminalCheck\bin\Debug\Term
inalCheck.exe (process 15552) exited with code 0 (0x0).
To automatically close the console when debugging stops, enable Tools->Options->Debugging->Automatically close the conso
le when debugging stops.
Press any key to close this window . . .|
```