Test Run Report




Test Run Overview

Started 18 Oct 2021, 11:38:47 Ended 18 Oct 2021, 11:42:07

Duration (mm:ss) 03:20.301

Test Results Summary





Test Case Summary

tests

CustomAPI.testcase

EmailURL.testcase

Sale & Service

Service.testcase

- A preceding UI Connect step is required.
- A Selenium connection is required.

• Error opening Salesforce UI Connection. Connection Name: Admin, cause: [NullPointerException Stack Trace: java.lang.NullPointerException at com.provar.core.testapi.ProvarSeleniumDriver.getWebBrowserSize(ProvarSeleniumDriver.java:967) at com.provar.core.testapi.ProvarSeleniumDriver.<init>(ProvarSeleniumDriver.java:580) at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performConnect(SfUiHandler.java:259) at

com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performScreenOpen(SfUiHandler.java:335) at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:383) at

com.provar.plugins.forced ot com.core.connection.SfConnectionHandler.delegate ToUi Handler (SfConnectionHandler.java: 346) and the state of the st

 $at\ com.provar.plugins.forced ot com.core.connection. SfConnection Handler.perform (SfConnection Handler.java: 337)\ at$

com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:857) at com.provar.plugins.forcedotcom.core.ui.ui.WithScreen.execute(UWithScreen.java:203) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native

Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:754) at

com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.dolnvokeTestApi(LocalTestExecutionContainerRunner.java:744) at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access

\$11(LocalTestExecutionContainerRunner.java:676) at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner \$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1400)]

- One or more Sub-Test Steps failed.
- A preceding UI Connect step is required.

WebService.testcase

successful

failed

failed

failed

successful

successful

CustomAPI.testcase

Output

- Get First Date Of Current Month: # date
 - ① Hello from customapis.GetFirstDateOfCurrentMonth

EmailURL.testcase

Output

- Subscribe: Gmail
 - Subscribing to a message source Gmail
 - ① Subscribing to a Google Mail folder. Subscription Name: mail, User: shubham.saini@provartesting.com, Folder: INBOX
- Send Message: SendMail
 - (i) Sending Message from: SendMail
- Wait For: {mail.messageCount > 0}=>{30}
 - (i) Start of attempt 1.
 - Attempt 1
 - 1 The condition was not met sleeping for 30 seconds.
 - ① Received message for Google Mail subscription. Subscription Name: mail, connectionName: Gmail, message ld: 158, from: s6557230@gmail.com, subject: URL
 - (i) Start of attempt 2.
 - Attempt 2
 - (i) Wait ending because the condition has been met.
- Match: {mail.messages.bodyText}=>\b((?:https?|ftp|file)://[-a-zA-Z0-9+&@#/%?=~_|!:,.:]*)=>ExtractedURL
 - ① Compiling pattern. RegEx: \b((?:https?|ftp|file)://[-a-zA-Z0-9+&@#/%?=~_|l:,.;]*), caseInsensitive: false
 - 1 Found match. Number: 1, Range: 147-177, Value: https://www.provartesting.com/
 - i End of matching. Match count: 1
 - (i) Stored matches. Result name: ExtractedURL

Service.testcase

Output

- Salesforce Connect: Admin (Test)
 - (i) Connecting to Salesforce as Admin
 - Successfully connected to Salesforce as Admin
- Call Sales
 - Sales
 - Salesforce Connect: Admin (Test)
 - (i) Connecting to Salesforce as Admin
 - (i) Re-using existing connection. Connection: Admin, Result Name: Admin
 - Set Values: LeadCompany
 - (i) Setting value LeadLastName to Sam L3M
 - Successfully set LeadLastName to Sam L3M
 - (i) Setting value LeadCompany to abc L3O
 - Successfully set LeadCompany to abc L3O
 - Set Values: var.AccountName

- (i) Setting value var. AccountName to Sam Account L44
- Successfully set var. AccountName to Sam Account L44

Set Values: var.ContactLName

- Setting value ContactSalutation to Mr.
- Successfully set ContactSalutation to Mr.
- (i) Setting value var.ContactFName to First LZ8
- Successfully set var.ContactFName to First LZ8
- Setting value var.ContactLName to Last LZA
- Successfully set var.ContactLName to Last LZA
- Set Values: FullName
 - Setting value FullName to First LZ8 Last LZA
 - Successfully set FullName to First LZ8 Last LZA
- Set Values: OppName
 - Setting value OppName to New Opp LZX
 - (i) Successfully set OppName to New Opp LZX
- Create Object: Lead=>LeadId
 - ① Creating a new Salesforce object. Connection Name: Admin, Name: Lead, field count: 2
 - A Salesforce Object not found for Builtin Tab. Key prefix: WorkBadgeDefinition
 - A Salesforce Object not found for Builtin Tab. Key prefix: WorkBadge
 - ⚠ Salesforce Object not found for Builtin Tab. Key prefix: Quote
 - ⚠ Metadata Connection retry was successful. Method: checkRetrieveStatus
 - A Partner Connection retry was successful. Method: describeSObjects
 - (i) Setting fields:
 - 1 = Field => Company = abc L3O
 - i =Field=> LastName = Sam L3M
 - Lead created successfully. Object Id: 00Q5g000008Gn3sEAC, Result Name: LeadId
 - ① Logging Salesforce Object Id for clean up. Object Name: Lead, id: 00Q5g000008Gn3sEAC
- On SF Lead All Open Leads list view
 - ① Start of With Screen. Connection Name: Admin, target: sf:ui:target?object=Lead&action=List&listView=AllOpenLeads
 - ① Opening Chrome webdriver instance to https://login.salesforce.com/
 - ① Successfully opened Chrome webdriver to https://login.salesforce.com/
 - Error opening Salesforce UI Connection. Connection Name: Admin, cause: [NullPointerException Stack Trace: java.lang.NullPointerException at com.provar.core.testapi.ProvarSeleniumDriver.getWebBrowserSize(ProvarSeleniumDriver.java:967) at com.provar.core.testapi.ProvarSeleniumDriver.java:580) at

com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performConnect(SfUiHandler.java:259) at

com.provar.piugins.forcedotcom.core.ui.SfUiHandier.performConnect(SfUiHandier.java:259) at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performScreenOpen(SfUiHandler.java:335) at

com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:333) at

com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:346)

at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:337) at

com.provar.core.test execution.common.java.Test Execution Context Impl. do Connection Operation (Test Execution Context Impl. java: 857)

at com.provar.plugins.forcedotcom.core.ui.UiWithScreen.execute(UiWithScreen.java:203) at

sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at

sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at

java.lang.reflect.Method.invoke(Method.java:498) at

com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:754) at

com.provar.core.test execution.container.java.Local Test Execution Container Runner.doInvoke Test Api (Local Test Execution Container Runner.java:744)

at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access

\$11(LocalTestExecutionContainerRunner.java:676) at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner \$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1400)]

- With Lead rows {Name = Sam L3M AND Company = abc L3O}
 - ① Start of With Row. Connection Name: Admin, target: sf:ui:locator:row?table=List%2FlistView%2FlistTable
 - A preceding UI Connect step is required.
 - A Selenium connection is required.
- With Lead rows {Name = \$LeadLastName}

- One or more Sub-Test Steps failed.
- A preceding UI Connect step is required.
- On SF Lead View screen
- On SF Lead Convert screen
- Read Object: Lead = {Id}
- On SF Account Home screen
- On SF Account View screen
- Read Object: Opportunity = {OpportunityId.Id}
- On SF Opportunity Products related list
- On SF Opportunity Product Select Product screen
- On SF Opportunity Product Add Product screen
- On SF Opportunity Products related list
- Set Values: var.conld
- Mrite: {var}=>templates/writeworkbook.xlsx
- (i) Handling managed resource. Name: Admin
- (i) Salesforce Connection handled successfully. Name: Admin
- Salesforce Connect: Admin (Test)
- Read Excel
- On SF Case Home screen
- Set Values: CaseOrigin
- On SF Case New screen
- On SF Related Record (Case) component in Case view
- On SF Record Detail component in Case view
- 6 On SF Account View screen
- On SF Record Detail component in Case view
- On SF Contact View screen
- Read Object: Case = {caseId}

WebService.testcase

Output

- Web Connect: JsonAPI
 - ① Opening RestService connection Connection name: JsonAPI
 - ① Connecting to restservice. Address: https://jsonplaceholder.typicode.com/

Connection name: JsonAPI, ResultName: JsonAPI, resultScope: Test

- ① Connection details. Connection name: JsonAPI, urlString: restservice:url= https://jsonplaceholder.typicode.com/;authenticationType=NO_AUTHENTICATION, url: https://jsonplaceholder.typicode.com/
- Web Request (REST): #GetRestResponse
 - ① Calling a Web Service. Connection Name: JsonAPI, target: rest:untyped?method=GET&bodyStyle=JSON
 - (i) Connecting to website. Address: https://jsonplaceholder.typicode.com/posts/1
 - 1 Reading response. Content Type: application/json; charset=utf-8, Encoding: null
 - Parsing JSON response.
 - (i) REST Response stored successfully. Name: GetRestResponse
 - ① Web Response Status stored successfully. Name: RestResponseStatus
- Web Request (REST): #PostRestResponse
 - ① Calling a Web Service. Connection Name: JsonAPI, target: rest:untyped?method=POST&bodyStyle=JSON
 - ① Connecting to website. Address: https://jsonplaceholder.typicode.com/posts/
 - (i) Sending body. Length: 85
 - 1 Reading response. Content Type: application/json; charset=utf-8, Encoding: null
 - (i) Parsing JSON response.
 - (i) REST Response stored successfully. Name: PostRestResponse
 - 1 Web Response Status stored successfully. Name: RestResponseStatus

Web Request (REST): #PutRestResponse

- ① Calling a Web Service. Connection Name: JsonAPI, target: rest:untyped?method=PUT&bodyStyle=JSON
- ① Connecting to website. Address: https://jsonplaceholder.typicode.com/posts/1
- (i) Sending body. Length: 85
- ① Reading response. Content Type: application/json; charset=utf-8, Encoding: null
- (i) Parsing JSON response.
- ① REST Response stored successfully. Name: PutRestResponse
- ① Web Response Status stored successfully. Name: RestResponseStatus