# Test Run Report




## **Test Run Overview**

Started 18 Oct 2021, 12:44:47 Ended 18 Oct 2021, 12:47:17

Duration (mm:ss) 02:30.101

# **Test Results Summary**





## **Test Case Summary**



tom.provar.plugins.forcedotcom.core.connection.addet.delegate foolinatidet(siconnectionleaddet.gava:337) at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:337) at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:857) at com.provar.plugins.forcedotcom.core.ui.UiWithRow.execute(UiWithRow.java:121) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at

sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:754) at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:744) at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access

\$11(LocalTestExecutionContainerRunner.java:676) at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner \$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1400) ]

One or more Sub-Test Steps failed.

WebService.testcase

successful

# CustomAPI.testcase

## Output

- Get First Date Of Current Month: # date
  - ① Hello from customapis.GetFirstDateOfCurrentMonth

# EmailURL.testcase

## Output

- Subscribe: Gmail
  - Subscribing to a message source Gmail
  - ⑤ Subscribing to a Google Mail folder. Subscription Name: mail, User: shubham.saini@provartesting.com, Folder: INBOX
- Send Message: SendMail
  - (i) Sending Message from: SendMail
- Wait For: {mail.messageCount > 0}=>{30}
  - (i) Start of attempt 1.
  - Attempt 1
  - 1 The condition was not met sleeping for 30 seconds.
  - ① Received message for Google Mail subscription. Subscription Name: mail, connectionName: Gmail, message Id: 166, from: s6557230@gmail.com, subject: URL
  - (i) Start of attempt 2.
  - Attempt 2
  - (i) Wait ending because the condition has been met.
- Match: {mail.messages.bodyText}=>\b((?:https?|ftp|file)://[-a-zA-Z0-9+&@#/%?=~\_|!:,.:]\*)=>ExtractedURL
  - ① Compiling pattern. RegEx: \b((?:https?|ftp|file)://[-a-zA-Z0-9+&@#/%?=~\_|l:,.;]\*), caseInsensitive: false
  - 1 Found match. Number: 1, Range: 147-177, Value: https://www.provartesting.com/
  - i End of matching. Match count: 1
  - (i) Stored matches. Result name: ExtractedURL

# Service.testcase

## Output

- Salesforce Connect: Admin (Test)
  - (i) Connecting to Salesforce as Admin
  - ⚠ Warning connected to Salesforce as Admin
- Call Sales
  - Sales
    - Salesforce Connect: Admin (Test)
      - (i) Connecting to Salesforce as Admin
      - (1) Re-using existing connection. Connection: Admin, Result Name: Admin
    - Set Values: LeadCompany
      - (i) Setting value LeadLastName to Sam NVU
      - Successfully set LeadLastName to Sam NVU
      - (i) Setting value LeadCompany to abc NVW
      - (i) Successfully set LeadCompany to abc NVW
    - Set Values: var.AccountName

- (i) Setting value var. AccountName to Sam Account NW6
- Successfully set var.AccountName to Sam Account NW6

## Set Values: var.ContactLName

- Setting value ContactSalutation to Mr.
- Successfully set ContactSalutation to Mr.
- (i) Setting value var.ContactFName to First OUM
- ① Successfully set var.ContactFName to First OUM
- Setting value var.ContactLName to Last OUO
- Successfully set var.ContactLName to Last OUO

#### Set Values: FullName

- (i) Setting value FullName to First OUM Last OUO
- Successfully set FullName to First OUM Last OUO

## Set Values: OppName

- ① Setting value OppName to New Opp OV2
- Successfully set OppName to New Opp OV2

#### Create Object: Lead=>LeadId

- ① Creating a new Salesforce object. Connection Name: Admin, Name: Lead, field count: 2
- A Failed to connect to Master Lock Manager in timeout period assuming dead. Host: localhost, port: 55212
- Setting fields:
- i =Field=> Company = abc NVW
- 1 =Field=> LastName = Sam NVU
- Lead created successfully. Object Id: 00Q5g000008GnXfEAK, Result Name: LeadId
- ① Logging Salesforce Object Id for clean up. Object Name: Lead, id: 00Q5g000008GnXfEAK


#### Sleep for {10} seconds

i Doing timed sleep. Requested duration(seconds): 10

Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10

## On SF Lead All Open Leads list view

- ① Start of With Screen. Connection Name: Admin, target: sf:ui:target?object=Lead&action=List&listView=AllOpenLeads
- ① Opening Chrome webdriver instance to https://login.salesforce.com/
- ① Successfully opened Chrome webdriver to https://login.salesforce.com/
- (i) Opening Page context. Name: screen, data: null, frame: null
- ① Opening Salesforce page. Object: Lead, RelatedList: null, Action: List, Page URL: /lightning/o/00Q/list?filterName=00B5g00000ROLjc, Current URL: chrome://new-tab-page/
- (i) Opening Salesforce user home page
- (i) Successfully opened user home page
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- With Lead rows {Name = Sam NVU AND Company = abc NVW}



#### Error Screenshot

- ① Start of With Row. Connection Name: Admin, target: sf:ui:locator:row?table=List%2FlistView%2FlistTable
- ① Find element using xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'listViewContent') or contains(@class, 'listViewContainer')]//tbody//tr
- (i) Waiting for element to be present. Timeout(seconds): 10
- 1 Populating webelement cells into the row Row Count: 17

Populated the row elements.

- ① Applying row locator to rows. Row Count: 17, Row Locator: {Name = \$LeadLastName AND Company = \$LeadCompany}
- (i) Testing row number 1

- (i) Resolving EqualTo. Bertha Boxer = Sam NVU, result: false
- (1) Resolving EqualTo. Farmers Coop. of Florida = abc NVW, result: false
- 1 Testing row number 2
- (i) Resolving EqualTo. Betty Bair = Sam NVU, result: false
- 1 Resolving EqualTo. American Banking Corp. = abc NVW, result: false
- 1 Testing row number 3
- 1 Resolving EqualTo. Brenda Mcclure = Sam NVU, result: false
- (i) Resolving EqualTo. Cadinal Inc. = abc NVW, result: false
- Testing row number 4
- (1) Resolving EqualTo. David Monaco = Sam NVU, result: false
- 1 Resolving EqualTo. Blues Entertainment Corp. = abc NVW, result: false
- 1 Testing row number 5
- (1) Resolving EqualTo. Jeff Glimpse = Sam NVU, result: false
- (1) Resolving EqualTo. Jackson Controls = abc NVW, result: false
- Testing row number 6
- (i) Resolving EqualTo. Kathy Snyder = Sam NVU, result: false
- (i) Resolving EqualTo. TNR Corp. = abc NVW, result: false
- (i) Testing row number 7
- (i) Resolving EqualTo. Kristen Akin = Sam NVU, result: false
- (1) Resolving EqualTo. Aethna Home Products = abc NVW, result: false
- (i) Testing row number 8
- (1) Resolving EqualTo. Mike Braund = Sam NVU, result: false
- (i) Resolving EqualTo. Metropolitan Health Services = abc NVW, result: false
- Testing row number 9
- (i) Resolving EqualTo. Norm May = Sam NVU, result: false
- (i) Resolving EqualTo. Greenwich Media = abc NVW, result: false
- Testing row number 10
- (i) Resolving EqualTo. Patricia Feager = Sam NVU, result: false
- (1) Resolving EqualTo. International Shipping Co. = abc NVW, result: false
- i Testing row number 11
- (i) Resolving EqualTo. Phyllis Cotton = Sam NVU, result: false
- (1) Resolving EqualTo. Abbott Insurance = abc NVW, result: false
- Testing row number 12
- (i) Resolving EqualTo. Sam 1I1 = Sam NVU, result: false
- (i) Resolving EqualTo. abc 1I1 = abc NVW, result: false
- 1 Testing row number 13
- (1) Resolving EqualTo. Sam A5V = Sam NVU, result: false
- (i) Resolving EqualTo. abc A5V = abc NVW, result: false
- (i) Testing row number 14
- (i) Resolving EqualTo. Sam EC5 = Sam NVU, result: false
- (i) Resolving EqualTo. abc EC5 = abc NVW, result: false
- Testing row number 15
- (i) Resolving EqualTo. Sam EY0 = Sam NVU, result: false
- (i) Resolving EqualTo. abc EY3 = abc NVW, result: false
- Testing row number 16

- (i) Resolving EqualTo. Sam GWV = Sam NVU, result: false
- (i) Resolving EqualTo. abc GWV = abc NVW, result: false
- ① Testing row number 17
- (i) Resolving EqualTo. Sam GYB = Sam NVU, result: false
- (i) Resolving EqualTo. abc GYB = abc NVW, result: false
- 1 The row locator did not match any rows. Hence doing pagination
- (i) Scrolling the page to lazy load the records
- Failed to perform row openLayout. Cause: [NullPointerException Stack Trace: java.lang.NullPointerException at sun.misc.FloatingDecimal.readJavaFormatString(FloatingDecimal.java:1838) at sun.misc.FloatingDecimal.parseDouble(FloatingDecimal.java:110) at java.lang.Double.parseDouble(Double.java:538) at java.lang.Double.valueOf(Double.java:502) at

com.provar.plugins.forcedotcom.core.ui.SfUiHandler.autoPaginateForLightningListViewModes(SfUiHandler.java:5080)

at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performRowOpenLayout(SfUiHandler.java:4903) at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performRowOpen(SfUiHandler.java:4676) at

com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:393) at

com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:346)

at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:337) at

com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:857)

at com.provar.plugins.forcedotcom.core.ui.UiWithRow.execute(UiWithRow.java:121) at

sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at

sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at

sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at

java.lang.reflect.Method.invoke(Method.java:498) at

com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:754) at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:744) at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access

\$11(LocalTestExecutionContainerRunner.java:676) at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner \$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1400) ]

- Going to update browser window handles.
- Successfully updated browser window handles.
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- With Lead rows {Name = \$LeadLastName}
- One or more Sub-Test Steps failed.
- (1) Closing Page context. Name: screen, data: null, frame: null
- (1) Main window reselected. Window: main
- ⑤ Switched focus to main window. URL: https://provartesting36-dev-ed.lightning.force.com/lightning/o/Lead/list? filterName=00B5g00000ROLjc
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- On SF Lead View screen
- On SF Lead Convert screen
- Read Object: Lead = {Id}
- 6 On SF Account Home screen
- 6 On SF Account View screen
- Read Object: Opportunity = {OpportunityId.Id}
- On SF Opportunity Products related list
- On SF Opportunity Product Select Product screen
- On SF Opportunity Product Add Product screen
- On SF Opportunity Products related list
- Set Values: var.conld
- Write: {var}=>templates/writeworkbook.xlsx
- Handling managed resource. Name: Admin
- (i) Salesforce Connection handled successfully. Name: Admin
- Salesforce Connect: Admin (Test)
- Read Excel
- On SF Case Home screen
- Set Values: CaseOrigin
- On SF Case New screen
- On SF Related Record (Case) component in Case view
- On SF Record Detail component in Case view

- On SF Account View screen
- A On SF Record Detail component in Case view
- On SF Contact View screen
- Read Object: Case = {caseId}

# WebService.testcase

#### Output

- Web Connect: JsonAPI
  - ① Opening RestService connection Connection name: JsonAPI
  - ① Connecting to restservice. Address: https://jsonplaceholder.typicode.com/

Connection name: JsonAPI, ResultName: JsonAPI, resultScope: Test

- ① Connection details. Connection name: JsonAPI, urlString: restservice:url= https://jsonplaceholder.typicode.com/;authenticationType=NO\_AUTHENTICATION, url: https://jsonplaceholder.typicode.com/
- Web Request (REST): #GetRestResponse
  - ① Calling a Web Service. Connection Name: JsonAPI, target: rest:untyped?method=GET&bodyStyle=JSON
  - ① Connecting to website. Address: https://jsonplaceholder.typicode.com/posts/1
  - 1 Reading response. Content Type: application/json; charset=utf-8, Encoding: null
  - (i) Parsing JSON response.
  - (i) REST Response stored successfully. Name: GetRestResponse
  - ① Web Response Status stored successfully. Name: RestResponseStatus
- Web Request (REST): #PostRestResponse
  - ① Calling a Web Service. Connection Name: JsonAPI, target: rest:untyped?method=POST&bodyStyle=JSON
  - ① Connecting to website. Address: https://jsonplaceholder.typicode.com/posts/
  - (i) Sending body. Length: 85
  - (i) Reading response. Content Type: application/json; charset=utf-8, Encoding: null
  - 1 Parsing JSON response.
  - 1 REST Response stored successfully. Name: PostRestResponse
  - ① Web Response Status stored successfully. Name: RestResponseStatus
- Web Request (REST): #PutRestResponse
  - ① Calling a Web Service. Connection Name: JsonAPI, target: rest:untyped?method=PUT&bodyStyle=JSON
  - (i) Connecting to website. Address: https://jsonplaceholder.typicode.com/posts/1
  - (i) Sending body. Length: 85
  - 1 Reading response. Content Type: application/json; charset=utf-8, Encoding: null
  - (i) Parsing JSON response.
  - (i) REST Response stored successfully. Name: PutRestResponse
  - 1 Web Response Status stored successfully. Name: RestResponseStatus