Test Run Report





Test Run Overview

Started 18 Oct 2021, 13:01:42 Ended 18 Oct 2021, 13:06:48

Duration (mm:ss) 05:06.023

Test Results Summary





Test Case Summary



- Error opening Salesforce UI Connection. Connection Name: Admin, cause: [WebDriverException: disconnected: Unable to receive message from renderer (Session info: chrome=94.0.4606.81) (Driver info: chromedriver=93.0.4577.63 (ff5c0da2ec0adeaed5550e6c7e98417dac77d98a-refs/branch-heads/4577@(#1135)),platform=Windows NT 10.0.17763 x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 740 milliseconds Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'DELL-SHUBHAMSAI', ip: '192.168.1.13', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=30000.0, script=30000.0}, hasTouchScreen=false, platform=XP, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localihost:54722}, webauthn:extension:credBlob=true, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, webauthn:extension:largeBlob=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome=(chromedriverVersion=93.0.4577.63 (ff5c0da2ec0adeaed5550e6c7e98417dac77d98a-refs/branch-heads/4577@(#1135)), userDataDir=C:\Users\shubham.saini\Training Use Case WS\.provarCaches\.chromeProfiles\profileo\}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=94.0.4606.81, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true)] Session ID: 3bdaf1889d123dbc2e1a774c1e91364e]
- One or more Sub-Test Steps failed.

WebService.testcase

successful

CustomAPI.testcase

Output

- Get First Date Of Current Month: # date
 - ① Hello from customapis.GetFirstDateOfCurrentMonth

EmailURL.testcase

Output

- Subscribe: Gmail
 - Subscribing to a message source Gmail
 - ⑤ Subscribing to a Google Mail folder. Subscription Name: mail, User: shubham.saini@provartesting.com, Folder: INBOX
- Send Message: SendMail
 - (i) Sending Message from: SendMail
- Wait For: {mail.messageCount > 0}=>{30}
 - (i) Start of attempt 1.
 - Attempt 1
 - 1 The condition was not met sleeping for 30 seconds.
 - ① Received message for Google Mail subscription. Subscription Name: mail, connectionName: Gmail, message Id: 168, from: s6557230@gmail.com, subject: URL
 - (i) Start of attempt 2.
 - Attempt 2
 - (i) Wait ending because the condition has been met.
- Match: {mail.messages.bodyText}=>\b((?:https?|ftp|file)://[-a-zA-Z0-9+&@#/%?=~_|!:,.:]*)=>ExtractedURL
 - ① Compiling pattern. RegEx: \b((?:https?|ftp|file)://[-a-zA-Z0-9+&@#/%?=~_|l:,.;]*), caseInsensitive: false
 - 1 Found match. Number: 1, Range: 147-177, Value: https://www.provartesting.com/
 - 1 End of matching. Match count: 1
 - (i) Stored matches. Result name: ExtractedURL

Service.testcase

Output

- Salesforce Connect: Admin (Test)
 - (i) Connecting to Salesforce as Admin
 - Successfully connected to Salesforce as Admin
- Call Sales
 - Sales
 - Salesforce Connect: Admin (Test)
 - (i) Connecting to Salesforce as Admin
 - (1) Re-using existing connection. Connection: Admin, Result Name: Admin
 - Set Values: LeadCompany
 - (i) Setting value LeadLastName to Sam 96Y
 - (i) Successfully set LeadLastName to Sam 96Y
 - (i) Setting value LeadCompany to abc 972
 - Successfully set LeadCompany to abc 972
 - Set Values: var.AccountName

- (i) Setting value var. AccountName to Sam Account 97U
- ① Successfully set var.AccountName to Sam Account 97U

Set Values: var.ContactLName

- Setting value ContactSalutation to Mr.
- Successfully set ContactSalutation to Mr.
- (i) Setting value var.ContactFName to First AJG
- Successfully set var.ContactFName to First AJG
- (i) Setting value var.ContactLName to Last AJJ
- (i) Successfully set var.ContactLName to Last AJJ

Set Values: FullName

- (i) Setting value FullName to First AJG Last AJJ
- (i) Successfully set FullName to First AJG Last AJJ

Set Values: OppName

- (i) Setting value OppName to New Opp AK1
- Successfully set OppName to New Opp AK1

Create Object: Lead=>LeadId

- ① Creating a new Salesforce object. Connection Name: Admin, Name: Lead, field count: 2
- A Failed to connect to Master Lock Manager in timeout period assuming dead. Host: localhost, port: 60433
- (i) Setting fields:
- i =Field=> Company = abc 972
- i =Field=> LastName = Sam 96Y
- Lead created successfully. Object Id: 00Q5g000008GnZ7EAK, Result Name: LeadId
- ① Logging Salesforce Object Id for clean up. Object Name: Lead, id: 00Q5g000008GnZ7EAK

On SF Lead All Open Leads list view

- 1 Start of With Screen. Connection Name: Admin, target: sf:ui:target?object=Lead&action=List&listView=AllOpenLeads
- (i) Opening Chrome webdriver instance to https://login.salesforce.com/
- ① Successfully opened Chrome webdriver to https://login.salesforce.com/
- ① Opening Page context. Name: screen, data: null, frame: null
- ① Opening Salesforce page. Object: Lead, RelatedList: null, Action: List, Page URL: /lightning/o/00Q/list?filterName=00B5g00000ROLjc, Current URL: chrome://new-tab-page/
- Opening Salesforce user home page
- Successfully opened user home page
- Going to update browser window handles.
- (i) Successfully updated browser window handles.
- Sleep for {10} seconds
 - i Doing timed sleep. Requested duration(seconds): 10

Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10

With Lead rows {Name = Sam 96Y AND Company = abc 972}

- ① Start of With Row. Connection Name: Admin, target: sf:ui:locator:row?table=List%2FlistView%2FlistTable
- ① Find element using xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'listViewContent') or contains(@class, 'listViewContainer')]//tbody//tr
- (i) Waiting for element to be present. Timeout(seconds): 10
- Populating webelement cells into the row Row Count: 17

Populated the row elements.

- ① Applying row locator to rows. Row Count: 17, Row Locator: {Name = \$LeadLastName AND Company = \$LeadCompany}
- Testing row number 1
- (i) Resolving EqualTo. Bertha Boxer = Sam 96Y, result: false
- (1) Resolving EqualTo. Farmers Coop. of Florida = abc 972, result: false

- (i) Testing row number 2
- (i) Resolving EqualTo. Betty Bair = Sam 96Y, result: false
- (1) Resolving EqualTo. American Banking Corp. = abc 972, result: false
- 1 Testing row number 3
- (i) Resolving EqualTo. Brenda Mcclure = Sam 96Y, result: false
- (i) Resolving EqualTo. Cadinal Inc. = abc 972, result: false
- Testing row number 4
- (i) Resolving EqualTo. David Monaco = Sam 96Y, result: false
- (1) Resolving EqualTo. Blues Entertainment Corp. = abc 972, result: false
- 1 Testing row number 5
- (i) Resolving EqualTo. Jeff Glimpse = Sam 96Y, result: false
- (i) Resolving EqualTo. Jackson Controls = abc 972, result: false
- 1 Testing row number 6
- (i) Resolving EqualTo. Kathy Snyder = Sam 96Y, result: false
- (i) Resolving EqualTo. TNR Corp. = abc 972, result: false
- Testing row number 7
- (i) Resolving EqualTo. Kristen Akin = Sam 96Y, result: false
- (i) Resolving EqualTo. Aethna Home Products = abc 972, result: false
- 1 Testing row number 8
- (i) Resolving EqualTo. Mike Braund = Sam 96Y, result: false
- (1) Resolving EqualTo. Metropolitan Health Services = abc 972, result: false
- 1 Testing row number 9
- (i) Resolving EqualTo. Norm May = Sam 96Y, result: false
- (1) Resolving EqualTo. Greenwich Media = abc 972, result: false
- 10 Testing row number 10
- (i) Resolving EqualTo. Patricia Feager = Sam 96Y, result: false
- 1 Resolving EqualTo. International Shipping Co. = abc 972, result: false
- Testing row number 11
- (i) Resolving EqualTo. Phyllis Cotton = Sam 96Y, result: false
- (1) Resolving EqualTo. Abbott Insurance = abc 972, result: false
- 12 Testing row number 12
- (i) Resolving EqualTo. Sam 1I1 = Sam 96Y, result: false
- (i) Resolving EqualTo. abc 1I1 = abc 972, result: false
- Testing row number 13
- (i) Resolving EqualTo. Sam 96Y = Sam 96Y, result: true
- (i) Resolving EqualTo. abc 972 = abc 972, result: true
- (i) Row number 13 matched

The row locator matched 1 row.

- Going to update browser window handles.
- Successfully updated browser window handles.
- UI Assert
 - (i) Start of UiAssert. Connection: Admin
 - (i) Resolving field Name
 - ① Switched focus to main window. URL: https://provartesting36-dev-ed.lightning.force.com/lightning/o/Lead/list? filterName=00B5g00000ROLjc
 - i) Doing before wait. waitUrl: default

- i End of <default> wait.
- ① Found element: [[[[ChromeDriver: chrome on XP (3bdaf1889d123dbc2e1a774c1e91364e)] -> xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'listViewContent') or contains(@class, 'listViewContainer')]//tbody//tr]] -> xpath: th//span//*[self::a or self::span[not(contains(@class, 'photoContainer'))]]]
- (i) Asserting field attributes: Name
- ① Asserting Attribute: value to PrimitiveValueImpl [value: Sam 96Y, valueId=0, createdUpdateSeq=55, updatedUpdateSeq=55]
- Assertion successful.Sam 96Y EqualTo Sam 96Y
- (i) Object read successfully. Result Name: Values
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- All Sub-Test Steps were successful.
- Going to update browser window handles.
- i Successfully updated browser window handles.

With Lead rows {Name = Sam 96Y}

- Start of With Row. Connection Name: Admin, target: sf:ui:locator:row?table=List%2FlistView%2FlistTable
- ① Find element using xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]// div[contains(@class, 'listViewContent') or contains(@class, 'listViewContainer')]//tbody//tr
- (i) Waiting for element to be present. Timeout(seconds): 10
- (i) Populating webelement cells into the row Row Count: 33

Populated the row elements.

- ① Applying row locator to rows. Row Count: 33, Row Locator: {Name = \$LeadLastName}
- Testing row number 1
- (i) Resolving EqualTo. Bertha Boxer = Sam 96Y, result: false
- (i) Testing row number 2
- (i) Resolving EqualTo. Betty Bair = Sam 96Y, result: false
- Testing row number 3
- (i) Resolving EqualTo. Brenda Mcclure = Sam 96Y, result: false
- Testing row number 4
- (i) Resolving EqualTo. David Monaco = Sam 96Y, result: false
- (i) Testing row number 5
- (i) Resolving EqualTo. Jeff Glimpse = Sam 96Y, result: false
- 1 Testing row number 6
- (i) Resolving EqualTo. Kathy Snyder = Sam 96Y, result: false
- Testing row number 7
- (i) Resolving EqualTo. Kristen Akin = Sam 96Y, result: false
- Testing row number 8
- Resolving EqualTo. Mike Braund = Sam 96Y, result: false
- (i) Testing row number 9
- (i) Resolving EqualTo. Norm May = Sam 96Y, result: false
- 10 Testing row number 10
- (1) Resolving EqualTo. Patricia Feager = Sam 96Y, result: false
- Testing row number 11
- (i) Resolving EqualTo. Phyllis Cotton = Sam 96Y, result: false
- (i) Testing row number 12
- (i) Resolving EqualTo. Sam 1I1 = Sam 96Y, result: false
- (i) Testing row number 13
- (i) Resolving EqualTo. Sam 96Y = Sam 96Y, result: true

(i) Row number 13 matched

The row locator matched 1 row.

- Going to update browser window handles.
- Successfully updated browser window handles.

Click the Name field

- ① Start of Interact. Connection: Admin, Locator: ui:locator?name=Name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DLead%26field%3DName, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=Name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DLead%26field%3DName
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provartesting36-dev-ed.lightning.force.com/lightning/o/Lead/list? filterName=00B5g00000ROLjc
- i Interaction: ui:interaction?name=action
- 1 Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[[[ChromeDriver: chrome on XP (3bdaf1889d123dbc2e1a774c1e91364e)] -> xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'listViewContent') or contains(@class, 'listViewContainer')]//tbody//tr]] -> xpath: th//span//*[self::a or self::span[not(contains(@class, 'photoContainer'))]]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Sam 96Y, href: javascript:void(0);]
- ① Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- All Sub-Test Steps were successful.
- Going to update browser window handles.
- Successfully updated browser window handles.
- (i) All Sub-Test Steps were successful.
- (1) Closing Page context. Name: screen, data: null, frame: null
- (1) Main window reselected. Window: main
- 1 Switched focus to main window. URL: https://provartesting36-dev-ed.lightning.force.com/lightning/r/Lead/00Q5g000008GnZ7EAK/view
- Going to update browser window handles.
- Successfully updated browser window handles.

On SF Lead View screen

- ① Start of With Screen. Connection Name: Admin, target: sf:ui:target?object=Lead&action=View&noOverride=true
- (i) Opening Page context. Name: screen, data: null, frame: null
- Activating detailTab tab
- ① Hover>Clicking WebElement. WebElement [tag: a, text: Details, href: javascript:void(0)]
- Going to update browser window handles.
- Successfully updated browser window handles.

Click the Convert button

- ① Start of Interact. Connection: Admin, Locator: ui:locator?name=Convert&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DLead %26action%3DConvert, before wait: default, after wait: default, auto retry: default
- 1 Locator: ui:locator?name=Convert&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DLead%26action%3DConvert
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provartesting36-dev-ed.lightning.force.com/lightning/r/Lead/00Q5g000008GnZ7EAK/view
- ① Interaction: ui:interaction?name=action
- (i) Activating detailTab tab
- ① Hover>Clicking WebElement. WebElement [tag: a, text: Details, href: javascript:void(0)]
- ① Click element using xpath: //*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or

contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]]/*[[self::header and contains(@class, 'spaner')) or (self::one-record-home-flexipage2)]//*[[self::header and contains(@class, 'sbaner')) or (self::force-highlights2)]//ii[contains(@class, 'slds-dropdown-trigger') and contains(@class, 'slds-button_last')]

- ① Hover>Clicking WebElement. WebElement [tag: li, text: 0, text: Show more actions]
- ① Find action link element using xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasActiveSubtab')]))) //*[(self::div and contains(@class, 'flexipageBaseRecordHomeTemplateDesktop')) or (self::one-record-home-flexipage2)]//div[contains(@class, 'actionsContainer')] | // div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'vsible')])//*[self::a or self::button][@name='Convert' or text() = 'Convert']
- (1) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[ChromeDriver: chrome on XP (3bdaf1889d123dbc2e1a774c1e91364e)] -> xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabSet') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]//*[[self::div and contains(@class, 'flexipageBaseRecordHomeTemplateDesktop')) or (self::one-record-home-flexipage2)]//div[contains(@class, 'actionsContainer')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//*[self::a or self::button][@name='Convert' or text() = 'Convert']]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Convert, href: javascript:void(0)]
- ① Doing after wait. waitUrl: default
- i End of <default> wait.
- Going to update browser window handles.
- Successfully updated browser window handles.
- i All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null
- i Main window reselected. Window: main
- 1 Switched focus to main window. URL: https://provartesting36-dev-ed.lightning.force.com/lightning/r/Lead/00Q5g000008GnZ7EAK/view
- Going to update browser window handles.
- Successfully updated browser window handles.

On SF Lead Convert screen

- ① Start of With Screen. Connection Name: Admin, target: sf:ui:target?object=Lead&action=Convert
- (1) Opening Page context. Name: screen, data: null, frame: null
- ① Hover>Clicking WebElement. WebElement [tag: h2, text: Convert Lead]
- Going to update browser window handles.
- Successfully updated browser window handles.

Set the Account Name field to Sam Account 97U

- ① Start of Interact. Connection: Admin, Locator: ui:locator?name=name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount %26field%3Dname, before wait: default, after wait: default, auto retry: default
- Locator: ui:locator?name=name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3Dname
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provartesting36-dev-ed.lightning.force.com/lightning/r/Lead/00Q5g000008GnZ7EAK/view
- 1 Interaction: ui:interaction?name=set
- ① Find element using xpath: //*[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal')) or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'navexWorkspace') and contains(@class, 'navexWorkspace')) and contains(@class, 'navexWorkspace') and cont

(contains(@class, 'runtime_sales_leadConvertSectionDesktop'))][1]//div[contains(@class, 'entityPanel')]//div[contains(@class, 'col2')]//div[contains(@class, 'col2')]//div[contains(@class, 'col2')]//input

- (i) Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- End of <default> wait.
- ① Found element: [[ChromeDriver: chrome on XP (3bdaf1889d123dbc2e1a774c1e91364e)] -> xpath: //*[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabset'))] and ancestor::div[contains(@class, 'oneWorkspace') or contains(@class, 'wsTabset') and contains(@class, 'navexWorkspace') or contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]// div[contains(@class, 'runtime_sales_leadConvertDesktop')]/fieldset[contains(@class, 'slds-form-element') and (contains(@class, 'runtime_sales_leadConvertDesktop'))][1]//div[contains(@class, 'entityPanel')]//div[contains(@class, 'col2')]// div[contains(@class, 'createPanel')]//div[contains(@class, 'uinlputText')]//input]
- Got webElement. tagName: INPUT, id: 1:1920;a, type: text, class: input
- ① Typing value. tagName: INPUT, type: text, value: Sam Account 97U, blur: false
- i Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- Set the Salutation picklist to Mr.
 - ① Start of Interact. Connection: Admin, Locator: ui:locator?name=salutation&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DContact%26field%3Dsalutation, before wait: default, after wait: default, auto retry: default
 - 1 Locator: ui:locator?name=salutation&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DContact%26field%3Dsalutation
 - 1 Interaction: ui:interaction?name=set
 - ① Switched focus to main window. URL: https://provartesting36-dev-ed.lightning.force.com/lightning/r/Lead/00Q5g000008GnZ7EAK/view
 - 1 Interaction: ui:interaction?name=set
 - Expanding the Section: [[[[ChromeDriver: chrome on XP (3bdaf1889d123dbc2e1a774c1e91364e)] -> xpath: //
 *[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')))
 or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabSet') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace')) or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]//div[contains(@class, 'runtime_sales_leadConvertDesktop')]//fieldset[contains(@class, 'sds-form-element') and (contains(@class, 'runtime_sales_leadConvertDesktop')]//fieldset[contains(@class, 'colass, 'cola
 - ① Hover>Clicking WebElement. WebElement [tag: a, text: Contact, href: javascript:void(0);]
 - ① Find element using xpath: //*[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal')) or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'neWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabset'))] and ancestor::div[contains(@class, 'oreworkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'oreworkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'oreworkspace'))]/[div[contains(@class, 'runtime_sales_leadConvertDesktop')]//fieldset[contains(@class, 'slds-form-element') and (contains(@class, 'runtime_sales_leadConvertSectionDesktop')]/[2]//div[contains(@class, 'entityPanel')]//div[contains(@class, 'col2')]// div[contains(@class, 'createPanel')]//div[contains(@class, 'forceInputPicklist')]//a
 - (1) Waiting for element to be present. Timeout(seconds): 10
 - Doing before wait. waitUrl: default
 - i End of <default> wait.
 - ① Found element: [[ChromeDriver: chrome on XP (3bdaf1889d123dbc2e1a774c1e91364e)] -> xpath: //*[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabset'))] and ancestor::div[contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]]// div[contains(@class, 'runtime_sales_leadConvertDesktop')]/[eldset[contains(@class, 'entityPanel')]//div[contains(@class, 'col2')]// div[contains(@class, 'createPanel')]//div[contains(@class, 'forcelnputPicklist')]//a]
 - ① Got webElement. tagName: A, id: null, type: null, class: select

- (i) Typing value. tagName: A, type: null, value: Mr., blur: false
- ① Clicking WebElement. WebElement [tag: a, text: --None--, href: javascript:void(0);]
- ① Clicking WebElement. WebElement [tag: a, text: Mr., href: javascript:void(0);]
- i Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.
- (i) Successfully updated browser window handles.

Set the First Name field to First AJG

- ① Start of Interact. Connection: Admin, Locator: ui:locator?name=firstName&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DContact%26field%3DfirstName, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=firstName&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DContact%26field%3DfirstName
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provartesting36-dev-ed.lightning.force.com/lightning/r/Lead/00Q5g000008GnZ7EAK/view
- i Interaction: ui:interaction?name=set
- ① Find element using xpath: //*[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'neWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabset') and not(contains(@class, 'wsTabset')) and ancestor::div[contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'active') and (contains(@class, 'oneWorkspace')) or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'oneWorkspace') and (contains(@class, 'runtime_sales_leadConvertDesktop')]//fieldset[contains(@class,'slds-form-element') and (contains(@class,'runtime_sales_leadConvertSectionDesktop'))][2]//div[contains(@class,'entityPanel')]//div[contains(@class,'col2')]// div[contains(@class,'createPanel')]//div[contains(@class,'uilnputText')]//input
- (1) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[ChromeDriver: chrome on XP (3bdaf1889d123dbc2e1a774c1e91364e)] -> xpath: //*[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabset'))] and ancestor::div[contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]]// div[contains(@class, 'runtime_sales_leadConvertDesktop')]/[ieldset[contains(@class, 'slds-form-element') and (contains(@class, 'runtime_sales_leadConvertSectionDesktop'))][2]//div[contains(@class, 'entityPanel')]//div[contains(@class, 'createPanel')]//div[contains(@class, 'uiInputText')]//input]
- ① Got webElement. tagName: INPUT, id: 39:1976;a, type: text, class: input
- ① Typing value. tagName: INPUT, type: text, value: First AJG, blur: false
- i Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.
- Successfully updated browser window handles.

Set the Last Name field to Last AJJ

- ① Start of Interact. Connection: Admin, Locator: ui:locator?name=lastName&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DContact%26field%3DlastName, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=lastName&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DContact%26field%3DlastName
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provartesting36-dev-ed.lightning.force.com/lightning/r/Lead/00Q5g000008GnZ7EAK/view
- i Interaction: ui:interaction?name=set
- ① Find element using xpath: //*[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden')] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]/div[contains(@class,'runtime_sales_leadConvertDesktop')]/fieldset[contains(@class,'slds-form-element') and

(contains(@class,'runtime_sales_leadConvertSectionDesktop'))][2]//div[contains(@class,'entityPanel')]//div[contains(@class,'col2')]//div[contains(@class,'createPanel')]//div[5]//div[contains(@class,'ulnputText')]//input

- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[ChromeDriver: chrome on XP (3bdaf1889d123dbc2e1a774c1e91364e)] -> xpath: //*[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabset'))] and ancestor::div[contains(@class, 'oneWorkspace') or contains(@class, 'wsTabset') and contains(@class, 'navexWorkspace') or contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]]// div[contains(@class, 'runtime_sales_leadConvertDesktop')]/[fieldset[contains(@class, 'slds-form-element') and (contains(@class, 'runtime_sales_leadConvertDesktop'))][2]//div[contains(@class, 'entityPanel')]//div[contains(@class, 'createPanel')]//div[5]//div[contains(@class, 'uinput]
- Got webElement. tagName: INPUT, id: 47:1976;a, type: text, class: input
- Typing value. tagName: INPUT, type: text, value: Last AJJ, blur: false
- ① Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.
- (i) Successfully updated browser window handles.

Set the Opportunity Name field to New Opp AK1

- ① Start of Interact. Connection: Admin, Locator: ui:locator?name=name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3Dname, before wait: default, after wait: default, auto retry: default
- $\textbf{\textcircled{1}} Locator: ui:locator?name=name\&binding=sf\%3Aui\%3Abinding\%3Aobject\%3Fobject\%3DOpportunity\%26field\%3Dname(abinding) and the properties of the propert$
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provartesting36-dev-ed.lightning.force.com/lightning/r/Lead/00Q5g000008GnZ7EAK/view
- 1 Interaction: ui:interaction?name=set
- Expanding the Section: [[[[ChromeDriver: chrome on XP (3bdaf1889d123dbc2e1a774c1e91364e)] -> xpath: //
 *[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')))
 or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabSet') and not(contains(@class, 'wsTabSet') and not(contains(@class, 'wsTabSet') and contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'tabContent') and (contains(@class, 'tuntime_sales_leadConvertDesktop')]//fieldset[contains(@class, 'sds-form-element') and (contains(@class, 'tuntime_sales_leadConvertDesktop'))]/[3]//div[contains(@class, 'contains(@class, 'contains
- ① Hover>Clicking WebElement. WebElement [tag: a, text: Opportunity, href: javascript:void(0);]
- ① Find element using xpath: //*[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'nasPrinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabset'))] and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabset'))] and ancestor::div[contains(@class, 'oneWorkspace')) or contains(@class, 'navexWorkspace')) and contains(@class, 'active') and (contains(@class, 'oneWorkspace')) or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPrinnedRegionTemplate') and contains(@class, 'oneWorkspace')) and contains(@class, 'runtime_sales_leadConvertDesktop')]//fieldset[contains(@class,'slds-form-element') and (contains(@class,'runtime_sales_leadConvertSectionDesktop'))][3]//div[contains(@class,'runtime_sales_leadConvertDesktop')]/[3]//div[contains(@class,'runtime_sales_leadConvertDesktop')]/[3]//div[contains(@class,'runtime_sales_leadConvertDesktop')]/[3]//div[contains(@class,'runtime_sales_leadConvertDesktop')]/[3]//div[contains(@class,'runtime_sales_leadConvertDesktop')]/[3]//div[contains(@class,'runtime_sales_leadConvertDesktop')]/[3]//div[contains(@class,'runtime_sales_leadConvertDesktop')]/[3]//div[contains(@class,'runtime_sales_leadConvertDesktop')]/[3]//div[contains(@class,'runtime_sales_leadConvertDesktop')]/[3]//div[contains(@class,'runtime_sales_leadConvertDesktop')]/[3]//div[contains(@class,'runtime_sales_leadConvertDesktop')]/[3]//div[contains(@class,'runtime_sales_leadConvertDesktop')]/[3]//div[contains(@class,'runtime_sales_leadConvertDesktop')]/[3]//div[contains(@class,'runtime_sales_leadConvertDesktop')]/[3]//div[contains(@class,'runtime_sales_leadConvertDesktop')]/[3]//div[contains(@class,'runtime_sales_leadConvertDesktop')]/[3]//div[contains(@class,'runtime_
- (1) Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- End of <default> wait.
- ① Found element: [[ChromeDriver: chrome on XP (3bdaf1889d123dbc2e1a774c1e91364e)] -> xpath: //*[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabset'))] and ancestor::div[contains(@class, 'oneWorkspace') or contains(@class, 'wsTabset') and contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))))))/
 div[contains(@class, 'runtime_sales_leadConvertDesktop')]/[fieldset[contains(@class, 'slds-form-element') and (contains(@class, 'runtime_sales_leadConvertSectionDesktop'))][3]//div[contains(@class, 'entityPanel')]//div[contains(@class, 'col2')]// div[contains(@class, 'createPanel')]//div[contains(@class, 'uintiputText')]//input]
- ① Got webElement. tagName: INPUT, id: 1:2030;a, type: text, class: input

- 1 Typing value, tagName: INPUT, type: text, value: New Opp AK1, blur: false
- i Doing after wait. waitUrl: default
- End of <default> wait.
- Going to update browser window handles.
- (i) Successfully updated browser window handles.

Click the Convert button

- ① Start of Interact. Connection: Admin, Locator: ui:locator?name=submitConvert&binding=sf%3Aui%3Abinding%3Aobject%3Faction%3DsubmitConvert, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=submitConvert&binding=sf%3Aui%3Abinding%3Aobject%3Faction%3DsubmitConvert
- i Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provartesting36-dev-ed.lightning.force.com/lightning/r/Lead/00Q5g000008GnZ7EAK/view
- i Interaction: ui:interaction?name=action
- ① Find element using xpath: (//*[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]] or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabset') and not(contains(@class, 'ravexWorkspace')) and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'navexWorkspace')) and contains(@class, 'navexWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'navexWorkspace')) and contains(@class, 'hasActiveSubtab')]))))]// div[contains(@class, 'modal-footer') or contains(@class, 'inlineFooter') or contains(@class, 'inlineFooter') or contains(@class, 'modal-footer'))][last()]//button[contains(@data-aura-rendered-by, '2137:0')]
- (i) Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- End of <default> wait.
- ① Found element: [[ChromeDriver: chrome on XP (3bdaf1889d123dbc2e1a774c1e91364e)] -> xpath: (//*[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]//div[contains(@class, 'modal-footer') or contains(@class, 'modal_footer') or contains(@class, 'inineFooter') or contains(@class, 'multiEditFooterContainer')])[last()]// button[contains(@data-aura-rendered-by, '2137:0')]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Convert]
- Doing after wait. waitUrl: default
- End of <default> wait.
- (1) Going to update browser window handles.
- Successfully updated browser window handles.
- SOQL Query: select Id from Account where Account.Name = '{var.AccountName}'=>AccountId
 - I Reading a Salesforce object. Connection Name: Admin, Query: select Id from Account where Account.Name = 'Sam Account 97U'
 - (i) Query successful. Row Count: 1.
- SOQL Query: select Id from Contact where Contact.FirstName = '{var.ContactFName}' AND Contact.LastName = '{var.ContactLName}'=>ContactId
 - ① Reading a Salesforce object. Connection Name: Admin, Query: select Id from Contact where Contact.FirstName = 'First AJG' AND Contact.LastName = 'Last AJJ'
 - (1) Query successful. Row Count: 1.
- SOQL Query: select Id from Opportunity where Opportunity.Name = 'New Opp AK1'=>OpportunityId
 - 1 Reading a Salesforce object. Connection Name: Admin, Query: select Id from Opportunity where Opportunity.Name = 'New Opp AK1'
 - (i) Query successful. Row Count: 1.
- Set Values: Id
 - (i) Setting value Id to 00Q5g000008GnZ7EAK
 - ① Successfully set Id to 00Q5g000008GnZ7EAK
- Click the Go To Leads button
 - ① Start of Interact. Connection: Admin, Locator: ui:locator?name=convertedGoToLeads&binding=sf%3Aui%3Abinding%3Aobject%3Faction%3DconvertedGoToLeads, before wait: default, after wait: default, auto retry: default
 - ① Locator: ui:locator?name=convertedGoToLeads&binding=sf%3Aui%3Abinding%3Aobject%3Faction%3DconvertedGoToLeads

- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provartesting36-dev-ed.lightning.force.com/lightning/r/Lead/00Q5g000008GnZ7EAK/view
- (i) Interaction: ui:interaction?name=action
- ① Find element using xpath: (//*[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPrinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]] or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabSet') and not(contains(@class, 'wsTabSet') and not(contains(@class, 'ravexWorkspace')) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPrinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]// div[contains(@class, 'modal_footer') or contains(@class, 'modal_footer') or contains(@class, 'inlineFooter') or contains(@class, 'modal_footer'))][last()]//button[contains(@data-aura-rendered-by, '16:2317;a')]
- (i) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[ChromeDriver: chrome on XP (3bdaf1889d123dbc2e1a774c1e91364e)] -> xpath: (//*[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]//div[contains(@class, 'modal_footer') or contains(@class, 'inlineFooter') or contains(@class, 'multiEditFooterContainer')])[last()]// button[contains(@data-aura-rendered-by, '16:2317;a')]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Go to Leads]
- i Doing after wait. waitUrl: default
- i End of <default> wait.
- Going to update browser window handles.
- Successfully updated browser window handles.
- i All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null
- (1) Main window reselected. Window: main
- ⑤ Switched focus to main window. URL: https://provartesting36-dev-ed.lightning.force.com/lightning/o/Lead/list?filterName=Recent
- (i) Going to update browser window handles.
- (i) Successfully updated browser window handles.
- Read Object: Lead = 00Q5g000008GnZ7EAK
 - ⑤ Reading a Salesforce object. Connection Name: Admin, Name: Lead, Id: 00Q5g000008GnZ7EAK, field count: 3
 - ① Object read successfully. Result Name: LeadRead
 - Result assertion 'Check ConvertedAccountId' successful: '0015g00000Va0nFAAR' contains '0015g00000Va0nFAAR'
 - Result assertion 'Check ConvertedContactId' successful: '0035g00000GBypUAAT' contains '0035g00000GBypUAAT'
 - Result assertion 'Check ConvertedOpportunityId' successful: '0065g00000CzvhGAAR' contains '0065g00000CzvhGAAR'
- On SF Account Home screen



Error Screenshot: 2021/10/18 13:05:25

- ① Start of With Screen. Connection Name: Admin, target: sf:ui:target?object=Account&action=ObjectHome
- ① Opening Page context. Name: screen, data: null, frame: null
- ① Opening Salesforce page. Object: Account, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/001/list?filterName=Recent, Current URL: https://provartesting36-dev-ed.lightning.force.com/lightning/o/Lead/list
- Opening Salesforce user home page
- Error opening Salesforce UI Connection. Connection Name: Admin, cause: [WebDriverException: disconnected: Unable to receive message from renderer (Session info: chrome=94.0.4606.81) (Driver info: chromedriver=93.0.4577.63 (ff5c0da2ec03deaed5550e6c7e98417dac77d98a-refs/branch-heads/4577@{#1135}), platform=Windows NT 10.0.17763 x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 740 milliseconds Build info: version: 'unknown', system info: host: 'DELL-SHUBHAMSAI', ip: '192.168.1.13', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=30000.0, script=30000.0}, hasTouchScreen=false, platform=XP, acceptSsICerts=false, goog:chromeOptions=(debuggerAddress=localhost:54722}, webauthn:extension:credBlob=true, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, webauthn:extension:largeBlob=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=93.0.4577.63 (ff5c0da2ec0adeaed5550e6c7e98417dac77d98a-refs/branch-heads/4577@{#1135}), userDataDir=C:\Users\shubham.sain\Training Use Case WS\.provarCaches\.chromeProfiles\profile0}, takesHeapSnapshot=true, pageLoadStratgy=normal, strictFileInteractabliity=false, databaseEnabled=false, handlesAlerts=true, version=94.0.4606.81, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, essSelectorsEnabled=true, webauthn:virtualAuthenticators=true)] Session ID: 3bdaf1889d123dbc2e1a774c1e91364e]
- (i) Sending screenshot. Data length: 22289
- Successfully updated browser window handles.
- With Account rows {ACCOUNT_NAME = \$var.AccountName}



Your connection was interrupted

Your computer went to sleep.

ERR_NETWORK_IO_SUSPENDED

Reload



Your connection was interrupted

Your computer went to sleep.

Reload

Error Screenshot

- ① Start of With Row. Connection Name: Admin, target: sf:ui:locator:row?table=ObjectHome%2Frecent%2FrecentTable
- ① Find element using xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]// div[contains(@class, 'listViewContent') or contains(@class, 'listViewContainer')]//tbody//tr
- (i) Waiting for element to be present. Timeout(seconds): 10
- ① Resolved table xpath: //table[contains(@class,'list')]/tbody/tr[contains(@class,'dataRow')]
- ① Switched focus to main window. URL: chrome-error://chromewebdata/
- No rows found in table
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- One or more Sub-Test Steps failed.
- (i) Closing Page context. Name: screen, data: null, frame: null
- ① Main window reselected. Window: main
- ① Switched focus to main window. URL: chrome-error://chromewebdata/
- (1) Going to update browser window handles.
- Successfully updated browser window handles.
- 6 On SF Account View screen
- Read Object: Opportunity = {OpportunityId.Id}
- On SF Opportunity Products related list
- On SF Opportunity Product Select Product screen
- On SF Opportunity Product Add Product screen

- On SF Opportunity Products related list
- A Set Values: var.conId
- Write: {var}=>templates/writeworkbook.xlsx
- 1 Handling managed resource. Name: Admin
- (i) Salesforce Connection handled successfully. Name: Admin
- Salesforce Connect: Admin (Test)
- Read Excel
- On SF Case Home screen
- Set Values: CaseOrigin
- On SF Case New screen
- On SF Related Record (Case) component in Case view
- On SF Record Detail component in Case view
- On SF Account View screen
- On SF Record Detail component in Case view
- On SF Contact View screen
- A Read Object: Case = {caseId}

WebService.testcase

Output

- Web Connect: JsonAPI
 - (i) Opening RestService connection Connection name: JsonAPI
 - ① Connecting to restservice. Address: https://jsonplaceholder.typicode.com/

Connection name: JsonAPI, ResultName: JsonAPI, resultScope: Test

- ① Connection details. Connection name: JsonAPI, urlString: restservice:url= https://jsonplaceholder.typicode.com/;authenticationType=NO_AUTHENTICATION, url: https://jsonplaceholder.typicode.com/
- Web Request (REST): #GetRestResponse
 - ① Calling a Web Service. Connection Name: JsonAPI, target: rest:untyped?method=GET&bodyStyle=JSON
 - ① Connecting to website. Address: https://jsonplaceholder.typicode.com/posts/1
 - ① Reading response. Content Type: application/json; charset=utf-8, Encoding: null
 - Parsing JSON response.
 - ① REST Response stored successfully. Name: GetRestResponse
 - ① Web Response Status stored successfully. Name: RestResponseStatus
- Web Request (REST): #PostRestResponse
 - ① Calling a Web Service. Connection Name: JsonAPI, target: rest:untyped?method=POST&bodyStyle=JSON
 - ① Connecting to website. Address: https://jsonplaceholder.typicode.com/posts/
 - (i) Sending body. Length: 85
 - 1 Reading response. Content Type: application/json; charset=utf-8, Encoding: null
 - (i) Parsing JSON response.
 - (i) REST Response stored successfully. Name: PostRestResponse
 - ① Web Response Status stored successfully. Name: RestResponseStatus
- Web Request (REST): #PutRestResponse
 - ① Calling a Web Service. Connection Name: JsonAPI, target: rest:untyped?method=PUT&bodyStyle=JSON
 - ① Connecting to website. Address: https://jsonplaceholder.typicode.com/posts/1
 - (i) Sending body. Length: 85
 - 1 Reading response. Content Type: application/json; charset=utf-8, Encoding: null
 - Parsing JSON response.
 - ① REST Response stored successfully. Name: PutRestResponse
 - ① Web Response Status stored successfully. Name: RestResponseStatus