

Test Run Report




Test Run Overview

Started 18 Oct 2021, 09:26:14
Ended 18 Oct 2021, 09:27:08
Duration (mm:ss) 00:54.914

Test Results Summary

Passed 3
Failed 1
Skipped 0



Test Case Summary

tests

- CustomAPI.testcase
- EmailURL.testcase
- Sale & Service
- Service.testcase

- failed
- successful
- successful
- failed
- failed

● Error loading object definition. Object name: Lead, Cause: Error loading the Lead object - No Object metadata was returned by the Tooling API. Object: Lead

- WebService.testcase

- successful

CustomAPI.testcase

Output

- Get First Date Of Current Month: # date
 - ① Hello from customapis.GetFirstDateOfCurrentMonth

EmailURL.testcase

Output

- Subscribe: Gmail
 - ① Subscribing to a message source Gmail
 - ① Subscribing to a Google Mail folder. Subscription Name: mail, User: shubham.saini@provartesting.com, Folder: INBOX
- Send Message: SendMail
 - ① Sending Message from: SendMail
- Wait For: {mail.messageCount > 0}=>{30}
 - ① Start of attempt 1.
 - Attempt 1
 - ① The condition was not met - sleeping for 30 seconds.
 - ① Received message for Google Mail subscription. Subscription Name: mail, connectionName: Gmail, message Id: 152, from: s6557230@gmail.com, subject: URL
 - ① Start of attempt 2.
 - Attempt 2
 - ① Wait ending because the condition has been met.
- Match: {mail.messages.bodyText}>=>b((?:https?|ftp|file)://[-a-zA-Z0-9+&@#/%?=_!|:.,;]*)=>ExtractedURL
 - ① Compiling pattern. RegEx: \b((?:https?|ftp|file)://[-a-zA-Z0-9+&@#/%?=_!|:.,;]*), caseInsensitive: false
 - ① Found match. Number: 1, Range: 147-177, Value: https://www.provartesting.com/
 - ① End of matching. Match count: 1
 - ① Stored matches. Result name: ExtractedURL

Service.testcase

Output

- Salesforce Connect: Admin (Test)
 - ① Connecting to Salesforce as Admin
 - ① Successfully connected to Salesforce as Admin
- Call Sales
 - Sales
 - Salesforce Connect: Admin (Test)
 - ① Connecting to Salesforce as Admin
 - ① Re-using existing connection. Connection: Admin, Result Name: Admin
 - Set Values: LeadCompany
 - ① Setting value LeadLastName to Sam 6MB
 - ① Successfully set LeadLastName to Sam 6MB
 - ① Setting value LeadCompany to abc 6MB
 - ① Successfully set LeadCompany to abc 6MB
 - Set Values: var.AccountName

- ① Setting value var.AccountName to Sam Account 6MB
- ① Successfully set var.AccountName to Sam Account 6MB

● Set Values: var.ContactLName

- ① Setting value ContactSalutation to Mr.
- ① Successfully set ContactSalutation to Mr.
- ① Setting value var.ContactFName to First 78Z
- ① Successfully set var.ContactFName to First 78Z
- ① Setting value var.ContactLName to Last 78Z
- ① Successfully set var.ContactLName to Last 78Z

● Set Values: FullName

- ① Setting value FullName to First 78Z Last 78Z
- ① Successfully set FullName to First 78Z Last 78Z

● Set Values: OppName

- ① Setting value OppName to New Opp 79E
- ① Successfully set OppName to New Opp 79E

● Create Object: Lead=>LeadId

- ① Creating a new Salesforce object. Connection Name: Admin, Name: Lead, field count: 2
- ⚠ Failed to connect to Master Lock Manager in timeout period - assuming dead. Host: localhost, port: 54778
- ⚠ Loading Connection model Error loading the Lead object - No Object metadata was returned by the Tooling API. Object: Lead
- ⚠ Loading Connection model Error loading the Lead object - No Object metadata was returned by the Tooling API. Object: Lead
- ⚠ Loading Connection model Error loading the Lead object - No Object metadata was returned by the Tooling API. Object: Lead
- Error loading object definition. Object name: Lead, Cause: Error loading the Lead object - No Object metadata was returned by the Tooling API. Object: Lead

- ⚠ On SF Lead All Open Leads list view
- ⚠ On SF Lead View screen
- ⚠ On SF Lead Convert screen
- ⚠ Read Object: Lead = {Id}
- ⚠ On SF Account Home screen
- ⚠ On SF Account View screen
- ⚠ Read Object: Opportunity = {OpportunityId.Id}
- ⚠ On SF Opportunity Products related list
- ⚠ On SF Opportunity Product Select Product screen
- ⚠ On SF Opportunity Product Add Product screen
- ⚠ On SF Opportunity Products related list
- ⚠ Set Values: var.conId
- ⚠ Write: {var}>templates/writeworkbook.xlsx

- ① Handling managed resource. Name: Admin

- ① Salesforce Connection handled successfully. Name: Admin

- ⚠ Salesforce Connect: Admin (Test)
- ⚠ Read Excel
- ⚠ On SF Case Home screen
- ⚠ Set Values: CaseOrigin
- ⚠ On SF Case New screen
- ⚠ On SF Related Record (Case) component in Case view
- ⚠ On SF Record Detail component in Case view
- ⚠ On SF Account View screen
- ⚠ On SF Record Detail component in Case view
- ⚠ On SF Contact View screen
- ⚠ Read Object: Case = {caseId}

Output

● Web Connect: JsonAPI

- ① Opening RestService connection Connection name: JsonAPI
- ① Connecting to restservice. Address: <https://jsonplaceholder.typicode.com/>
Connection name: JsonAPI, ResultName: JsonAPI, resultScope: Test
- ① Connection details. Connection name: JsonAPI, urlString: restservice:url= <https://jsonplaceholder.typicode.com/>; authenticationType=NO_AUTHENTICATION, url: <https://jsonplaceholder.typicode.com/>

● Web Request (REST): #GetRestResponse

- ① Calling a Web Service. Connection Name: JsonAPI, target: rest:untyped?method=GET&bodyStyle=JSON
- ① Connecting to website. Address: <https://jsonplaceholder.typicode.com/posts/1>
- ① Reading response. Content Type: application/json; charset=utf-8, Encoding: null
- ① Parsing JSON response.
- ① REST Response stored successfully. Name: GetRestResponse
- ① Web Response Status stored successfully. Name: RestResponseStatus

● Web Request (REST): #PostRestResponse

- ① Calling a Web Service. Connection Name: JsonAPI, target: rest:untyped?method=POST&bodyStyle=JSON
- ① Connecting to website. Address: <https://jsonplaceholder.typicode.com/posts/>
- ① Sending body. Length: 85
- ① Reading response. Content Type: application/json; charset=utf-8, Encoding: null
- ① Parsing JSON response.
- ① REST Response stored successfully. Name: PostRestResponse
- ① Web Response Status stored successfully. Name: RestResponseStatus

● Web Request (REST): #PutRestResponse

- ① Calling a Web Service. Connection Name: JsonAPI, target: rest:untyped?method=PUT&bodyStyle=JSON
- ① Connecting to website. Address: <https://jsonplaceholder.typicode.com/posts/1>
- ① Sending body. Length: 85
- ① Reading response. Content Type: application/json; charset=utf-8, Encoding: null
- ① Parsing JSON response.
- ① REST Response stored successfully. Name: PutRestResponse
- ① Web Response Status stored successfully. Name: RestResponseStatus