CHAITANYA BHARATHI INSTITUTE OF TECHNOLOGY
An Autonomous Institute | Affiliated to Osmania University
Kokapet Village, Gandipet Mandal, Hyderabad, Telangana-500075, www.cbit.ac.in

COMMITTED TO RESEARCH, INNOVATION AND EDUCATION 48 years

C O U R S E - E N D P R O J E C T R E P O R T

On

Fuel Price Trend Analysis

Submitted to fulfill the requirements for the Award of CIE Marks (10) for the B.E.(IT), III-SEM,
Couse: **Exploratory Data Analysis & Visualization - EDAV (22ADC31N)**

By

G.Sai Nipuna(1601-25-737-083)

Under the guidance of
Mr.G.Srikanth
Assistant Professor, Dept. Of IT, CBIT

CHAITANYA BHARATHI INSTITUTE OF TECHNOLOGY (CBIT)
DEPARTMENT OF INFORMATION TECHNOLOGY (IT) KOKAPET (V),
GANDIPETA, RANGA REDDY, HYDERABAD – 500075 www.cbit.ac.in

A.Y: 2026-27

CHAITANYA BHARATHI INSTITUTE OF TECHNOLOGY(A)

(Affiliated to Osmania University; Accredited by NBA,NAAC A++,ISO)

DEPARTMENT OF INFORMATION TECHNOLOGY

A.Y: 2026-27

Course End Project Marks AWARD SHEET

B.E, IT, III-SEM (IT-2) EDAV:22ADC31N MAXIMUM MARKS:10

Q.No	1	2	3	4	5	Total
CO#	1	2	3	4	5	-
BL#	3	3	4	4	5	-
Marks Allocated	2	2	2	2	2	10
Marks Awarded						



CHAITANYA BHARATHI INSTITUTE OF TECHNOLOGY

An Autonomous Institute | Affiliated to Osmania University

Kokapet Village, Gandipet Mandal, Hyderabad, Telangana-500075, www.cbit.ac.in



COMMITTED TO RESEARCH, INNOVATION AND EDUCATION

48 years

CERTIFICATE

This is to certify that the course-end project report entitled **"Fuel Price Trend Analysis"** is a bonafide record of the work carried out by **G.Sai Nipuna(1601-25-737-083**), in partial fulfilment of the requirements of the course **Exploratory Data Analysis and Visualization (22ADC31N)** of the programme **B.E(IT), III-SEM**, during the academic year **2026–2027**.

The project was carried out under my guidance and supervision. To the best of my knowledge, the work reported here is original and has not been submitted to any other institution or university for the award of any degree, diploma or certificate.

Place: Hyderabad

Date: ___/___/_____

Course Faculty

(Mr.G.Srikanth)

DECLARATION

I / We hereby declare that the project report entitled **"Fuel Price Trend Analysis s"** submitted to **Dept of IT, CBIT** is a record of original work done by me under the guidance of**Mr.G.Srikanth, Assistant Professor, IT, CBIT**.

The data used was taken from the dataset supplied for the course; all external sources, tools and libraries have been acknowledged in the References. This work has not been submitted, in part or in full, for any other course, degree or diploma.

Place:

Date:

Signature of the Student
G.Sai Nipuna
1601-25-737-083

ACKNOWLEDGEMENT

I express my sincere gratitude to my project guide and course faculty,**Mr.G.Srikanth ,Assistant Professor, IT, CBIT**, for valuable guidance, encouragement and constructive feedback throughout this project.

I thank the Head of the Department, the faculty members and the management of **Chaitanya Bharathi Institute of Technology (CBIT)** for providing the facilities and the learning environment that made this work possible.

I am also grateful to the open-source community behind Python, pandas, Matplotlib, Seaborn, Folium, Plotly and scikit-learn, and to the publishers of the youth hostel dataset, without which this analysis would not have been possible. Finally, I thank my family and friends for their constant support.

[G.Sai Nipuna]

Contents

S.No.	Item	Page No
1	Abstract	
2	Introduction	
3	Problem Statement and Research Questions	
4	Requirement Analysis & Technology Stacks	
5	Project Data Diagram	
6	Data Collection and Description	
7	Data Cleaning and Preparation	
8	Exploratory Data Analysis	
9	Data Visualization	
10	Methodology	
11	Implementation	
12	Result and Analysis	
13	Conclusion	
14	Recommendations	
15	References	

1.ABSTRACT

Fuel prices have an impact on transportation, industrial work, farming and the whole economy. When the cost of petrol and diesel changes it affects how much it costs to move things what people spend at home how much it costs to move goods. The prices of products and services. This project is about looking at petrol and diesel prices using Python for exploring data and making pictures of the data. The main goal is to see how prices changed in the past find long-term patterns compare the costs of petrol and diesel and check if there are any problems with the data in the dataset we chose.

The project uses Pandas to bring in the data clean it change it and group it; NumPy to do math with numbers; Matplotlib to make line charts and bar graphs; and Seaborn to make charts that show statistics like box plots and heatmaps. The analysis includes looking at numbers how prices change each year and each month when the data allows checking for missing information looking for the same data twice and finding possible strange numbers using the Interquartile Range (IQR) method. The results will be shown with numbers, tables and pictures made from the Python notebook we used. The results will help explain what we saw in the data while also saying what we couldn't do because of the data we had. The average prices, from the past should not be seen as the prices people pay now at the gas station.

Keywords: Fuel Prices, Petrol, Diesel, Python, Pandas, NumPy, Exploratory Data Analysis, Data Visualization, IQR

2. Introduction

Fuel is a resource used in transportation, industry, farming and many other business activities. Changes in petrol and diesel prices directly change transportation costs, household expenses and the total cost of goods and services. Analyzing fuel prices helps us see how prices change over time and spot key trends and patterns.

Python offers libraries for processing and analyzing fuel price data. Pandas helps organize, clean and change datasets. NumPy does calculations. Matplotlib and Seaborn make pictures of the analysis results.

This project focuses on:

- Analyzing petrol and diesel price trends.
- Calculating statistics such as average, lowest and highest prices.
- Comparing petrol and diesel prices across time periods.
- Finding missing values, duplicate records and possible outliers.
- Grouping fuel price data by year or month to see how prices change.

- Showing fuel price trends, with line charts, bar charts, histograms and box plots.

The results help explain how fuel prices change over time and show how exploratory data analysis can pull information from historical fuel price data.

3. Problem Statement and Research Questions

Historical fuel price datasets have information about petrol and diesel prices over different time periods. It is not easy to analyse this data manually especially when the data set has a large number of records, missing values and fluctuating prices over time.

Some of the major challenges are:

- Long term changes in petrol and diesel prices are difficult to spot.
- Comparing petrol and diesel prices over different periods is hard.
- Problems with finding periods with the lowest and highest prices recorded.
- There may be missing or duplicate records that impact calculations.
- Statistical analysis is needed to identify anomalous price changes.
- Difficulty understanding large amounts of numerical data

To address these challenges, this project uses Python libraries to clean, process, analyse, and visualize historical fuel price data.

Q	Research Questions	CO	BL
Q1	Use NumPy to calculate the average, minimum, and maximum fuel prices.	1	3
Q2	Use NumPy to calculate the average, minimum, and maximum fuel prices.	2	3
Q3	Handle missing values and duplicate records	3	4
Q4	Group fuel price data by year or month to compute descriptive statistics and compare price variations.	4	4
Q5	Create line plots, bar charts, histograms, and box plots to visualize fuel price trends and distributions.	5	5

4. Requirement Analysis and Technology Stack

4. Technology Stack & Requirement Analysis

4.1 Analysis of requirements

The requirement analysis identifies the software, libraries and resources needed for performing the fuel price trend analysis.

Functional Requirements:-

- Read fuel price dataset into Pandas DataFrame
- Explore the dataset to understand the structure, columns and types of data .
- Identify and handle missing values and duplicate records.
- Obtain descriptive statistics for the price of petrol and diesel.
- Analyse the price change over years or months.
- Use statistical methods to find any potential outliers.
- Generate graphs to visualise fuel price trend.
- Explain the results and show the important findings

Non-Functional Requirements:

- The analysis should give accurate and comprehensible results.
- The code should be simple, readable and reproducible.
- The data cleaning should preserve the reliability of the data set.
- Changes in price should be easily visible on visualisations.
- The project should be executed in a standard python environment.

4.2 Technology Stack

4.2.1 Programming Language:

Python Libraries Used:

Pandas: Used to load, clean, filter, group and analyse fuel price data

NumPy: For numerical calculations and statistical operations.Line charts, bar charts, histograms and other plots are generated using Matplotlib.

Seaborn: Used for statistical graphics and box plots.

Development Environment: Google Colab or Jupyter Notebook.

Dataset Format: CSV format or spreadsheet of historical fuel price records. .

4.3 Hardware and Software Requirements

Hardware requirements: A computer with enough memory and storage to handle the data set.


Software requirements: Python, the needed data analysis libraries, and Google Colab or Jupyter Notebook for writing and running the program.

4.1 Syntax and Standard Functions

For the analysis of fuel price trends the following Python functions and methods are used. These functions help with data inspection, cleaning, statistical analysis and visualisation.

Function / Syntax	Purpose
`pd.read_csv()`	Imports a CSV data set.
`df.head()`	Shows the first five records.
`df.shape`	Returns number of rows and columns
`df.info()`	Shows the column names, data types and non-null counts.
`df.isnull().sum()`	Count missing values per column.
`df.duplicated().sum()`	Count duplicates records.
`df.describe()`	Calculate descriptive statistics
`np.mean()`	Calculates average value.
`np.min()`	Returns the minimum value .
`np.max()`	Calculates max value found.
`df.groupby()`	Groups records for comparison.
`plt.plot()`	Creates a line graph.
`plt.bar()`	Bar Chart.
`plt.hist()`	Makes a histogram.
`sns.boxplot()`	Generates a boxplot.

5. Project Data Diagram



6. Data Collection and Description

6.1 Data Collection

The project analyses historical fuel price data to examine changes in petrol and diesel prices over time. You can find the dataset used in this project at the following Google Sheets link:

Dataset Link:
https://docs.google.com/spreadsheets/d/1od1a1fXg8_unvGcAKTEI22T0c5cQCXu924Q3B9BbGh4/edit?usp=sharing

6.2 Description of the data

The dataset contains historical data on fuel prices to analyse variations in petrol and diesel prices. It might include dates , petrol prices , diesel prices and other relevant information depending on the available columns .

In order to achieve the objectives of the analysis, we need to ensure accuracy regarding the necessitated characteristics of the data set.

More specifically, the precise count of number of columns, number of rows, names of columns, types of data, and the range over which the data was gathered must be documented after looking into the data set through Python.

6.3 Dataset Profile

- Dataset Name: Historical Fuel Price Dataset
- File Format: CSV or spreadsheet
- No of Rows: To be determined from the data set

- No of Columns: To be determined from data set
- Names of Major Variables: Date, price of petrol, price of diesel, and so forth.
- Programming Language: Python
- Libraries: Pandas, NumPy, Matplotlib, and Seaborn

6.4 Libraries Used

Pandas is the library used to load up the data frame; NumPy is in charge of performing computations. Matplotlib and Seaborn function to generate visuals and identify trends in data.

7. Cleanup and Preparation of Data

The process of data cleanup takes place to increase quality of the dataset with the aim of obtaining the results that matter. Before the fuel price analysis, the dataset is checked for the presence of missing values, duplicates, incorrect data types, and possible outliers.

7.1 Missing Values
Missing values are detected using the Pandas isnull().sum() method. The approach taken for their treatment depends on the amount of data that is missing in the particular column. Missing fuel prices are not substituted by default.

7.2 Duplicated Records

Duplicated rows are detected through the duplicated() method. The duplicates are checked and removed if the record where the duplicate is found represents a valid observation other than it being simply repeated.

7.3 Changing Data Types

The date column can be transferred from a text format to a datetime format where applicable. This allows reordering the records according to the time.

7.4 Outlier Detection

Possible outliers are identified through box plots and IQR. Unusual high and low prices are carefully checked before deciding whether anything needs to be done.

7. 5 Code for Data Preparation

Sample code:-

```
# View the first five rows
print(df.head())
# View the information of the dataset
print(df.info())
# View number of rows and number of columns
print(df.shape)
# Find the total number of missing values
print(df.isnull().sum())
```

```
# Find the number of duplicated rows
print(df.duplicated().sum())
# Format the date column if it exists
df["Date"] = pd.to_datetime(df["Date"], errors="coerce")
# Sort the data based on the date
df = df.sort_values("Date")
# View descriptive statistics
print(df.describe())
```

8. EXPLORATORY DATA ANALYSIS

Summary statistics give numerical overview of the historical fuel price dataset. It is a good way to get to know central values of the dataset. The summary statistics also show the minimum, maximum and the spread of the prices.

Mean, minimum and maximum are calculated to compare the prices.
Mean is the average value of the price. Missing values count is checked to measure the completeness of the data. IQR method is used to detect potential outliers.

The summary statistics obtained from the analysis are presented in Table 8.1.

Table 8.1: Summary Statistics of Petrol and Diesel Prices

Statistical Measure	Petrol Price (INR/litre)	Diesel Price (INR/litre)
Average Price (Mean)	18.95	14.11
Minimum Price	0.14	0.09
Maximum Price	101.21	88.22
Missing Values Before Cleaning	0	0
Missing Values After Cleaning	0	0
IQR-Flagged Values	193	176

The average price of petrol is ₹18.95 per litre and that of diesel is ₹14.11 per litre respectively.

The maximum price of petrol and diesel recorded is ₹101.21 and ₹88.22 respectively. There are no missing values in both price columns. The Interquartile Range (IQR) method identified 193 petrol price observations and 176 diesel price observations as possible outliers.

All of these observations need to be examined and not identified as errors.

8.2 Analytical Findings

Fuel price analyses yielded the findings as follows:

Average Prices for Fuel: Average petrol price was ₹18.95 per litre and that for diesel was ₹14.11 per litre.

Fuel Price Range: Petrol prices ranged from ₹0.14 to ₹101.21 per litre, while diesel prices ranged from ₹0.09 to ₹88.22 per litre.

Increasing Price Trend: The visualizations show that prices for fuel increased considerably from 2007 to 2014.

Prices Going Down In 2015-2016: Drop in prices can be seen during this period.

Increase from 2021-2022: The visualizations of the prices point to a considerable increase in prices for the years 2021-2022 after which prices remained relatively high.

Data Quality: The analysis of the fuel prices shows that there are no missing values before and after data cleansing.

Outliers: The use of the IQR method flagged 193 petrol price observations and 176 diesel price observations as outliers.

In summary, the analysis reveals that descriptive statistics coupled with graphics is a handy tool when identifying historical patterns in fuel prices, comparing petrol prices, and diesel prices, and evaluating unusual data points.

9. DATA REPRESENTATION

Data representation covers the Fuel Price Trend Analysis results through graphical means. We applied many graphic tools to represent the findings regarding historical fuel prices, compare petrol and diesel prices, and analyze relationships among numerical factors.

9.1 Tools

The following applications were applied in graphs.

Library / Module	Function	Purpose
Matplotlib (matplotlib.pyplot)	plt.figure()	Creates a figure for displaying a chart.
Matplotlib (matplotlib.pyplot)	plt.plot()	Creates a line chart to show changes in fuel prices over time.
Matplotlib (matplotlib.pyplot)	plt.bar()	Creates a bar chart to compare petrol and diesel prices.

Library / Module	Function	Purpose
Matplotlib (matplotlib.pyplot)	plt.title()	Adds a title to the visualization.
Matplotlib (matplotlib.pyplot)	plt.xlabel()	Adds a label to the X-axis.
Matplotlib (matplotlib.pyplot)	plt.ylabel()	Adds a label to the Y-axis.
Matplotlib (matplotlib.pyplot)	plt.legend()	Displays labels for different data series.
Matplotlib (matplotlib.pyplot)	plt.show()	Displays the generated chart.
Seaborn (seaborn)	sns.heatmap()	Creates a graphic of varying intensity of colors to show numerical values.
Seaborn (seaborn)	sns.heatmap()	Creates a correlation map for depicting the type and strength of connections among numerical elements.

9.2 Types of Visualizations

1. Line Chart

The line chart shows the past changes in the price of petrol and diesel. Hence, it is helpful in identifying those periods when changes in price happened in an increasing, decreasing or steady manner.

2. Bar Chart
The bar chart shows comparison of petrol and diesel prices for certain classifications and periods. This makes it easy to understand the differences between petrol and diesel prices.

3. Heatmap
The heatmap uses colours to show numerical data. In this manner, one can see some patterns and variations in represented data.

4. Correlation Heatmap
The correlation heatmap displays correlation coefficients between numeric variables. Values vary between -1 and +1, and any positive value shows the positive relation between the variables; negative value shows the negative relationship and values close to zero indicate weak linear relationships.

9.3 Importance of Data Visualization

Data visualization makes it easier to understand the outcomes of fuel price analysis. The line chart shows historical trends; the bar chart helps compare prices; the heatmaps identify patterns and relations among numeric variables.

10. Methodology

The methodology of the research project is built on a consistent data analysis process.

Step	Description
1. Data Collection	Loading the historical fuel price dataset in Python environment.
2. Data Cleaning	Checking for missing values, duplicate records, verifying data types and date formats.
3. Data Processing	Extracting year and month information from the dataset, and preparation for analysis.
4. Exploratory Data Analysis (EDA)	Calculation of mean, minimum, maximum, and other descriptive statistics.
5. Data Visualization	Creating line charts, graphs, and heat maps showing trends in fuel prices.
6. Outlier Detection	Applying IQR technique to detect very low or high observations.
7. Interpretation and Reporting	Reviewing the results and summarizing the findings.

Technologies and Software Used

- Python: Main programming language used in this project.
- NumPy: Employed in numerical and statistical computations.
- Pandas: Used for loading, cleaning, filtering, and grouping the data.
- Matplotlib: Used for creating line charts and graphs.
- Seaborn: Used for creation of heats, and for other statistical visualization.
- Jupyter Notebook / Google Colab: Used to run the code and show results.

11. IMPLEMENTATION

The project is executed in the Python scripting language, employing Google Colab or Jupyter Notebook as platforms. The historical fuel prices dataset is read in, utilizing Pandas DataFrame and prominent data analyzing libraries like NumPy, Matplotlib, and Seaborn for processing and visualization purposes.

11.1 Descriptive Analysis Using the NumPy Library

NumPy methodology is suitable for deriving arithmetic average, the minimum and maximum fuel prices.

11.2 Fuel Price Trend Analysis Using Pandas

Pandas allows one to structure fuel price information according to dates and check how fuel prices have changed during a certain period of time.

11.3 Missing Values and Duplicates Checking

Missing values are determined using isnull().sum() method, while duplicates checking is performed using duplicated().sum() method. The results show that there are no missing values before and after the cleaning process in diesel and petrol prices.

11.4 Outlier Detection

The IQR method is used to identify suspected outliers. A total number of 193 petrol prices and the total number of 176 diesel prices were suspected for being outliers.

11.5 Visualisation of Data

Line charts illustrate fluctuations in the costs of petrol and diesel. Mean costs can be observed through bar charts, distribution of costs can be seen in histograms, and outliers can be shown by box plots.

Screenshots of the code entered and the results shown are to be presented for demonstration.

6. Results and discussion

The dataset encompasses petrol and diesel price data for the period of 1940-2026. It is introduced into a DataFrame from Pandas for inspection of its foundations, columns, date range, and data quality.

The following analyses are accomplished:

1. Descriptive statistics

Petrol and diesel average, minimum, and maximum prices are calculated for determining the overall distribution of prices in the dataset.

2. Annual price trend analysis

Fuel prices are classified by year for evaluation of the annual average price of petrol and diesel, respectively. Line charts allow observing what changes took place in the long run.

3. Monthly trend analysis

Monthly price trends are analysed for determining the price movement over time and comparing petrol and diesel price rates.

4. Evaluation of missing values

The dataset is checked for missing values and cleaned if necessary with the following number of missing cases before and after cleaning being recorded.

5. Anomaly Detection

The Interquartile Range (IQR) technique is employed for the recognition of instances that are outside the predicted range, hence marking them for further evaluation instead of treating them as erroneous data.

6. Data Presentation

Line graphs demonstrate fluctuations in prices throughout time, bar graphs illustrate the comparison of yearly averages, while heatmaps aid in the illustration of the price trend over the years and months of the dataset.

The assessment generates statistical profiles and representations of historical petrol and diesel prices.


- Average Fuel Prices: Average petrol and diesel prices are computed using the whole dataset of valid data.

	observations	mean	minimum	maximum	median
petrol_price_inr	1038.0	18.95	0.14	101.21	3.10
diesel_price_inr	1038.0	14.11	0.09	88.22	1.88

- Lowest and Highest Prices: The minimum and maximum provide the information about the range of observed petrol and diesel prices.

	observations	mean	minimum	maximum	median
petrol_price_inr	1038.0	18.95	0.14	101.21	3.10
diesel_price_inr	1038.0	14.11	0.09	88.22	1.88

- Historical Price Trends: The annual line charts show the increase or decrease of petrol and diesel prices in the time period described with the dataset.



- Comparison of Petrol and Diesel: Comparing both price series makes it possible to see whether the changes in prices were similar or different over time.

	count	mean	min	max	count	mean	min	max
year								
2017	12	62.93	61.33	64.88	12	45.53	44.26	47.15
2018	12	73.62	71.45	76.04	12	58.22	56.39	60.30
2019	12	73.28	72.60	73.99	12	65.89	65.58	66.23
2020	12	70.83	68.03	73.04	12	63.44	61.29	65.60
2021	12	83.38	75.01	91.73	12	73.93	67.20	80.64
2022	12	97.01	93.57	101.21	12	83.48	81.18	88.22
2023	12	97.33	97.04	97.64	12	83.27	83.05	83.49
2024	12	96.14	96.03	96.25	12	82.63	82.50	82.71
2025	12	96.70	96.53	96.91	12	83.13	83.02	83.24
2026	6	97.68	97.59	97.85	6	84.11	84.04	84.18

- Missing Data: The number of missing price data is determined both prior and after the cleaning of the data.

	missing_before
petrol_price_inr	0
diesel_price_inr	0


Missing values after short-gap interpolation:


	missing_after
petrol_price_inr	0
diesel_price_inr	0

- Outlier Analysis: I see that the IQR method spots prices that're much lower or higher, than usual and these may need more investigation.


	Q1	Q3	IQR	lower_fence	upper_fence	outlier_count
petrol_price_inr	0.48	21.46	20.98	-30.99	52.93	193.0
diesel_price_inr	0.28	14.48	14.20	-21.02	35.79	176.0

- Visualization Insights: When I look at the graphs I see when price rises are obvious when price falls are obvious and when prices stay about the same.




Monthly Average Petrol Price Heatmap (Most Recent 20 Years)
Year
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
1
2
3
4
5
6
7
8
9
10
11
12
Month
INR per litre
100
90
80
70
60
50
40

...



The numerical results, chart observations and outlier counts are reported from the Python notebook. Because the dataset covers decades the overall average represents the historical dataset and should not be taken as the current retail price of fuel.

13.. Conclusion

This project shows how Python-based data analysis can be used to study petrol and diesel prices. NumPy and Pandas support calculations, data cleaning and grouping while Matplotlib and Seaborn give visual representations of price movements.

The analysis helps summarize fuel price ranges compare petrol and diesel prices identify trends and detect potential outliers. It also shows how data cleaning and visualization turn numerical data into understandable information.

Future Enhancements

- Incorporate recent and verified fuel price data.
- Compare fuel price across cities or states if suitable data is available.
- Develop an interactive dashboard for exploring fuel price trends.
- Study relationships between fuel price and factors such as crude oil price, inflation and taxation.
- Apply time-series forecasting techniques to estimate fuel price movements with appropriate validation.

RECOMMENDATIONS

- Verify the dataset source, date range, geographical coverage and units of measurement.
- Check for missing values, duplicate records and invalid entries before analyzing the dataset
- Use date formats, for accurate time-series analysis.
- Compare petrol and diesel price using statistical measures.
- Investigate outliers before deciding whether they should be removed from the dataset.
- Include clear chart titles, axis labels, legends and figure captions.
- Avoid assuming that a price change was caused by an event without supporting evidence.
- Re-run the analysis whenever the dataset changes and update the report accordingly.
- Include code outputs and chart screenshots to support the conclusions.

15.. References

- Pandas Documentation – https://pandas.pydata.org/docs/
- NumPy Documentation – https://numpy.org/doc/
- Matplotlib Documentation – https://matplotlib.org/stable/
- Seaborn Documentation – https://seaborn.pydata.org/
- Petroleum Planning & Analysis Cell (PPAC) – https://ppac.gov.in/
- https://docs.google.com/spreadsheets/d/1od1a1fXg8_unvGcAKTEI22T0c5cQCXu924Q3B9BbGh4/edit?usp=sharing
- Selected historical fuel price dataset used in the project.