

TVS MOTORCYCLES & SCOOTERS — CONSOLIDATED PRODUCT KNOWLEDGE BASE

A RAG/AI question-answering knowledge base combining uploaded TVS dealer brochures (Tier 1) with authoritative current official TVS Motor online information (Tier 2). Compiled 2026-09-06.

1. Document Overview

Purpose. This document consolidates every factual detail found in eight uploaded TVS brochure PDFs with current, authoritative information gathered from TVS Motor Company's official website (tvsmotor.com and its subdomains, including shop.tvsmotor.com) and, where the official site could not be retrieved, from reputable automotive publications (BikeWale, BikeDekho, Autocar India, 91wheels). It is designed to be used as a retrieval source for an AI question-answering system: every section is written to be understandable on its own, with the model name and variant stated explicitly rather than referred to as "it" or "this model."

Two-tier source labelling used throughout this document:

- **BROCHURE (Tier 1)** — a fact taken verbatim or near-verbatim from one of the eight uploaded PDF brochures. Always cited as *Source: [Brochure file name], Page X*.
- **CURRENT OFFICIAL ONLINE (Tier 2 — TVS)** — a fact taken from tvsmotor.com or a TVS-operated subdomain (shop.tvsmotor.com, service.tvsmotor.com), accessed 2026-09-06. Always cited as *Source: TVS Official Website — [page] — accessed 2026-09-06*.
- **CURRENT ONLINE (Tier 2 — Reputable Secondary Source)** — used only where the official TVS page could not be retrieved (several TVS product pages are JavaScript single-page applications that did not render for the automated research tool used to compile this document). Always explicitly labelled with the publication name (BikeWale, BikeDekho, Autocar India, 91wheels) and accessed 2026-09-06.

Brochure information is never overwritten by current online information. Where the two differ — in price, specification, colour name, or anything else — both values are preserved side by side with their own source, and the difference is noted rather than resolved. Historical (brochure-era) facts and current (2026) facts are always distinguishable in this document.

Source brochures included (Tier 1 — all eight uploaded PDF files, all distributed by "Himaalayaa TVS," a TVS dealership in Bangalore, and all reviewed page-by-page in full):

#	Brochure File Name	Pages	Model(s) Covered
1	Apache1604VLeafletPDFHimaalayaaTVS.pdf	5	TVS Apache RTR 160 4V
2	TVSApacheRTR160PDFHimaalayaaTVS.pdf (and its byte-identical duplicate, TVSApacheRTR160PDFHimaalayaaTVS_1.pdf — confirmed via MD5 checksum, treated as one brochure)	8	TVS Apache RTR 160 (base/2V model)
3	TVSApacheRTR180BrochureFinalPDFHimaalayaaTVS.pdf	8	TVS Apache RTR 180
4	Apache2004VBLUELeafletPDFHimaalayaaTVS.pdf	2	TVS Apache RTR 200 4V (OBDIIB)
5	ApacheRR310VerticalBrochurePDFHimaalayaaTVS.pdf	12	TVS Apache RR 310
6	Apache-RTR310-Brochure.PDF-Himaalayaa-TVS.pdf	21	TVS Apache RTR 310
7	tvusraider125.pdf	2	TVS Raider 125 (this one is a direct reprint of TVS Motor Company's own national brochure, not a dealer-branded leaflet — it carries TVS Motor Company's Hosur factory address rather than the Himaalayaa TVS dealer footer)
8	TVSRoninBrochurePDFHimaalayaaTVS.pdf	1	TVS Ronin (2025 Edition)

Models covered in this document. Every model named above, PLUS every other current TVS two-wheeler identified from the official TVS Motor India website (tvsmotor.com/our-products/vehicles) as of 2026-09-06: TVS Apache RTX, TVS Apache RTR 160 (2V and 4V), TVS Apache RTR 180, TVS Apache RTR 200 4V, TVS Apache RTR 310, TVS Apache RR 310, TVS Ronin, TVS Raider 125, TVS Radeon, TVS Sport, TVS Star City+, TVS Ntorq 125, TVS Ntorq 150, TVS Jupiter 110, TVS Jupiter 125, TVS Zest 110, the TVS iQube family (six variants), TVS X, TVS Orbiter, and TVS XL100. Section 2 (Product Index) lists all of these with category, variants, and source.

Source-document limitations (read this before relying on any single figure):

1. All eight uploaded brochures are dealer reprints (seven from Himaalayaa TVS, Bangalore; one — Raider 125 — a direct corporate reprint). They reproduce TVS Motor Company's own specification content but add dealer contact information; no separate "corporate-only" content was withheld as far as could be determined.
2. Several figures inside the brochures are visually ambiguous due to overlapping graphic elements (e.g., the exact digit count in "Crash Alert" notification-time claims on the RTR160 and RTR180 leaflets). Every such instance is flagged in place as **[Unclear/Unreadable in source]** rather than guessed.
3. The TVS Ronin brochure is a single dense poster-format page whose original multi-column BASE/MID/TOP specification table could not be perfectly reconstructed from the extracted text stream; every value is preserved, but a small number of row-to-variant attributions are flagged as uncertain in that model's section.
4. Several official TVS product pages (e.g., TVS Sport, TVS Ntorq 125, TVS Ntorq 150, TVS XL100's main spec page, TVS Ronin's live price table) are JavaScript single-page applications that did not return rendered content to the automated web-research tool used for this document. Where this occurred, a reputable secondary automotive publication was used instead and is explicitly named as the source; where no reliable substitute could be found, the field is marked **[Not specified in the sources reviewed]**.
5. This document focuses on TVS's India-market lineup (tvsmotor.com), matching the market of the uploaded brochures. TVS also sells additional, different model lineups in other countries (for example, the TVS Callisto 125 in Indonesia) that are outside the scope of this India-focused knowledge base and are only briefly noted where discovered.
6. All prices, colours, variant lineups, and availability are dated snapshots as of the access dates stated throughout (brochure print date for Tier 1 facts; 2026-09-06 for Tier 2 facts). TVS may change any of these without notice.

2. Product Index

2.1 Current TVS India Two-Wheeler Lineup

Source: TVS Official Website — tvsmotor.com/our-products/vehicles — accessed 2026-09-06, cross-checked against each model's own official/secondary page.

Product	Category	Variants (see model section for full list)	Fuel/Power Type	Current Status	Source
TVS Apache RTX	Motorcycle (Adventure)	Multiple trims (exact names not confirmed — see model section)	Petrol, 299.1cc	Current	TVS Official Website
TVS Apache RR 310	Motorcycle (Sportbike)	Single trim + BTO (Built-to-Order) kits	Petrol, 312.2cc	Current	Brochure + TVS Official Website
TVS Apache RTR 310	Motorcycle (Streetfighter/Naked)	Single trim + BTO kits (Dynamic, Dynamic Pro)	Petrol, 312.2cc	Current	Brochure + TVS Official Website
TVS Apache RTR 200 4V	Motorcycle (Naked sport)	Single trim (OBDIIB)	Petrol, 197.75cc	Current	Brochure + TVS Official Website
TVS Apache RTR 180	Motorcycle (Naked sport)	Single trim	Petrol, 177.4cc	Current	Brochure + TVS Official Website
TVS Apache RTR 160 4V	Motorcycle (Naked sport)	Base / Top (USD forks on Top only)	Petrol, 159.7cc	Current	Brochure + TVS Official Website
TVS Apache RTR 160 (2V)	Motorcycle (Naked sport)	Drum / Disc / Top (Disc-BT)	Petrol, 159.7cc	Current	Brochure + TVS Official Website

Product	Category	Variants (see model section for full list)	Fuel/Power Type	Current Status	Source
TVS Ronin	Motorcycle (Modern-retro/Scrambler)	Base / Mid / Top / Agonda Edition / TD Special Edition	Petrol, 225.9cc	Current	Brochure + TVS Official Website
TVS Raider 125	Motorcycle (Commuter/Sport-commuter)	TFT DD / SXC DD / SSE / iGO / Split Seat / Single Seat / Drum	Petrol, 124.8cc	Current	Brochure + TVS Official Website
TVS Radeon	Motorcycle (Commuter)	All Black / Base / Digi Drum / Digi Disc	Petrol, 109.7cc	Current	TVS Official Website (not in any uploaded brochure)
TVS Sport	Motorcycle (Commuter)	Self Start (ES) / Self Start (ES Plus)	Petrol, 109.7cc	Current	TVS Official Website (not in any uploaded brochure)
TVS Star City+	Motorcycle (Commuter)	Disc / Drum	Petrol, 109.7cc	Current	TVS Official Website (not in any uploaded brochure)
TVS Ntorq 125	Scooter	Disc / Race Edition / Super Squad Edition / Race XP / XT	Petrol, 124.8cc	Current	Secondary source — BikeWale (not in any uploaded brochure)
TVS Ntorq 150	Scooter	STD / TFT	Petrol, 149.7cc	Current	Secondary source — BikeDekho (not

Product	Category	Variants (see model section for full list)	Fuel/Power Type	Current Status	Source
					in any uploaded brochure)
TVS Jupiter (110cc)	Scooter	Drum / Drum Alloy / SmartXonnect Drum / SmartXonnect Disc / Special Edition / Dual Tone	Petrol, 113.3cc	Current	TVS Official Website (not in any uploaded brochure)
TVS Jupiter 125	Scooter	Drum Alloy / Disc / DT SXC / SmartXonnect	Petrol, 124.8cc	Current	TVS Official Website (not in any uploaded brochure)
TVS Zest 110	Scooter	Gloss / Matte Series / SXC	Petrol, 110cc	Current	TVS Official Website (not in any uploaded brochure)
TVS iQube (family)	Electric Scooter	2.3 kWh / 3.1 kWh / 3.5 kWh / MillionR Edition / S 4.7 kWh / ST 5.3 kWh	Electric	Current	TVS Official Website (not in any uploaded brochure)
TVS X	Electric Scooter ("premium electric crossover")	Single variant	Electric	Current	TVS Official Website (not in any uploaded brochure)
TVS Orbiter	Electric Scooter	Single variant (family-oriented)	Electric	Current	TVS Official Website (not in any uploaded brochure)

Product	Category	Variants (see model section for full list)	Fuel/Power Type	Current Status	Source
TVS XL100	Moped	Heavy Duty / Heavy Duty i-Touchstart / Win Edition / Comfort i-Touchstart / HD Alloy	Petrol	Current	TVS Official Website (not in any uploaded brochure)

2.2 Legacy Models (current new-vehicle sale status not confirmed)

These names appear only in TVS's genuine-accessories store's "Shop by Model" compatibility list (shop.tvsmotor.com), not on the current official new-vehicle lineup page. This confirms TVS still supports these models with genuine parts/accessories; it does **not** confirm whether they are still sold as new vehicles. Per instructions, they are labelled "legacy / status unconfirmed," not "discontinued."

Product	Category	Note	Source
TVS Scooty Pep+	Scooter	Not listed on current new-vehicle lineup page	TVS Official accessories store
TVS Victor	Motorcycle	Not listed on current new-vehicle lineup page	TVS Official accessories store
TVS Wego	Scooter	Not listed on current new-vehicle lineup page	TVS Official accessories store
TVS Jupiter 110 "Pre-2024"	Scooter	Superseded by "Jupiter 110 2024 Plus" per store category naming	TVS Official accessories store
TVS Ronin "2022 Edition"	Motorcycle	Superseded by "2025 Edition" (the version in the uploaded brochure and current lineup)	TVS Official accessories store

2.3 Out-of-Scope International Model (noted for completeness only)

Product	Market	Note
TVS Callisto 125	Indonesia (per Indonesian-market automotive sites)	Not listed on tvsmotor.com (India); not covered in depth in this India-focused document

2.4 Non-Two-Wheeler Products (out of scope, noted for completeness)

TVS Motor Company's official product listing also includes commercial three-wheelers (TVS King Deluxe, King Duramax Plus, King EV Max, King Kargo, King Kargo HD EV, King Kargo HD CNG). These are outside the scope of this two-wheeler knowledge base and are not covered further.

3. TVS Apache RTR 160 (base / 2-valve model)

A. Product Overview

TVS Apache RTR 160 is a naked sport motorcycle marketed under the tagline "THE ALL-NEW RACER'S CHOICE." *Source: TVSApacheRTR160PDFHimaalayaaTVS.pdf, Page 1.* Brand heritage copy printed in the brochure: "Every Apache is born of a Racing Gene. The Racing DNA of the TVS Apache stems from TVS Racing, India's first factory racing team. Since 1982, we have dominated tracks around the world, racking up championship wins in Road racing, Rallying, Motocross and Supercross." The brochure states the team "boasts of a 90% win rate." *Source: TVSApacheRTR160PDFHimaalayaaTVS.pdf, Page 2.* The brochure also states: "For over ten years the TVS Apache RTR 160 has been a mainstay on the track, pushing the boundaries of performance. Now the iconic race machine is reengineered for the racers of today. It's the first in its class to be equipped with ride modes, making the already formidable performance machine even more cutting-edge." *Source: same brochure, Page 2.*

B. Current Official Status

Current — listed on tvsmotor.com's official Apache range page as "TVS Apache RTR 160 (2V)." *Source: TVS Official Website — tvsmotor.com/tvs-apache — accessed 2026-09-06.*

C. Variants

The brochure identifies three variant tiers, distinguished by brake type and connectivity:

- **Base (Drum)** — drum rear brake.
- **Base (Disc)** — disc rear brake, otherwise equivalent to Drum.

- **Top (Disc-BT)** — disc rear brake plus Bluetooth-connected digital speedometer and a wider (120mm) rear tyre. *Source: TVSApacheRTR160PDFHimaalayaaTVS.pdf, Page 1 (spec table "FEATURES" row).* The brochure's printed colour list (Matte Blue, Racing Red, Gloss Black, T Grey, Pearl White) is not mapped to specific variants in the source. *Source: same brochure, Page 1.*

D. Key Features (TVS Apache RTR 160)

- **SmartXonnect with Voice Assist** — described as first-in-class; the all-new LCD display with SmartXonnect, enabled with Bluetooth connectivity and voice assist, uses a unique pairing with the rider's smartphone to display race telemetry, navigation, and more. Switching ride modes triggers changes in engine and ABS response. *Source: TVSApacheRTR160PDFHimaalayaaTVS.pdf, Page 3.*
 - *Call/SMS Alert* — a dedicated info switch on the handlebar displays and controls cellular notifications on the console.
 - *Race Telemetry* — the TVS SmartXonnect app records race parameters and specific race data for the rider to analyse.
 - *Low Fuel Warning and Assist* — when the bike is low on fuel, pressing the info switch automatically redirects the rider to the nearest petrol station.
 - *Turn-by-turn Navigation* — directions displayed on the console with a trip mode; pre-programmed with essential stops such as fuel stations, hospitals, and restaurants.
 - *Crash Alert* — triggered when the machine senses a fall; the system enters crash-alert mode and notifies the rider's emergency contacts with the crash location.
[Unclear/Unreadable in source: the exact time window is printed as a number of seconds partially obscured by an overlapping icon graphic; it appears to read approximately "160 seconds" in this brochure, but this exact figure should be treated as uncertain, not confirmed.] *Source: TVSApacheRTR160PDFHimaalayaaTVS.pdf, Page 3.*
- **First-in-class Ride Modes** — Sport, Urban, and Rain, each changing engine and ABS response:
 - *Urban Mode:* smooth and controlled movement for dense traffic; linear acceleration/deceleration; ABS optimised for quick response with minimal lever pulsation.
 - *Sport Mode:* unleashes full power for highway riding; ABS optimised for total control; sharp, aggressive acceleration; high-thrust launch from the first twist of the throttle.

- *Rain Mode*: sharp ABS response with a strong lever-pulsation feel for confidence in slippery, muddy, storm conditions. *Source: TVSApacheRTR160PDFHimaalayaaTVS.pdf, Page 3.*
- **X-Ring Chain** — four points of contact and two additional reservoirs of lubricant; a self-aligning function dispenses pressure and minimises power loss from lower friction while increasing chain longevity. *Source: same brochure, Page 5.*
- **GTT (Glide Through Technology)** — first-in-segment; allows launching off the line with a slow clutch release and no throttle input. Maximum speed achievable via GTT without throttle: 1st gear up to 7 km/h; 2nd gear up to 12 km/h; 3rd gear up to 17 km/h. *Source: same brochure, Page 5.*
- **RT-Fi (Race Tuned Fuel Injection) engine** — BS-VI compliant; the intelligent system has optimised the engine for maximum race performance; the race-derived engine has a short-stroke set-up for lightning-fast acceleration and delivers intense torque with a high-revving nature at the top end. *Source: same brochure, Page 5.*
- **Synchro Stiff Chassis** — provides the balance of stiffness for optimised straight-line performance while delivering flex for aggressive cornering. *Source: same brochure, Page 6.*
- **Alcantara Racing Seat** — meticulously crafted to provide comfort over long race distances. *Source: same brochure, Page 6.*
- **MIG Suspension** — rear monotube inverted gas-filled shocks, 5-step adjustable, with a rectangular swingarm for synergy of cornering aggression and agility. *Source: same brochure, Page 6.*
- **Roto Petal Disc Brakes with Super Moto ABS** — single-channel Super Moto ABS offers precise control and sharp feedback for razor-sharp cornering. *Source: same brochure, Page 6.*
- **Wider Tyre** — special-compound tubeless tyres for unyielding grip when cornering. *Source: same brochure, Page 6.*
- New aggressive LED headlamp, new race graphics, fully digital LCD cluster, wider rear tyre (all called out as marketing highlights on the brochure's cover spread). *Source: same brochure, Page 2.*

E. Engine & Performance

Specification	Value	Applicability	Source
Engine Type	SI, 4 stroke, Air cooled, SOHC, Fuel Injection	All variants	Brochure, Page 1
Engine Capacity	159.7 cm ³	All variants	Brochure, Page 1
Maximum Power	Sport: 11.8 kW (16.04 PS) @ 8750 rpm; Urban/Rain: 9.8 kW (13.32 PS) @ 8000 rpm	All variants	Brochure, Page 1
Maximum Torque	Sport: 13.85 Nm @ 7000 rpm; Urban/Rain: 12.7 Nm @ 6500 rpm	All variants	Brochure, Page 1
Fuel Supply System	Fuel Injection	All variants	Brochure, Page 1
Number of Valves	2 valves	All variants	Brochure, Page 1
Starting	Electric Start	All variants	Brochure, Page 1
Power to Weight Ratio	Drum: 0.0861 kW/kg; Disc: 0.0855 kW/kg	Drum / Disc	Brochure, Page 1
Cooling System	Air cooled	All variants	Brochure, Page 1
Gearbox	5 speed gear box	All variants	Brochure, Page 1
Max Speed	Sport: 107 km/h; Urban/Rain: 97 km/h	All variants	Brochure, Page 1

Specification	Value	Applicability	Source
Current-listed Power (2026)	16.04 PS @ 8750 rpm	—	TVS Official Website, tvsmotor.com/tvs-apache, accessed 2026-09-06 (matches brochure Sport-mode figure exactly)
Current-listed 0-60 km/h (2026)	5.3 seconds	—	TVS Official Website, tvsmotor.com/tvs-apache, accessed 2026-09-06 (not stated anywhere in the brochure — new information)

F. Dimensions & Capacities

Specification	Value	Source
Height	1105 mm	Brochure, Page 1
Length	2085 mm	Brochure, Page 1
Width	730 mm	Brochure, Page 1
Wheelbase	1300 mm	Brochure, Page 1
Ground Clearance	180 mm	Brochure, Page 1
Saddle Height	790 mm	Brochure, Page 1
Fuel Tank Capacity (Full)	12 L	Brochure, Page 1
Kerb Weight	Drum: 137 kg; Disc & Top End: 138 kg	Brochure, Page 1

G. Chassis, Suspension & Brakes

Specification	Value	Applicability	Source
Frame	Double cradle Synchro Stiff	All variants	Brochure, Page 1
Front Suspension	Telescopic forks	All variants	Brochure, Page 1
Rear Suspension	Monotube Inverted Gas-filled shox (MIG) with spring aid	All variants	Brochure, Page 1
Brake Front	270 mm dia Petal Disc	All variants	Brochure, Page 1
Brake Rear	200 mm dia Petal Disc	Disc & Top End	Brochure, Page 1
Brake Rear	130 mm dia drum	Drum version	Brochure, Page 1
Brake Fluid	DOT3 / DOT4	All variants	Brochure, Page 1
Tyre Front	90/90-17 Tubeless	All variants	Brochure, Page 1
Tyre Rear	120/70-17 Tubeless	Top End	Brochure, Page 1
Tyre Rear	110/80-17 Tubeless	Drum & Disc versions	Brochure, Page 1
ABS	Single-channel "Super Moto ABS"	All variants (per marketing copy)	Brochure, Page 6

H. Electrical & Technology

Specification	Value	Applicability	Source
Battery	12V, 6Ah MF	All variants	Brochure, Page 1
Headlamp	AHO, LED Headlamp with all-time-ON LED position lamp	All variants	Brochure, Page 1
Tail Lamp	LED	All variants	Brochure, Page 1
Speedometer	New digital speedometer	Base (Drum) / Base (Disc)	Brochure, Page 1
Speedometer	New digital speedometer with Bluetooth connectivity	Top (Disc-BT)	Brochure, Page 1
SmartXonnect connected features	Call/SMS alert, race telemetry, low-fuel warning & assist, turn-by-turn navigation, crash alert	Top (Disc-BT), per Bluetooth requirement	Brochure, Page 3

I. Safety Features

Single-channel Super Moto ABS (Roto Petal disc brakes); Crash Alert (fall detection with emergency-contact notification, Top variant); Low Fuel Warning and Assist; AHO (Automatic Headlamp On) with all-time-ON LED position lamp for visibility. *Source: TVSApacheRTR160PDFHimaalayaTVS.pdf, Pages 1, 3, 6.*

J. Comfort & Convenience

Alcantara Racing Seat for comfort over long distances; adjustable-feel ride modes for different conditions; MIG rear suspension tuned for cornering agility and comfort. *Source: same brochure, Page 6.*

K. Design & Styling

New race graphics, new aggressive LED headlamp, all-new LED tail lamp, muscular new tank design with flared design and cowl aiding aerodynamics and engine cooling, imposing new LED headlamp with "Beast Eyes" design theme, bold new graphics. *Source: same brochure, Page 4.*

L. Colours

Matte Blue, Racing Red, Gloss Black, T Grey, Pearl White. *Source:*

TVSApacheRTR160PDFHimaalayaaTVS.pdf, Page 1. [Colour-to-variant mapping not specified in source — all five colours are shown together without a per-variant grid.]

M. Accessories

Not itemised in this brochure. For current genuine accessories, see Section 27 (TVS Genuine Accessories Store) of this document, which lists "TVS Apache" as one of the store's model categories. *Source: TVS Official Website — shop.tvsmotor.com/collections/shop-by-model — accessed 2026-09-06.*

N. Pricing

Price Type	Value	Source
Brochure price	Not printed in the brochure (no price page present)	TVSApacheRTR160PDFHimaalayaaTVS.pdf
Current official ex-showroom price (Delhi)	₹1,21,420 onwards	TVS Official Website — tvsmotor.com/tvs-apache — accessed 2026-09-06

O. Warranty / Service / Ownership

No warranty terms are printed in this specific brochure. Current official TVS policy (applies to all TVS motorcycles unless a model-specific exception is stated — see Section 24 of this document): 5 years or 60,000 km, whichever is earlier. *Source: TVS Official Website — tvsmotor.com/customers/warranty-policy — accessed 2026-09-06.*

P. World of Apache (brand community programs referenced in this brochure)

- **AOG (Apache Owners Group)** — "a motorcycling community of over 1,00,000 members. With chapters across the length and breadth of the country, the group embarks on motorcycling adventures of all kinds – from breakfast rides to crossing borders both international and domestic." *Source: TVSApacheRTR160PDFHimaalayaaTVS.pdf, Page 7.* [Note: the later-dated Apache RTR 310 brochure states this figure as "over 3,00,000 members" — both preserved per their own source, not reconciled; likely reflects different print dates.]

- **APP (Apache Pro Performance)** — a series of stunt shows featuring the best stunt riders in the country. *Source: same brochure, Page 7.*
- **ARE (Apache Racing Experience)** — brings racers closer to the racetrack with mentorship from championship-winning TVS Racing riders, providing a path to the "One Make Championship." *Source: same brochure, Page 7.*

Q. Technical Specifications — Full Table

(See sections E, F, G, H above for the complete structured specification table; consolidated here per the RAG-optimisation requirement that this model's core numbers remain retrievable from a single table.)

Category	Specification	Value	Variant/Applicability	Source
Engine	Type	SI, 4 stroke, Air cooled, SOHC, Fuel Injection	All	Brochure
Engine	Capacity	159.7 cm ³	All	Brochure
Engine	Max Power	Sport 11.8 kW (16.04 PS) @ 8750 rpm / Urban-Rain 9.8 kW (13.32 PS) @ 8000 rpm	All	Brochure
Engine	Max Torque	Sport 13.85 Nm @ 7000 rpm / Urban-Rain 12.7 Nm @ 6500 rpm	All	Brochure
Transmission	Gearbox	5 speed	All	Brochure
Dimensions	L x W x H	2085 x 730 x 1105 mm	All	Brochure
Dimensions	Wheelbase / Ground Clearance / Seat Height	1300 / 180 / 790 mm	All	Brochure
Capacity	Fuel Tank	12 L	All	Brochure

Category	Specification	Value	Variant/Applicability	Source
Weight	Kerb Weight	137 kg (Drum) / 138 kg (Disc, Top End)	Drum / Disc-Top	Brochure
Suspension	Front / Rear	Telescopic / MIG Monoshock	All	Brochure
Brakes	Front / Rear	270mm Petal Disc / 200mm Petal Disc or 130mm Drum	All / Disc-Top / Drum	Brochure
Tyres	Front / Rear	90/90-17 / 120-70-17 (Top) or 110/80-17 (Drum, Disc)	All / Top / Drum-Disc	Brochure
Electrical	Battery	12V 6Ah MF	All	Brochure
Performance	Max Speed	Sport 107 km/h / Urban-Rain 97 km/h	All	Brochure
Pricing	Ex-showroom (Delhi)	₹1,21,420 onwards	Current, 2026	TVS Official Website
Warranty	Standard	5 years / 60,000 km	Current TVS policy	TVS Official Website

R. Variant Comparison

Feature / Specification	Base (Drum)	Base (Disc)	Top (Disc-BT)
Rear Brake	130mm Drum	200mm Petal Disc	200mm Petal Disc
Rear Tyre	110/80-17	110/80-17	120/70-17 (wider)

Feature / Specification	Base (Drum)	Base (Disc)	Top (Disc-BT)
Speedometer	Digital	Digital	Digital with Bluetooth connectivity (SmartXonnect)
Kerb Weight	137 kg	138 kg	138 kg
Ride Modes (Sport/Urban/Rain)	Yes	Yes	Yes
LED Headlamp with AHO	Yes	Yes	Yes
<i>Source: TVSApacheRTR160PDFHimaalayaaTVS.pdf, Page 1 ("FEATURES" row of the specification table).</i>			
