

Nama : 1. Andre Hadiman Rotua Parhusip (122450108)
2. Nabyla Sharfina (123450008)
3. Arini Puteri Elandra (123450069)
4. Muhammad Fadil Alfaizi (123450115)

Kelompok : 14

Dosen Pembimbing : Yuliana M.Sc

RECOVERY PROCEDURES DOCUMENT

MISI 3 KELOMPOK 14 FTI

```
-- Full Backup
BACKUP DATABASE DM_FTI_DW
TO DISK = N'D:\Backup\DM_FTI_DW_Full.bak'
WITH
    COMPRESSION,
    INIT,
    NAME = N'Full Database Backup',
    STATS = 10;
GO

-- Differential Backup
BACKUP DATABASE DM_FTI_DW
TO DISK = N'D:\Backup\DM_FTI_DW_Diff.bak'
WITH
    DIFFERENTIAL,
    COMPRESSION,
    INIT,
    NAME = N'Differential Database Backup',
    STATS = 10;
GO

-- Transaction Log Backup
BACKUP LOG DM_FTI_DW
TO DISK = N'D:\Backup\DM_FTI_DW_Log.trn';
WITH
    COMPRESSION,
    INIT,
    NAME = N'Transaction Log Backup',
    STATS = 10;
GO
```

```
-- Schedule Backup Jobs
-- Full Backup: Weekly (Sunday 2 AM)
-- Differential Backup: Daily (2 AM)
-- Transaction Log Backup: Every 6 hours

-- Backup to Azure Blob Storage (Optional)
CREATE CREDENTIAL [AzureStorageCredential]
WITH
    IDENTITY = 'SHARED ACCESS SIGNATURE',
    SECRET = '<SAS_TOKEN>';
GO

BACKUP DATABASE DM_FTI_DW
TO URL =
N'https://[storage_account].blob.core.windows.net/backups/DM_FTI_DW.bak'
WITH
    CREDENTIAL = 'AzureStorageCredential',
    COMPRESSION;
GO
```

Penjelasan:

Recovery dilakukan dengan menerapkan urutan pemulihan yang tepat: dimulai dari Full Backup sebagai basis awal, kemudian menambahkan Differential Backup untuk membawa database ke kondisi mendekati terbaru, dan terakhir melanjutkan dengan Transaction Log Backup untuk mengembalikan seluruh transaksi sampai titik waktu yang diinginkan. Pendekatan bertahap ini memungkinkan proses pemulihan yang cepat, konsisten, dan fleksibel, baik untuk mengatasi kerusakan data, kesalahan operasional, maupun kegagalan sistem secara menyeluruh. Dengan skema ini, data warehouse dapat dipulihkan secara akurat tanpa mengorbankan kontinuitas operasional.