

Query REST API for DNC

1.End User API

1.1.Create Session

Initialize the session environment. The system generates a unique session_id and writes it to the client browser via Set-Cookie, while also returning detailed information about the session.

1.1.1.Specification

HTTP Method	GET
Response Content-Type	application/json

1.1.2.Request

Http Request

GET /session

1.1.3 Response

Response Headers

Set-Cookie	session_id=EXT_...; HttpOnly; SameSite=Lax; Path=/
------------	--

Response Body (json)

```
{
  "event": "done",
  "message": {
    "session_id": "EXT_4e5c693f-7a30-4452-a902-792e64cb6a6e",
    "metadata": {},
    "created_at": "2026-05-08T03:19:12.224206",
    "last_active": "2026-05-08T03:19:12.224206",
    "ttl_hours": 24
  },
  "created": 1778210352,
  "id": "EXT_4e5c693f-7a30-4452-a902-792e64cb6a6e_1778210352",
  "timing": {
    "total_ms": 2
  }
}
```

Name	Type	Description
event	string	固定的事件類型，此 API 成功時皆為 "done"。
message	object	包含 Session 的核心資訊，如 session_id、ttl_hours 等。

created	int	Unix Timestamp，代表系統受理該請求的時間點。
id	string	該次連線的唯一識別碼（格式：session_id + timestamp）。
timing	object	效能統計，total_ms 為後端處理耗時（毫秒）。

1.2. Chat for query

Engage in conversations with the AI assistant. Supports context-aware, continuous dialogue and provides real-time responses in Server-Sent Events (SSE) format.

1.2.1.Specification

HTTP Method	POST
Content-Type	application/json
Accept	text/event-stream
Cookie	session_id=<YOUR_SESSION_ID>

1.2.2.Request

Http Request

POST /chat

Request Body

```
{
  "input": "${input}"
}
```

1.2.3 Response

Response Headers

Content-Type	text/event-stream; charset=utf-8
Cache-Control	no-cache
Connection	keep-alive

Normal case, Response Body (Stream)

```
event: text_chunk
data:
{"event":"text_chunk","message":"","created":1778211058,"id":"EXT_0acbce59-4502-4eb8-8661-26cb1a6b222e_1778211058"}
...
event: done
data:
{"event":"done","created":1778211058,"id":"EXT_0acbce59-4502-4eb8-8661-26cb1a6b222e_1778211058","timing":{...}}

data: [DONE]
```

Session Expired

HTTP Status: 401 Unauthorized

Body: {"detail": "Session expired or invalid. Please re-initialize session."}