



Supplier Excellence Report Summary Template (Consumer Goods & FNF)



Document Reference:	Prepared By:	Document Owner:	Version: 11	Issued:
SEP.063: A (A of A & B)	Quality Team - Asia	Policy & Regulatory Team FNF & GM	Authorised External	Oct 2024
Supplier Name:	AUSTRALIAN LINEN SUPPLY, A DIVISION OF ALSCO PTY LTD			
Factory Name:	VANTAGE RIVER TEXTILES			
Factory Address:	Village 1, Sangkat 1, Sihanoukville, Sihanouk Province, Cambodia.			
Main Products:	Chef Coats / Aprons & Uniforms			
Products for Woolworths:	The facility is newly onboarded for Woolworths production. At the time of audit, production activities had not yet begun.			
Main Processes:	Product Category	Softgoods		
	Fabric Inspection			
	Cutting			
	Sewing			
	Finishing & Packing			
Outsourced Processes:	Embroidery / Printing			
Factory established in:	12-Sep-2013	Number of Employees:	Total 477 Workers Male-72 , Female-405	
Land / Floor areas (m²):	10,800 sft	Major Markets:	USA, AUSTRALIA	
Monthly Production Capacity:	250,000 units	Factory Experience to Australia / NZ market:	Yes (AUSTRALIAN LINEN SUPPLY)	

Audit Summary						
Date of Audit:	07 September 2026		Report Number:		18224	
Audit Company:	SgT Group		Audit type:		Approval audit	
Audit time on site (hrs):	11 Hours		Time in operational areas (hrs):		06 Hours	
Audit Scope-Level 1	Supplier Excellence - Consumer goods					
Audit Scope-Level 2	Code of Practice					
	✓	Product Contamination Control (SEP.019)		Toys and Seasonal (SEP.070)		Electrical Products (SEP.025)
		Home Textiles (SEP.027)	✓	Apparel (SEP.024)		Food Contact Packaging (SEP.026)
		Footwear (SEP.031)		Sports and Leisure (SEP.075)		Furniture (SEP.076)
		Cosmetic Products Manufacture (SEP.020)		Product Design & Claim Validation (SEP.021)		Trade Measurement Claims (SEP.018)
		Paper, Pulp and Timber (SEP.083)				
Key Personnel			Present During Audit			
Name	Position		Opening meeting		Closing Meeting	
Paul Weng	Factory Manager		YES		YES	
Och Chanmalen	Product supervisor		YES		YES	
Em Sreyleak	Quality Control		YES		YES	
Em Sreyleak	QA Supervisor		YES		YES	
Hao Sreyneang	Compliance		YES		YES	

Executive Summary / Additional information

Vantage River Textiles is a medium-sized manufacturing facility with a workforce of 477 employees and a total machinery capacity of 767 units. The facility operates under centralized management, where headquarters oversees fabric and trims procurement and allocates orders to the factory. The factory processes orders from fabric inspection through to final dispatch.

The facility is equipped with 20 sewing lines, of which 11 lines were operational on the day of evaluation. The current customer portfolio includes:

American Dawn Inc., USA – 30%
 Australia Linen Supply, Australia – 20%
 Northern Uniform, Canada – 15%
 White Plain Linen, USA – 13%
 Magnus Textiles, USA – 5%
 Dickson, USA – 5%
 Lechner & Sons, USA – 5%
 Also Singapore, Singapore – 5%
 Deane Apparel, New Zealand – 2%

The production process flow is as follows:

Fabric / Trims Receipt & Inspection → Cutting → Embroidery (Outsourced) → Sewing → End-line Checking → Folding/Tagging & Packing → Dispatch.

This facility is a new vendor for Big W. During the facility tour and closing meeting, the audit findings and required corrective actions were discussed with factory management.



Key Observation

While the factory demonstrates basic operational capability, several areas require improvement to strengthen compliance with customer requirements. Major gaps were identified in raw material storage and control, the availability of a dedicated pressing process, and product contamination control. In addition, improvements are required in housekeeping and systematic control of production processes to minimize the risk of product quality, safety, and compliance issues.

Audit Result

Number of Audit Findings	Critical NCs:	0	Audit Result	Amber-Improvement needed	Follow Up Audit	
	Major NCs:	4				
	Minor NCs:	1				
	Observations:	0				

I agree these observations were true at the time of the factory audit:

Auditor Name	Auditor Signature	Date
Sok Daraty (SgT- Auditor)		07 September 2026
Agreed By	Factory Representative Signature	Date
Paul Weng (Factory manager)		07 September 2026

SEP.063A-EXT- Supplier Excellence Report Summary Template Consumer Goods & FNF | Version: 11 | FOR INTERNAL AND AUTHORISED EXTERNAL DISTRIBUTION or EXTERNAL

COMMERCIAL IN CONFIDENCE

UNCONTROLLED OUTSIDE OF WOOLWORTHS' PLATFORMS

Supplier Excellence Report Summary Template (Consumer Goods & FNF)

GENERAL REQUIREMENTS

Section 1: Product Design & Risk Assessment

Risk assessment is carried out for all products during the design stage to identify potential safety concerns. The results of the assessment are documented, and appropriate preventive and corrective controls are built into the production process.

No Non-Conformity Observed in this Section.

Section 2: Product Control & Process Control

Process controls are applied throughout all production stages to maintain product safety and quality. Final Quality Control (FQC) procedures are followed for every lot before packing. Finished products are released only after FQC is completed and all required customer release procedures are verified.

No Non-Conformity Observed in this Section.

Section 3: Company Commitment

Senior management actively supports the implementation of the Supplier Excellence Program by allocating resources, conducting regular management reviews, and monitoring key performance indicators. Leadership is involved in setting quality and safety objectives and ensuring that corrective and preventive actions are implemented effectively.

No Non-Conformity Observed in this Section.

Section 4: Internal Audit

An internal audit program is in place to verify the implementation and effectiveness of the Quality Management System (QMS). Scheduled audits are conducted across all departments, and findings are documented with corrective actions assigned. Results are reviewed by management to ensure continual improvement of the system.

No Non-Conformity Observed in this Section.

Section 5: Approved Supplier & Raw Material Management (IQC Program)

An effective supplier approval system is implemented to evaluate and approve all raw material and packaging suppliers before use. The system includes checks for safety, authenticity, legality, and quality, with supporting documentation maintained.

No Non-Conformity Observed in this Section.

Section 6: Control of Non-Conforming Product

Documented procedures are in place to identify and manage any product or material found to be out of specification at any stage of the process. Nonconforming items are segregated, clearly labeled, and recorded to prevent unintended use.

No Non-Conformity Observed in this Section.

Section 7: Product Identification & Traceability

1) The factory has established a product identification and traceability system. Real-time identification is maintained in the fabric warehouse, while production and finished goods are controlled through manual batch/production records, supporting traceability from production through to the finished product and carton level.

WE OBSERVED A MAJOR NON-CONFORMITY IN THIS SECTION AS BELOW:

Clause: GR CG 7.4 (Major)

NC Description:

The factory has a product identification and traceability system in place. Real-time identification is implemented in the fabric warehouse, while other production sections rely on manual identification and records to maintain product traceability. The factory should ensure that the identification system is consistently maintained throughout the production process and supports identification of finished products at retail unit and shipper/carton level, as required by Clause 7.4.

Proposed Corrective Action :**Improve Product Identification & Traceability System**

Strengthen the product identification system across all production sections to ensure clear identification of production/batch information. Ensure finished garments are clearly identified and traceable through the production process up to the packing and carton stage. Maintain clear identification and segregation of QC-passed, rework, and rejected garments.

Update SOPs & Training

Review and update the Product Identification & Traceability SOP to clearly define identification requirements for each production stage. Train QC inspectors, line leaders, supervisors, and relevant operators on the identification and traceability requirements.

Monitoring & Verification

QA/QC team to conduct periodic verification of product identification and traceability records. Verify that finished product identification can be linked to the relevant production/batch information and carton. Any gaps identified during verification to be immediately corrected and followed up by the QA team.

Due date to close the NC is 07th Oct 2026

Section 8: Complaint Handling

A formal customer complaint management system is in place to record, investigate, and respond to all complaints received. Each complaint is analyzed to determine root cause, and corrective and preventive actions are implemented to prevent recurrence. Records of complaints and actions taken are maintained and reviewed regularly by management for continuous improvement.

No Non-Conformity Observed in this Section.

Section 9: Incident Management

A documented incident management and product recall procedure is in place to ensure timely action if a product withdrawal or recall is required.

No Non-Conformity Observed in this Section.

FACTORY STANDARDS**Section 10: Site Security**

A product withdrawal and recall procedure is established to manage any identified product safety issues SOP are available.

No Non-Conformity Observed in this Section.

Section 11: Premises & Layout

The premises provide sufficient working space and storage capacity to allow all operations to be carried out efficiently and safely.

WE OBSERVED A MAJOR NON-CONFORMITY IN THIS SECTION AS BELOW:

Clause: GRCG 11.3 (Major)

NC Description:

During the audit, the cutting tables were found to be unclean, with accumulated dirt observed on the working surfaces. In addition, the factory does not maintain an adequate cleaning schedule for the cutting section. This condition may increase the risk of contamination and does not meet the required factory standard for maintaining a clean and tidy production environment.

Proposed Corrective Action:**Improve Cleaning & Housekeeping Control**

Thoroughly clean all cutting tables and surrounding areas and remove accumulated dirt.
Establish a documented cleaning schedule for the cutting section, including cutting tables, equipment and working areas.
Assign responsible personnel for daily cleaning and housekeeping activities.

Update SOP & Training

Review and update the factory housekeeping/cleaning SOP to clearly define the cleaning frequency, responsible persons and required cleaning standards.
Train cutting-section operators and supervisors on the required cleaning and housekeeping practices.

Monitoring & Verification

Cutting-section supervisors to conduct daily checks to verify cleanliness against the established standard.
QA/QC team to include cutting-section housekeeping in routine inspections.
Maintain cleaning records and verify completion during internal audits.

Due date to close the NC is 07th Oct 2026

Section 12: Preventative Maintenance

A planned preventative maintenance program is established and implemented for equipment and facilities. Equipment is maintained according to the scheduled maintenance plan, with maintenance records maintained as applicable.

No Non-Conformity Observed in this Section.

Section 13: Personnel - Training and Competency

Facilities generally maintain documented training systems that include onboarding, SOP training, and scheduled re-training.

No Non-Conformity Observed in this Section.

Section 14: Pest Control

Facilities generally engage licensed third-party pest control companies to perform scheduled inspections and treatments.

WE OBSERVED A MAJOR NON-CONFORMITY IN THIS SECTION AS BELOW:

Clause: GRCG 14.1 (Major)**NC Description:**

The facility has engaged a third-party pest control provider for monthly inspections and treatments; however, the program is ineffective. During the audit, spider nests were observed in the cutting section and other areas, indicating inadequate pest monitoring and control measures.

This represents a minor non-conformity against Section 14.1 requirements, as the current pest control system is not fully effective in preventing pest presence within production areas.

Proposed Corrective Action:**1. Immediate Containment (within 7 days)**

- * Remove all visible spider nests and webs from the cutting section and adjacent production zones.
- * Request the pest control service provider to conduct an urgent re-treatment of the affected areas.
- * Inspect all raw material and WIP storage areas for signs of pests and clean thoroughly.

2. Systemic Corrective Actions (within 2–3 weeks)

- * Review the current pest control provider's treatment plan and effectiveness; adjust treatment frequency (from monthly to bi-weekly if required).
- * Ensure the pest control provider updates their service log with detailed observations and corrective actions.
- * Introduce an internal pest monitoring program, including:
 - * Weekly housekeeping checks for webs, nests, droppings, or insect activity.
 - * Documentation of findings with escalation to factory management.
 - * Add cutting and raw material sections as priority areas in the pest control schedule.

3. Preventive / Long-term Actions (within 1–2 months)

- * Develop and implement a Pest Control SOP, outlining responsibilities, inspection frequency, and corrective measures.
- * Train staff on early pest identification and reporting procedures.
- * Install physical controls such as insect-proof nets, sealed doors/windows, and UV insect light traps where appropriate.
- * Conduct a quarterly performance review of the pest control provider and change provider if performance remains unsatisfactory.
- * Ensure pest control reports and trend analysis are included in management review meetings.

Responsibility:

- * Housekeeping Team: Daily cleaning and nest removal.
- * Pest Control Provider: Scheduled treatment, log maintenance, and corrective measures.
- * QA/Compliance Team: Monitoring, trend analysis, and verification of effectiveness.
- * Factory Management: Review provider performance and allocate resources.

Verification of Effectiveness:

- * No spider nests/webs observed in weekly QA/housekeeping checks for 3 consecutive months.
- * Pest control log updated and verified monthly.
- * KPI: Zero pest sightings or nests in production areas after implementation.

Due date to close the NC is 07th OCT 2026

Section 15: Environment & Waste Practices

Factory having waste disposal procedure with supporting records.

They follow all local regulations and having environment certificates. As per observation, we did not evident any environment impact surrounding to the factory. There are disposal records available and verified.

No Non-Conformity Observed in this Section.

Section 16: Storage, Despatch & Transport

A clearly defined storage facility is available for raw materials, work-in-progress (WIP), and finished goods.

Goods are transported in containers after inspection, in line with the facility's SOP.

Container inspection reports are documented and were verified during the audit.

Overall, proper identification and organized storage were observed in the relevant areas of the factory. Goods were transported in containers after inspection in line with the facility's SOP, and container inspection reports were documented and verified during the audit.

No Non-Conformity Observed in this Section.

Section 17: Product Inspection & Testing

The factory has established and implemented a product inspection and testing programme to control product quality during and after production. Inspection and testing activities are conducted according to defined requirements, with records maintained for the relevant inspection and test results.

No Non-Conformity Observed in this Section.

Section 18: Calibration

All measuring equipment used for product safety, quality, and legality is calibrated according to a defined schedule. Calibration records are maintained and available for verification.

No Non-Conformity Observed in this Section.

Section 19: Product Sample Control

Procedures are in place for selecting, storing, and using reference samples from pre-production and finished production. All samples are handled in accordance with customer requirements.

No Non-Conformity Observed in this Section.

Section 20: Quantity Control

The system is maintained to ensure all technical files and specifications for raw materials, packaging, and components are current and readily available.

No Non-Conformity Observed in this Section.

Section 21: Specifications & Technical Files

Workplace safety is managed through documented procedures, risk assessments, and safety training. Regular inspections and hazard reporting are conducted to maintain a safe working environment.

No Non-Conformity Observed in this Section.

Section 22: Occupational Health & Safety

A system is in place to ensure worker safety throughout the factory.

Personal Protective Equipment (PPE) is provided to all employees in designated areas and was observed to be in use during the audit.

Warning signs are displayed according to the requirements of each section, and employees were observed following the posted safety instructions.

No Non-Conformity Observed in this Section.

SEP.063A-EXT- Supplier Excellence Report Summary Template Consumer Goods & FNF | Version: 11 | FOR INTERNAL AND AUTHORISED EXTERNAL DISTRIBUTION or EXTERNAL

COMMERCIAL IN CONFIDENCE

UNCONTROLLED OUTSIDE OF WOOLWORTHS' PLATFORMS

Supplier Excellence Report Summary Template (Consumer Goods & FNF)

CODES OF PRACTICE (COPs) REPORT

COP - SEP.019 - Product Contamination Control

Risk assessment is carried out for all products during the design stage to identify potential safety concerns. Controls are then implemented throughout the production process to manage the identified risks.

Section 5 – Glass/Ceramics/Plastic/Wood**WE OBSERVED A MINOR NON-CONFORMITY IN THIS SECTION AS BELOW:****Clause: C-PCC 5.5 (Minor)****NC Description:**

The factory does not have a documented procedure or systematic monthly inspection programme for glass, brittle plastic, wood and ceramic items. During the audit, several damaged items were observed in the production area, indicating that the existing controls are not consistently implemented. This may increase the risk of product contamination and does not fully meet the requirements of Section 5.5.

Proposed Corrective Action:**1. Immediate Containment (Within 7 days)**

Conduct a comprehensive inspection of all glass, brittle plastic, wood and ceramic items throughout the factory.
Remove or replace damaged items and document the inspection results.

2. Systemic Actions (Within 2–3 weeks)

Establish a documented monthly inspection programme covering all glass, brittle plastic, wood and ceramic items.
Include glass, brittle plastic, wood and ceramic inspection checkpoints in the factory audit/housekeeping checklist.
Develop and implement a procedure for handling, inspection, reporting and replacement of damaged items.
Train relevant personnel, including QA/QC, supervisors and housekeeping staff, on the new requirements.

3. Preventive & Long-Term Actions (Within 1–2 months)

Conduct monthly inspections and maintain documented records for a minimum of 12 months.
Review and update the procedure following any contamination or breakage incident.
Include this requirement in internal audits and management reviews to ensure continued compliance.

Verification of Effectiveness:

100% of monthly inspection records to be completed and signed by the responsible person.
Zero uncontrolled/broken glass, brittle plastic, wood or ceramic items to be observed during the next 3 months.
Compliance to be verified through internal QA audits and the next customer audit.

Due date to close the NC: 07th-Nov-2026

COP - SEP.027 - Home Textiles

This section is not applicable for the audited facility.

COP - SEP.020 - Cosmetic Products Manufacture

This section is not applicable for the audited facility.

COP - SEP.070 - Toys and Seasonal

This section is not applicable for the audited facility.

COP - SEP.024 - Apparel

The factory's main production workflow is as follows:

Incoming Material Warehouse → IQC Inspection (no verification records available) → Sample Making → Cutting → Cut Panel Inspection (no verification records available) → Sewing → End-of-Line Inspection.

Customer & Material Handling:

All customer communications are managed by the company headquarters. Fabric and trim procurement is centralized at headquarters and allocated to the factory according to production requirements.

SECTION 1 – Incoming Materials

A designated quarantine area is available in both the fabric and trims warehouses. Incoming materials are properly controlled, identified, and stored to prevent mixing, contamination, or damage. Required incoming material inspections and testing are carried out according to the applicable specifications and procedures.

No Non-Conformity Observed in this Section.

SECTION 2 – Development Stage / Pre-Production

The factory has established a pre-production process to manage customer development samples, Pre-Production Samples (PPS), original patterns, and pre-production meetings. Jump-size sets and production runs are reviewed to identify and mitigate potential risks prior to bulk production.

No Non-Conformity Observed in this Section.

SECTION 3 – Production Line

Cut panel inspections are well implemented, covering the top, middle, and bottom layers. A 100% inspection of major panels is carried out, and records are properly maintained.

Master patterns are available and used to verify cut panel accuracy.

Defect visual aids are displayed and available for inspectors as a reference during inspection.

A fusing machine is available at the supplier facility. Standard Operating Procedures (SOPs) are in place, and fusing operations are carried out according to customer requirements.

A controlled system is in place to ensure the correct care code and product number labels are used for each production run. Labels are securely stored, issued according to production requirements, and usage is recorded for traceability.

Thread ends are removed from all finished products prior to end-line inspection.

The snap attaching area is well isolated to prevent contamination and ensure product safety.

Supplier data sheets are available, and internal caliper measurements and pull tests are conducted and properly recorded.

One pneumatic machine is currently available. The supplier should ensure that additional pneumatic machines are provided in line with the Big W production plan to meet the required production capacity.

WE OBSERVED A MAJOR NON-CONFORMITY IN THIS SECTION AS BELOW:**Clause: CAPL 3.8 (Major)****NC Description:**

The factory does not have a dedicated pressing section in place. Pressing operations are essential to achieve the required garment appearance, shape, and finishing quality. The absence of a designated and properly controlled pressing area may result in creases, inconsistent appearance, and finishing defects, increasing the risk of non-conforming garments being shipped.

Proposed Corrective Action:**1. Immediate Containment (Within 7–10 days)**

Identify a temporary pressing area with adequate space and ventilation for pressing and airing/drying garments.

Use the available pressing facilities to ensure garments are properly pressed before moving to finishing/packing.

Identify and quarantine garments with poor pressing or finishing quality for re-pressing and correction.

2. Systemic Actions (Within 3–4 weeks)

Establish a dedicated pressing section with suitable pressing tables, steam supply, ventilation, and required finishing controls.

Develop and implement a pressing SOP covering:

Proper pressing and airing/drying of garments after pressing.

Safe handling to prevent creasing or damage after pressing.

Operator hygiene and safety requirements.

Assign and train dedicated pressing operators to ensure consistent pressing quality.

Include pressing quality as a checkpoint in inline and end-line QC inspections.* Include pressing as a checkpoint in inline and end-line QC inspections.

3. Preventive / Long-Term Actions (Within 1–2 months)

Establish a permanent pressing section within the production workflow (sewing → pressing → finishing).
 Schedule periodic maintenance and calibration of pressing equipment to maintain proper steam pressure and safe operation.
 Maintain pressing records for all pressing operators, including refresher training where required.
 Include pressing compliance in internal audits and 5S/housekeeping reviews.
 Monitor customer complaints and audit results to verify the effectiveness of the corrective actions.

Verification of Effectiveness

Dedicated pressing section established with a minimum of two operational pressing tables before the next audit.
 100% of garments are properly pressed and aired before packing.
 Pressing-related garment creasing complaints reduced to zero within 3 months.
 Compliance verified through internal QA audits and subsequent customer follow-up.

Due date to close the NC: 07 Oct 2026

SECTION 4 – Finished Product

End-line QC conducts inspections covering all critical measurement points, and inspection records are properly maintained. Roving QC conducts daily measurement checks based on the defined AQL standards.
 Approved packing samples and packing standards are available in the packing section for worker reference.

No Non-Conformity Observed in this Section.

SECTION 5 – Product Safety – Metal Contamination Control

A comprehensive metal contamination control procedure is established, covering broken needle control, sharp tool control, sharp metal control, and metal detection.
 The needle exchange room is properly isolated to prevent unauthorized access, and a trained person is assigned to issue and manage needles.
 Sharp/tool registers are properly maintained, with worker IDs recorded to ensure traceability.

No Non-Conformity Observed in this Section.

COP - SEP.021 - Product Design & Claim Validation

This section is not applicable for the audited facility.

COP - SEP.025 - Electrical Products

This section is not applicable for the audited facility.

COP - SEP.026 - Food Contact Packaging
<i>This section is not applicable for the audited facility.</i>
<i>This section is not applicable for the audited facility.</i>
COP - SEP.083 - Paper, Pulp and Timber
<i>This section is not applicable for the audited facility.</i>
COP - SEP.031 - Footwear
<i>This section is not applicable for the audited facility.</i>
COP - SEP.075 - Sports and Leisure
<i>This section is not applicable for the audited facility.</i>
COP - SEP.076 - Furniture
<i>This section is not applicable for the audited facility.</i>
COP – SEP.126 Glitter Free Products
<i>This section is not applicable for the audited facility.</i>

SEP.063A-EXT- Supplier Excellence Report Summary Template Consumer Goods & FNF | Version: 11 | FOR INTERNAL AND AUTHORISED EXTERNAL DISTRIBUTION or EXTERNAL

COMMERCIAL IN CONFIDENCE

UNCONTROLLED OUTSIDE OF WOOLWORTHS' PLATFORMS

Supplier Excellence Report Summary Template (Consumer Goods & FNF)

CORRECTIVE ACTIONS AND IMPROVEMENT PLAN					
Supplier Name:	AUSTRALIAN LINEN SUPPLY, A DIVISION OF ALSCO PTY LTD			Report No.:	18224
Factory Name:	VANTAGE RIVER TEXTILES			Audit Company:	SgT Cambodia
Critical Non-Conformances <i>When a Critical NC is raised, an immediate discussion (within 24 hrs) is required with the relevant Woolworths Quality Specialist/Manager to understand the product risk.</i>					
Clause number	Description of Non-Conformance	Proposed Corrective Action	Due Date	Evidence verified	NC Closed Date/By whom
N/A	N/A	N/A			
Major Non-Conformances					
Clause number	Description of Non-Conformance	Proposed Corrective Action	Due Date	Evidence verified	NC Closed Date/By whom
Clause: GRCG 7.4 (Major)	NC Description: The factory has a product identification and traceability system in place. Real-time identification is implemented in the fabric warehouse, while other production sections rely on manual identification and records to maintain product traceability. The factory should ensure that the identification system is consistently maintained throughout the production process and supports identification of finished products at retail unit and shipper/carton level, as required by Clause 7.4.	Proposed Corrective Action: Improve Product Identification & Traceability System Strengthen the product identification system across all production sections to ensure clear identification of production/batch information. Ensure finished garments are clearly identified and traceable through the production process up to the packing and carton stage. Maintain clear identification and segregation of QC-passed, rework, and rejected garments. Update SOPs & Training Review and update the Product Identification & Traceability SOP to clearly define identification requirements for each production stage. Train QC inspectors, line leaders, supervisors, and relevant operators on the identification and traceability requirements. Monitoring & Verification QA/QC team to conduct periodic verification of product identification and traceability records. Verify that finished product identification can be linked to the relevant production/batch information and carton. Any gaps identified during verification to be immediately corrected and followed up by the QA team.	Due date to close the NC is 07th Oct 2026		

Clause: GRCG 11.3 (Major)	NC Description: During the audit, the cutting tables were found to be unclean, with accumulated dirt observed on the working surfaces. In addition, the factory does not maintain an adequate cleaning schedule for the cutting section. This condition may increase the risk of contamination and does not meet the required factory standard for maintaining a clean and tidy production environment.	Proposed Corrective Action: Improve Cleaning & Housekeeping Control Thoroughly clean all cutting tables and surrounding areas and remove accumulated dirt. Establish a documented cleaning schedule for the cutting section, including cutting tables, equipment and working areas. Assign responsible personnel for daily cleaning and housekeeping activities. Update SOP & Training Review and update the factory housekeeping/cleaning SOP to clearly define the cleaning frequency, responsible persons and required cleaning standards. Train cutting-section operators and supervisors on the required cleaning and housekeeping practices. Monitoring & Verification Cutting-section supervisors to conduct daily checks to verify cleanliness against the established standard. QA/QC team to include cutting-section housekeeping in routine inspections. Maintain cleaning records and verify completion during internal audits.	Due date to close the NC is 07th Oct 2026		
---------------------------	--	--	--	--	--

Clause: GRGC 14.1 (Major)	NC Description: The facility has engaged a third-party pest control provider for monthly inspections and treatments; however, the program is ineffective. During the audit, spider nests were observed in the cutting section and other areas, indicating inadequate pest monitoring and control measures. This represents a Major non-conformity against Section 14.1 requirements, as the current pest control system is not fully effective in preventing pest presence within production areas.	Proposed Corrective Action: 1. Immediate Containment (within 7 days) * Remove all visible spider nests and webs from the cutting section and adjacent production zones. * Request the pest control service provider to conduct an urgent re-treatment of the affected areas. * Inspect all raw material and WIP storage areas for signs of pests and clean thoroughly. 2. Systemic Corrective Actions (within 2–3 weeks) * Review the current pest control provider's treatment plan and effectiveness; adjust treatment frequency (from monthly to bi-weekly if required). * Ensure the pest control provider updates their service log with detailed observations and corrective actions. * Introduce an internal pest monitoring program, including: * Weekly housekeeping checks for webs, nests, droppings, or insect activity. * Documentation of findings with escalation to factory management. * Add cutting and raw material sections as priority areas in the pest control schedule. 3. Preventive / Long-term Actions (within 1–2 months) * Develop and implement a Pest Control SOP, outlining responsibilities, inspection frequency, and corrective measures. * Train staff on early pest identification and reporting procedures. * Install physical controls such as insect-proof nets, sealed doors/windows, and UV insect light traps where appropriate. * Conduct a quarterly performance review of the pest control provider and change provider if performance remains unsatisfactory. * Ensure pest control reports and trend analysis are included in management review meetings. Responsibility: * Housekeeping Team: Daily cleaning and nest removal. * Pest Control Provider: Scheduled treatment, log maintenance, and corrective measures. * QA/Compliance Team: Monitoring, trend analysis, and verification of effectiveness. * Factory Management: Review provider performance and allocate resources. Verification of Effectiveness: * No spider nests/webs observed in weekly QA/housekeeping checks for 3 consecutive months. * Pest control log updated and verified monthly. * KPI: Zero pest sightings or nests in production areas after implementation.	Due date to close the NC is 07th Oct 2026		
---	---	--	---	--	--

Clause: CAPL 3.8 (Major)	NC Description: The factory does not have a dedicated pressing section in place. Pressing operations are essential to achieve the required garment appearance, shape, and finishing quality. The absence of a designated and properly controlled pressing area may result in creases, inconsistent appearance, and finishing defects, increasing the risk of non-conforming garments being shipped.	Proposed Corrective Action: 1. Immediate Containment (Within 7–10 days) Identify a temporary pressing area with adequate space and ventilation for pressing and airing/drying garments. Use the available pressing facilities to ensure garments are properly pressed before moving to finishing/packing. Identify and quarantine garments with poor pressing or finishing quality for re-pressing and correction. 2. Systemic Actions (Within 3–4 weeks) Establish a dedicated pressing section with suitable pressing tables, steam supply, ventilation, and required finishing controls. Develop and implement a pressing SOP covering: Proper pressing and airing/drying of garments after pressing. Safe handling to prevent creasing or damage after pressing. Operator hygiene and safety requirements. Assign and train dedicated pressing operators to ensure consistent pressing quality. Include pressing quality as a checkpoint in inline and end-line QC inspections.* Include pressing as a checkpoint in inline and end-line QC inspections. 3. Preventive / Long-Term Actions (Within 1–2 months) Establish a permanent pressing section within the production workflow (sewing → pressing → finishing). Schedule periodic maintenance and calibration of pressing equipment to maintain proper steam pressure and safe operation. Maintain pressing records for all pressing operators, including refresher training where required. Include pressing compliance in internal audits and SS/housekeeping reviews. Monitor customer complaints and audit results to verify the effectiveness of the corrective actions. Verification of Effectiveness Dedicated pressing section established with a minimum of two operational pressing tables before the next audit. 100% of garments are properly pressed and aired before packing. Pressing-related garment creasing complaints reduced to zero within 3 months. Compliance verified through internal QA audits and subsequent customer follow-up.	Due date to close the NC is 07th Oct 2026		
--------------------------	---	---	---	--	--



Minor Non-Conformances

Clause number	Description of Non-Conformance	Proposed Corrective Action	Due Date	Evidence verified	NC Closed Date/By whom
Clause: C-PCC 5.5 (Minor)	NC Description: The factory does not have a documented procedure or systematic monthly inspection programme for glass, brittle plastic, wood and ceramic items. During the audit, several damaged items were observed in the production area, indicating that the existing controls are not consistently implemented. This may increase the risk of product contamination and does not fully meet the requirements of Section 5.5.	Proposed Corrective Action: 1. Immediate Containment (Within 7 days) Conduct a comprehensive inspection of all glass, brittle plastic, wood and ceramic items throughout the factory. Remove or replace damaged items and document the inspection results. 2. Systemic Actions (Within 2–3 weeks) Establish a documented monthly inspection programme covering all glass, brittle plastic, wood and ceramic items. Include glass, brittle plastic, wood and ceramic inspection checkpoints in the factory audit/housekeeping checklist. Develop and implement a procedure for handling, inspection, reporting and replacement of damaged items. Train relevant personnel, including QA/QC, supervisors and housekeeping staff, on the new requirements. 3. Preventive & Long-Term Actions (Within 1–2 months) Conduct monthly inspections and maintain documented records for a minimum of 12 months. Review and update the procedure following any contamination or breakage incident. Include this requirement in internal audits and management reviews to ensure continued compliance. Verification of Effectiveness: 100% of monthly inspection records to be completed and signed by the responsible person. Zero uncontrolled/broken glass, brittle plastic, wood or ceramic items to be observed during the next 3 months. Compliance to be verified through internal QA audits and the next customer audit.	Due date to close the NC: 7th-November-2026		

Remarks: Above Non-Compliances (NCs) closure Due Date (Major - 30 days, Minor - 60 days) included the Certification Body (CB) verification process, please consider this when arranging desktop review or follow-up audit with the CB to close the NCs.

Observations	
Clause number	Description / Recommendation
N/A	N/A

Initial Audit CAR follow up:	Desktop review is needed	On-site follow up result: (if applicable)	Amber
------------------------------	--------------------------	--	-------

Auditor:	Signature:	Date:
Sok Daraty (SgT- Auditor)		07-09-2026
Agreed by:	Supplier Representative Signature:	Date:
Paul Weng (Factory manager)		07-09-2026

FoodCo Internal Use Only	
Corrective Action Plan Approval	
FoodCo QA- Name, Position:	Date:

SEP.063A-EXT- Supplier Excellence Report Summary Template Consumer Goods & FNF | Version: 11 | FOR INTERNAL AND AUTHORISED EXTERNAL DISTRIBUTION or EXTERNAL
COMMERCIAL IN CONFIDENCE
UNCONTROLLED OUTSIDE OF WOOLWORTHS' PLATFORMS