Platform Administration Guide

JP's Logistics & More

People and access, rates and fees, e-mail, imports and setup

For the administrator

Version October 19, 2026 · The examples use simulated customers (Marie Joseph #1001, Roseline Pierre #1002): the figures are real, calculated by the system.

Contents

A Overview: what the administrator does

B Sign in and the menu

C People and access

D Representatives (Reps)

E Section pages

F Rates by destination and storage fee

G Rates by destination: how it works

H E-mail to customers

I Automatic e-mails: when, what, who

J Invite customers to the website

K Activity log

L Import the old system's data

M Setup: Render, Supabase, e-mail

N How the platforms connect

O Installing the app, the menu and the scanner

P Common problems and answers

A Overview: what the administrator does


What the administrator does

- **People and access:** create people, choose the pages they may open, give Billing access.
- **Rates and fees:** rates by destination, automatic storage fee.
- **E-mail and invitations:** e-mails to customers, accounts on the website.
- **Imports:** customers and the Cargo history of the old system.
- **Monitoring:** activity log, e-mail history.
- **Setup:** Render, Supabase, e-mail ("Setup" page).

First time (checklist)

1. Change the administrator's default code (My account).
2. Create the people (Users & access) and the representatives.
3. Enter the rates by destination and the storage fee (Fees & rates).
4. Import the customers, then the Cargo history.
5. Connect e-mail (Render variables + redeploy admin-mail).
6. Make a test receipt and click "Notify by e-mail" to check.

B Sign in and the menu




Why: Everyone signs in with a name and a code. The left menu starts closed.

The sign-in page. Enter your name and your code (you get them from the administrator), then click Sign in. If you enter the code wrong 5 times, the name is locked for 10 minutes.

1. Type your name
2. Type your code (password)
3. Click to sign in

Tip: Do not share your code. Change it in "My account" (Step B).

B Sign in and the menu




The Main menu. When the platform starts, the left menu is CLOSED: it stays closed until you open it with the small icon in the top-left corner. There are 6 sections: Customers, Warehouse Receipts, Receiving & Dispatching, Prepare Shipping, Billing and Administration. You only see the sections you are allowed to use. The numbers at the top show what is waiting.

1. Menu is closed: click this icon to open it
2. 6 sections: click one
3. Go back here from anywhere (home icon)

Tip: The closed menu is a thin column of icons: hover over an icon to see its name.


B Sign in and the menu



The menu open: all sections with their names. "Main menu" takes you back here from anywhere. Click the icon at the top again to close it. Your choice is remembered during the session.

1. Go back here from anywhere
2. Click again to close the menu
3. Log out when you are done

C People and access




Why: The administrator creates each person and chooses which pages they may open. This is also where Billing access is given.

Administration → Users & access. Fill in the name, the code (at least 4 characters) and the role. "User" = only the pages you tick. "Administrator" = everything. Tick "Billing system (separate app): may sign in" so the person can sign in to the Billing system with the same name and code.

1. Person's name
2. Code (at least 4 characters)
3. User = only the pages you choose
4. Check to allow access to the Billing system
5. Create the user

Tip: Every action people take is saved in the Activity log (Step W).


C People and access



My account: each person changes their own code here. The administrator should change the default code (jpsadmin1) immediately: a yellow reminder banner shows until it is done.

1. Change your code here

D Representatives (Reps)




Why: A representative is the person in charge of a customer. Their initials appear on receipts and invoices.

Customers → Reps. Enter the name and initials, then click "Add representative". After that, you select the rep on the customer's record.

1. Rep's name
2. Initials (shown on receipts)
3. Add

E Section pages




Why: Every section has a page with a card for each function.

Each section has a page with a card for each function.

1. Each section has its own page: click a card

F Rates by destination and storage fee




Why: This is where you edit each destination's rates and the automatic storage fee.

Administration → Fees & rates → "Rates by destination" (administrator only). One row per destination, with the Air rate (per lb) and the Ocean rate (per cubic foot). Click "Save the rates". They apply to new receipts and when a receipt changes destination or Air/Ocean; receipts already made keep their rate.

1. Air rate per lb for Port-au-Prince
2. Ocean rate per cubic foot for Cap Haitien
3. Save: only new receipts change

Tip: Enter your real rates: at the start every destination is $4.50 and $16. A new receipt takes its destination from the customer's consignee city.

F Rates by destination and storage fee



Administration → Fees & rates: AUTOMATIC storage fee. After the free days (30), the system adds a "Storage fee" line to receipts that are still in Miami and not yet invoiced, for every 30 days ($10 by default, you can change it). It grows with the days and stops when the pieces are loaded onto a shipment. Receipts that have an invoice or are estimates are not changed.

1. Free storage days (30)

> **Tip:** Set the fee to 0 to turn it off.

G Rates by destination: how it works

Every parcel goes to a destination, and every destination has its own rates. The administrator edits them in **Administration → Fees & rates**.

The destinations

- Port-au-Prince · Cap Haitien · Miragoane · Cayes · St Marc · Hinche · Jeremie
- Saint Domingue
- **Miami**: parcels we take in Haiti to send to Miami


How the rate is chosen

1. A special rate of the **customer** (if their page has one) is always stronger.
2. Otherwise, the rate of the **receipt's destination** (Air per lb, Ocean per cubic foot).
3. Otherwise, the standard rate: $4.50 and $16.

A receipt's destination

- A new receipt takes its destination from the customer's **consignee city**. If the city is not recognised, it is Port-au-Prince.
- You can change it on the receipt (Receipt details → Destination) or on the estimate: the rate changes by itself.
- A receipt with an invoice cannot change destination (cancel the invoice first).
- Changing the rates in the admin page **does not change** receipts already made.
- The destination is printed on the PDF receipt ("To: ...").

H E-mail to customers




Why: Bulk e-mail and the history of the automatic e-mails.

Administration → Email customers: send an e-mail to all customers, the customers of a shipment (e.g. a shipment that cannot depart), or people you choose. It goes through the website (Brevo), with the customer's name and language. Customers with a shared or blocked e-mail do not receive it.

1. Choose who receives it: everyone, one shipment, or people you pick

Tip: This requires the website to be configured (SUPABASE_URL, SITE_STAFF_...). If it is not, the page tells you what is missing.

H E-mail to customers



Email customers → history: all automatic e-mails (PDF receipt, package arrived, your flight has departed...) appear there with the result. If an e-mail did not go out, you can see why.

1. Automatic emails (receipts, packages arrived...) appear here


I Automatic e-mails: when, what, who

The e-mails below go out by themselves, with no button. To send one again (for example after you change the receipt), there is a "Notify by e-mail" button on the receipt, Arrivals, the shipment and the invoice. Customers who have a website account receive a push + e-mail from the website; other customers receive the e-mail at the address on their record (if it is a real address, not a shared one).

When	What is sent	Sent by
You scan a package for a customer (Received items)	"Your package arrived at the Miami warehouse"	The website (push + e-mail) or the system (if no account)
A piece is saved (Consolidate) · the receipt changes	**The receipt as a PDF**, after ~2 minutes (several pieces = one e-mail)	The main system
You ship the shipment ("Ship this cargo")	"Your package is in transit"; PDF receipt if it has not gone out	The website / the system
All pieces of a receipt arrive in Arrivals PV	"Your package arrived in Haiti"	The website / the system
You mark "Ready for pickup"	"Your receipt is ready for pickup" with the office address	The website / the system
You make an invoice (Billing system)	**The invoice as a PDF**, a few seconds later	The Billing system
You send an estimate (Estimate, website request)	Air + Ocean prices	The website ("E-mail this estimate" button)

- Each e-mail is written in the customer's language (French, English, Spanish) and recorded in the history (Administration → Email customers). The PDF that was sent is saved: you can find it on the receipt / invoice.
- If an e-mail cannot go out (no e-mail, shared e-mail, network), the system records why; for invoices, it retries by itself.
- This requires the website to be connected (SUPABASE_URL, SITE_STAFF_EMAIL, SITE_STAFF_PASSWORD) and the admin-mail function to be up to date (redeploy it).

J Invite customers to the website




Why: Create customers' accounts on the website and send an e-mail with a temporary password.

Invite customers: create accounts on the website for customers who have a real e-mail, and send an e-mail with a temporary password (max 100 per day). Statistics: how many accepted (signed in at least once) and how many enabled push.

1. Send invitations today (max 100 per day)

K Activity log




> **Why:** Everything each person does is written there.

Activity log: everything each person does (sign in, receive a payment, load a piece, ship a shipment…). Codes and passwords are never recorded there.

1. Everything each person does: when, who, what action

L Import the old system's data




> **Why:** Import the customers first, then the Cargo history. Check before you import.

Import data: import customers from the old system in a CSV file (verify first; importing twice is safe).

1. Select the customer CSV file from the old system
2. Verify first (nothing is saved)

L Import the old system's data



Old system Cargo history: 5 CSV files (receipts, pieces, scanned packages, shipments, pieces on shipments). Verify first; import the customers first. Importing a second time replaces the history.

1. The 5 Cargo history CSV files
2. Verify first (nothing is saved)
3. Import

M Setup: Render, Supabase, e-mail

The sites and where they run

- **Main system** and **Billing system**: two applications on Render (Next.js), same database.
- **Customer website** (jpslogistics.me): Supabase. It talks to the systems through the **admin-mail** function (e-mail) and a webhook (status/push).

Render variables (main system)

- **DATABASE_URL**: the database. **AUTH_SECRET**: a long secret phrase.
- **SUPABASE_URL**, **SUPABASE_SERVICE_ROLE_KEY**: connection to the website.
- **SITE_STAFF_EMAIL**, **SITE_STAFF_PASSWORD**: the staff account that allows sending e-mail.
- Optional: **RECEIPT_MAIL_DELAY_SECONDS** (default 120: wait before the receipt goes), **APP_TIMEZONE**.

Render variables (Billing system)

- **DATABASE_URL** and **AUTH_SECRET**: EXACTLY the same values as the main system (so the same people and codes work).
- **WAREHOUSE_URL** (optional), and **SUPABASE_URL**, **SITE_STAFF_EMAIL**, **SITE_STAFF_PASSWORD** (same values) so invoices can go by e-mail.

The e-mail function (Supabase)

1. Supabase → **Edge Functions** → **admin-mail** → **Code** tab.
2. Paste the new code (file *supabase-functions/admin-mail/index.ts*) and click **Deploy updates**.
3. Do not touch Secrets (BREVO_API_KEY and the others are already there).
4. Test: on a receipt, click "Notify by e-mail": the e-mail must arrive with the PDF attached.

If the e-mail arrives without the PDF, the function has not been redeployed yet. SQL cannot do this: it is code, not database.


The database

- The tables create themselves the first time the application starts: you do not paste any SQL for the systems to work (receipts, invoices, expenses, saved PDFs...).
- The SQL you pasted for the website (sections 13, 14, 15) is for the customer website only.
- Make a backup of the database regularly in Supabase.

After every change

- Redeploy the main system and Billing on Render.
- If a system cannot reach the database, a red banner says "The database is not reachable": check DATABASE_URL.

How the platforms connect



- **Main system ↔ Billing system:** the same database. What one records appears in the other within a few seconds. The people and codes are the same; the administrator grants Billing access (Step B).
- **Main system → Customer website:** when you scan a package for a customer, when you ship a shipment, and when you scan in Arrivals PV, the website updates the status and sends a **push** (if the customer installed the app) and an **e-mail**.
- **Customer website → Main system:** customers' pre-alerts and estimate requests appear in Pre-alerts and Estimate. Accounts created on the website appear in Customers.
- **Installing as an app (PWA):** each site can be installed on a computer or phone (Step X).

0 Installing the app, the menu and the scanner

Install the systems as an app (PWA)

- **Computer (Chrome/Edge):** click "Install the app" under the left menu, or the install icon in the address bar.
- **Android (Chrome):** ⋮ menu → "Install app" / "Add to Home screen".
- **iPhone (Safari):** Share button → "Add to Home Screen".
- The app only saves static files; pages and data are never stored on the device. Without internet it shows "You are offline".
- Each system (main, Billing) installs separately.

The menu

- When the system starts, the left menu is **closed** (a thin column of icons). Click the icon at the top left to open it, again to close it.
- On a phone, the menu opens like a drawer.

Scanner and camera

- A USB scanner works like a keyboard: click the field and scan.
- The camera (camera icon) reads barcodes and QR codes; it picks up the tracking number by itself.

Common problems and answers

- **E-mail did not go:** check Administration → Email customers (the history says why). Shared or blocked addresses do not receive.
- **E-mail goes without the PDF:** redeploy the admin-mail function (Setup page).
- **Someone forgot their code:** set a new one in Users & access.
- **Someone cannot see a page:** tick the page in Users & access.
- **Rates did not change on receipts already made:** normal; change the destination on the receipt (if there is no invoice).
- **"The database is not reachable":** check DATABASE_URL on Render.
- **The import is refused:** import the customers first; check the file with the "Check" button.
- **Help:** the Activity log shows who did what and when.