

# superhure\_db

## Data Dictionary

Server: superhure  
Author: Administrator  
Date: 2025-03-20 22:27:26  
Version: 1.0



## Table of Contents

---

1. Introduction .....	1
2. Server: superhure (PostgreSQL) .....	2
2.1. Database: superhure_db .....	2
2.1.1. Schema: public .....	2
2.1.1.1. Tables .....	2
2.1.1.1.1. Table: AcademicYear .....	2
2.1.1.1.2. Table: Applicant .....	3
2.1.1.1.3. Table: ApplicantInformation .....	4
2.1.1.1.4. Table: ApplicantScreeningResult .....	5
2.1.1.1.5. Table: Departments .....	5
2.1.1.1.6. Table: EducationBackground .....	6
2.1.1.1.7. Table: EmployeeRequirements .....	7
2.1.1.1.8. Table: Employees .....	7
2.1.1.1.9. Table: EvaluationStatus .....	8
2.1.1.1.10. Table: Job .....	9
2.1.1.1.11. Table: JobScreening .....	10
2.1.1.1.12. Table: PeerCategory .....	11
2.1.1.1.13. Table: PeerEvaluation .....	11
2.1.1.1.14. Table: PeerEvaluationResult .....	12
2.1.1.1.15. Table: Question .....	13
2.1.1.1.16. Table: References .....	14
2.1.1.1.17. Table: Requirements .....	14
2.1.1.1.18. Table: Screening .....	15
2.1.1.1.19. Table: SkillsExpertise .....	15
2.1.1.1.20. Table: TeamLeadAssignTaskCriteria .....	16
2.1.1.1.21. Table: TeamLeadCriteria .....	16
2.1.1.1.22. Table: TeamLeadEvaluation .....	17
2.1.1.1.23. Table: TeamLeadEvaluationResult .....	18
2.1.1.1.24. Table: TemplateDetail .....	19
2.1.1.1.25. Table: TemplateHeader .....	20
2.1.1.1.26. Table: User .....	20
2.1.1.1.27. Table: WorkExperience .....	21
2.1.1.1.28. Table: _prisma_migrations .....	21

## 1. Introduction

---

A data dictionary is a collection of metadata such as object name, data type, size, classification, and relationships with other data assets. It is used by data administrators, analysts, and engineers to understand and trust data assets. It helps in the creation of authentic, transparent, and consistent data throughout the organization.

In this data dictionary, following servers are chosen for documentation:  
superhure (PostgreSQL)

For each server, definitions of tables (entities/collections), views, functions are listed in order. Detailed properties of data elements (data type, size, nullability, optionality, indexes, foreign keys, constraints) are organized in tabular format.

## 2. Server: superhure (PostgreSQL)

Version: 160002

1 database is listed below.

### 2.1. Database: superhure\_db

1 schema is listed below.


#### 2.1.1. Schema: public

Database objects to be listed: 28 tables

##### 2.1.1.1. Tables

###### 2.1.1.1.1. Table: AcademicYear

###### Fields

Pos	Name	Type	Not Null	Others
1	id 	int4(32)	✓	Default: nextval('"AcademicYear_id_seq" '::regclass)
2	school_year	varchar(100)	✓	Index: AcademicYear_school_year_...
3	semester	int4(32)	✓	Index: AcademicYear_school_year_...
4	status	(Type)	✓	Default: 'NOT_SET'::"ModeStatus"
5	createdAt	timestamp(3)	✓	Default: CURRENT_TIMESTAMP
6	updatedAt	timestamp(3)	✓	
7	peerTemplateId	int4(32)		
8	teamLeadTemplateId	int4(32)		

###### Indexes


Name	Method	Fields
AcademicYear_school_year_se mester_key	btree	school_year, semester

## Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
AcademicYear_peerTemplateId_fkey	peerTemplateId	public.TemplateHeader	id	SET NULL	CASCADE
AcademicYear_teamLeadTemplateId_fkey	teamLeadTemplateId	public.TemplateHeader	id	SET NULL	CASCADE

### 2.1.1.1.2. Table: Applicant

#### Fields


Pos	Name	Type	Not Null	Others
1	id 	int4(32)	✓	Default: nextval('"Applicant_id_seq"'::regclass)
2	jobId	int4(32)	✓	
3	status	(Type)	✓	Default: 'PENDING'::"ApplicationStatus"
4	createdAt	timestamp(3)	✓	Default: CURRENT_TIMESTAMP
5	updatedAt	timestamp(3)	✓	
6	informationId	int4(32)	✓	
7	rejectedAt	timestamp(3)		
8	approvedAt	timestamp(3)		
9	failedAt	timestamp(3)		

## Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
Applicant_informationId_fkey	informationId	public.ApplicantInformation	id	RESTRICT	CASCADE
Applicant_jobId_fkey	jobId	public.Job	id	RESTRICT	CASCADE


### 2.1.1.1.3. Table: ApplicantInformation

#### Fields

Pos	Name	Type	Not Null	Others
1	id 	int4(32)	✓	Default: nextval('\"ApplicantInformation_i d_seq\"::regclass)
2	first_name	varchar(100)	✓	
3	middle_name	varchar(100)	✓	
4	last_name	varchar(100)	✓	
5	email	varchar(100)	✓	
6	contact_number	varchar(100)	✓	
7	resume_path	text	✓	
8	gender	varchar(100)		
9	civil_status	varchar(100)		
10	telephone_number	text		
11	religion	text		
12	citizenship	text		
13	fathers_name	text		
14	fathers_occupation	text		
15	mothers_name	text		
16	mothers_occupation	text		
17	parents_address	text		
18	person_to_be_contact	text		
19	photo_path	text	✓	
20	current_address	text		
21	language_spoken	text		
22	nickname	varchar(100)		
23	permanent_address	text		
24	date_of_birth	timestamp(3)		

#### 2.1.1.1.4. Table: ApplicantScreeningResult

##### Fields


Pos	Name	Type	Not Null	Others
1	id 	int4(32)	✓	Default: nextval('\"ApplicantScreeningResult_id_seq\"::regclass)
2	dateInterview	timestamp(3)		
3	applicantId	int4(32)	✓	
4	screeningId	int4(32)	✓	
5	createdAt	timestamp(3)	✓	Default: CURRENT_TIMESTAMP
6	updatedAt	timestamp(3)	✓	
7	status	(Type)	✓	
8	sequence_number	int4(32)	✓	

##### Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
ApplicantScreeningResult_applicantId_fkey	applicantId	public.Applicant	id	RESTRICT	CASCADE
ApplicantScreeningResult_screeningId_fkey	screeningId	public.Screening	id	RESTRICT	CASCADE

#### 2.1.1.1.5. Table: Departments

##### Fields


Pos	Name	Type	Not Null	Others
1	id 	int4(32)	✓	Default: nextval('\"Departments_id_seq\"::regclass)
2	title	varchar(250)	✓	Index: <b>Departments_title_key</b>
3	status	bool		Default: true

## Indexes

Name	Method	Fields
Departments_title_key	btree	title

### 2.1.1.1.6. Table: EducationBackground

#### Fields

Pos	Name	Type	Not Null	Others
1	id 	int4(32)	✓	Default: nextval('"EducationBackground_id_seq"'::regclass)
2	school_name	text		Index: EducationBackground_appl...
3	degree	text		
4	year_started	text		
5	year_ended	text		
6	description	text		
7	applicantInformationId	int4(32)		Index: EducationBackground_appl...

## Indexes

Name	Method	Fields
EducationBackground_applicantInformationId_school_name_key	btree	applicantInformationId, school_name


## Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
EducationBackground_applicantInformationId_fkey	applicantInformationId	public.ApplicantInformation	id	SET NULL	CASCADE



### 2.1.1.1.7. Table: EmployeeRequirements

#### Fields


Pos	Name	Type	Not Null	Others
1	id 	int4(32)	✓	Default: nextval('"'EmployeeRequirements_id_seq"'::regclass)
2	employeeId	int4(32)	✓	
3	submittedAt	timestamp(3)		
4	expiryDate	timestamp(3)		
5	status	(Type)	✓	Default: 'PENDING'::"RequirementStatus"
6	requirementsId	int4(32)	✓	

#### Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
EmployeeRequirements_employeeId_fkey	employeeId	public.Employees	id	RESTRICT	CASCADE
EmployeeRequirements_requirementsId_fkey	requirementsId	public.Requirements	id	RESTRICT	CASCADE

### 2.1.1.1.8. Table: Employees

#### Fields

Pos	Name	Type	Not Null	Others
1	id 	int4(32)	✓	Default: nextval('"'Employees_id_seq"'::regclass)
2	username	varchar(100)	✓	Index: Employees_username_key
3	password	varchar(100)	✓	
4	informationId	int4(32)		
5	jobId	int4(32)		
6	departmentId	int4(32)		

7	accessToken	text		
8	refreshToken	text		
9	role	(Type)	✓	Default: 'Employee'::"RoleStatus"
10	createdAt	timestamp(3)	✓	Default: CURRENT_TIMESTAMP
11	updatedAt	timestamp(3)	✓	
12	status	bool	✓	Default: true

## Indexes


Name	Method	Fields
Employees_username_key	btree	username

## Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
Employees_departmentId_fkey	departmentId	public.Departments	id	SET NULL	CASCADE
Employees_informationId_fkey	informationId	public.ApplicantInformation	id	SET NULL	CASCADE
Employees_jobId_fkey	jobId	public.Job	id	SET NULL	CASCADE

### 2.1.1.1.9. Table: EvaluationStatus

#### Fields

Pos	Name	Type	Not Null	Others
1	id 	int4(32)	✓	Default: nextval('"EvaluationStatus_id_seq"'::regclass)
2	employeesId	int4(32)	✓	
3	type	(Type)	✓	
4	commenterId	int4(32)	✓	
5	description	text	✓	
6	createdAt	timestamp(3)	✓	Default: CURRENT_TIMESTAMP


7	updatedAt	timestamp(3)	✓	
8	academicYearId	int4(32)	✓	

## Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
EvaluationStatus_academicYearId_fk	academicYearId	public.AcademicYear	id	RESTRICT	CASCADE
EvaluationStatus_commenterId_fk	commenterId	public.Employees	id	RESTRICT	CASCADE
EvaluationStatus_employeeId_fk	employeeId	public.Employees	id	RESTRICT	CASCADE

### 2.1.1.1.10. Table: Job

#### Fields

Pos	Name	Type	Not Null	Others
1	id 	int4(32)	✓	Default: nextval('"Job_id_seq"'::regclass)
2	title	varchar(250)	✓	Index: Job_title_key
3	description	text	✓	
4	totalAvailable	int4(32)	✓	
5	status	bool		Default: true
6	createdAt	timestamp(3)	✓	Default: CURRENT_TIMESTAMP
7	updatedAt	timestamp(3)	✓	
8	departmentsId	int4(32)	✓	
9	headerImage	text		

#### Indexes


Name	Method	Fields
Job_title_key	btree	title

## Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
Job_departmentsId_fkey	departmentsId	public.Departments	id	RESTRICT	CASCADE

### 2.1.1.1.11. Table: JobScreening

#### Fields

Pos	Name	Type	Not Null	Others
1	job_id	int4(32)	✓	Index: JobScreening_job_id_screen...
2	screening_id	int4(32)	✓	Index: JobScreening_job_id_screen...
3	createdAt	timestamp(3)	✓	Default: CURRENT_TIMESTAMP
4	updatedAt	timestamp(3)	✓	
5	sequence_number	int4(32)	✓	
6	id 	int4(32)	✓	Default: nextval('"JobScreening_id_seq"'::regclass)

#### Indexes


Name	Method	Fields
JobScreening_job_id_screening_id_key	btree	job_id, screening_id

## Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
JobScreening_job_id_fkey	job_id	public.Job	id	CASCADE	CASCADE
JobScreening_screening_id_fkey	screening_id	public.Screening	id	RESTRICT	CASCADE

### 2.1.1.1.12. Table: PeerCategory

#### Fields

Pos	Name	Type	Not Null	Others
1	id 	int4(32)	✓	Default: nextval('"'PeerCategory_id_seq" ::regclass)
2	name	text	✓	Index: PeerCategory_name_key
3	academicYearId	int4(32)	✓	
4	percentage	numeric(10, 2)	✓	

#### Indexes


Name	Method	Fields
PeerCategory_name_key	btree	name

#### Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
PeerCategory_academicYearId_fkey	academicYearId	public.AcademicYear	id	CASCADE	CASCADE

### 2.1.1.1.13. Table: PeerEvaluation

#### Fields


Pos	Name	Type	Not Null	Others
1	id 	int4(32)	✓	Default: nextval('"'PeerEvaluation_id_seq" ::regclass)
2	evaluatorId	int4(32)	✓	
3	evaluateId	int4(32)	✓	
4	academicYearId	int4(32)	✓	
5	departmentId	int4(32)	✓	
6	status	bool		Default: false

## Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
PeerEvaluation_academicYearId_fkey	academicYearId	public.AcademicYear	id	RESTRICT	CASCADE
PeerEvaluation_departmentId_fkey	departmentId	public.Departments	id	RESTRICT	CASCADE
PeerEvaluation_evaluateeId_fkey	evaluateeId	public.Employees	id	RESTRICT	CASCADE
PeerEvaluation_evaluatorId_fkey	evaluatorId	public.Employees	id	RESTRICT	CASCADE

### 2.1.1.1.14. Table: PeerEvaluationResult

#### Fields

Pos	Name	Type	Not Null	Others
1	id 	int4(32)	✓	Default: nextval('"PeerEvaluationResult_id_seq"'::regclass)
2	academicYearId	int4(32)	✓	Index: PeerEvaluationResult_acade...
3	peerCategoryId	int4(32)	✓	Index: PeerEvaluationResult_acade...
4	questionId	int4(32)	✓	Index: PeerEvaluationResult_acade...
5	employeesId	int4(32)	✓	Index: PeerEvaluationResult_acade...
6	templateDetailId	int4(32)	✓	Index: PeerEvaluationResult_acade...

#### Indexes


Name	Method	Fields
PeerEvaluationResult_academicYearId_questionId_peerCategoryId_key	btree	academicYearId, questionId, peerCategoryId, employeesId, templateDetailId

## Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
PeerEvaluationResult_academicYearId_fkey	academicYearId	public.AcademicYear	id	RESTRICT	CASCADE
PeerEvaluationResult_employeesId_fkey	employeesId	public.Employees	id	RESTRICT	CASCADE
PeerEvaluationResult_peerCategoryId_fkey	peerCategoryId	public.PeerCategory	id	RESTRICT	CASCADE
PeerEvaluationResult_questionId_fkey	questionId	public.Question	id	RESTRICT	CASCADE
PeerEvaluationResult_templateDetailId_fkey	templateDetailId	public.TemplateDetail	id	RESTRICT	CASCADE

### 2.1.1.1.15. Table: Question

#### Fields


Pos	Name	Type	Not Null	Others
1	id 	int4(32)	✓	Default: nextval('"Question_id_seq"'::regclass)
2	question	text	✓	
3	peerId	int4(32)		
4	teamLeadCriteriaId	int4(32)		
5	assignTaskCriteriaId	int4(32)		

## Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
Question_assignTaskCriteriaId_fkey	assignTaskCriteriaId	public.TeamLeadAssignTaskCriteria	id	SET NULL	CASCADE
Question_peerId_fkey	peerId	public.PeerCategory	id	CASCADE	CASCADE
Question_teamLeadCriteriaId_fkey	teamLeadCriteriaId	public.TeamLeadCriteria	id	CASCADE	CASCADE

### 2.1.1.1.16. Table: References

#### Fields

Pos	Name	Type	Not Null	Others
1	id 	int4(32)	✓	Default: nextval('"'References_id_seq"'::regclass)
2	name_of_person	text		Index: References_applicantInform...
3	position	text		
4	ref_contact_number	text		
5	applicantInformationId	int4(32)		Index: References_applicantInform...

#### Indexes


Name	Method	Fields
References_applicantInformationId_name_of_person_key	btree	applicantInformationId, name_of_person

#### Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
References_applicantInformationId_fkey	applicantInformationId	public.ApplicantInformation	id	SET NULL	CASCADE

### 2.1.1.1.17. Table: Requirements

#### Fields

Pos	Name	Type	Not Null	Others
1	title	varchar(100)	✓	Index: Requirements_title_key
2	description	text	✓	
3	id 	int4(32)	✓	Default: nextval('"'Requirements_id_seq"'::regclass)
4	status	bool		Default: true
5	jobId	int4(32)		



## Indexes


Name	Method	Fields
Requirements_title_key	btree	title

## Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
Requirements_jobId_fkey	jobId	public.Job	id	SET NULL	CASCADE

### 2.1.1.1.18. Table: Screening

#### Fields


Pos	Name	Type	Not Null	Others
1	id 	int4(32)	✓	Default: nextval('"Screening_id_seq"::regclass)
2	title	varchar(250)	✓	Index: Screening_title_key
3	description	text	✓	
4	status	bool		Default: true

#### Indexes

Name	Method	Fields
Screening_title_key	btree	title

### 2.1.1.1.19. Table: SkillsExpertise

#### Fields

Pos	Name	Type	Not Null	Others
1	id 	int4(32)	✓	Default: nextval('"SkillsExpertise_id_seq"::regclass)
2	skills_name	text		Index: SkillsExpertise_applicantInfo...
3	applicantInformationId	int4(32)		Index: SkillsExpertise_applicantInfo...

## Indexes


Name	Method	Fields
SkillsExpertise_applicantInformationId_skills_name_key	btree	applicantInformationId, skills_name

## Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
SkillsExpertise_applicantInformationId_fkey	applicantInformationId	public.ApplicantInformation	id	SET NULL	CASCADE

### 2.1.1.1.20. Table: TeamLeadAssignTaskCriteria

#### Fields


Pos	Name	Type	Not Null	Others
1	id 	int4(32)	✓	Default: nextval('"TeamLeadAssignTaskCriteria_id_seq"'::regclass)
2	employeesId	int4(32)	✓	
3	teamLeadEvaluationId	int4(32)	✓	
4	name	text	✓	

#### Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
TeamLeadAssignTaskCriteria_employeesId_fkey	employeesId	public.Employees	id	RESTRICT	CASCADE
TeamLeadAssignTaskCriteria_teamLeadEvaluationId_fkey	teamLeadEvaluationId	public.TeamLeadEvaluation	id	RESTRICT	CASCADE

### 2.1.1.1.21. Table: TeamLeadCriteria

## Fields


Pos	Name	Type	Not Null	Others
1	id 	int4(32)	✓	Default: nextval('"TeamLeadCriteria_id_seq"'::regclass)
2	name	text	✓	
3	teamLeadEvaluationId	int4(32)	✓	

## Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
TeamLeadCriteria_teamLeadEvaluationId_fkey	teamLeadEvaluationId	public.TeamLeadEvaluation	id	RESTRICT	CASCADE

### 2.1.1.1.22. Table: TeamLeadEvaluation

## Fields

Pos	Name	Type	Not Null	Others
1	id 	int4(32)	✓	Default: nextval('"TeamLeadEvaluation_id_seq"'::regclass)
2	name	text	✓	Index: TeamLeadEvaluation_name...
3	percentage	numeric(10, 2)	✓	
4	forTeamLead	bool	✓	Default: false
5	academicYearId	int4(32)	✓	

## Indexes


Name	Method	Fields
TeamLeadEvaluation_name_key	btree	name

## Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
TeamLeadEvaluation_academicYearId_fkey	academicYearId	public.AcademicYear	id	CASCADE	CASCADE

### 2.1.1.1.23. Table: TeamLeadEvaluationResult

#### Fields

Pos	Name	Type	Not Null	Others
1	questionId	int4(32)	✓	Index: TeamLeadEvaluationResult_...
2	employeesId	int4(32)	✓	Index: TeamLeadEvaluationResult_...
3	templateDetailId	int4(32)	✓	Index: TeamLeadEvaluationResult_...
4	id 	int4(32)	✓	Default: nextval('"TeamLeadEvaluationResult_id_seq"'::regclass)
5	teamLeadEvaluationId	int4(32)	✓	Index: TeamLeadEvaluationResult_...
6	academicYearId	int4(32)	✓	Index: TeamLeadEvaluationResult_...

#### Indexes

Name	Method	Fields
TeamLeadEvaluationResult_academicYearId_questionId_teamLead_key	btree	academicYearId, questionId, teamLeadEvaluationId, employeesId, templateDetailId


#### Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
------	--------	------------------	-------------------	-----------	-----------

TeamLeadEvaluationResult_academicYearId_fkey	academicYearId	public.AcademicYear	id	RESTRICT	CASCADE
TeamLeadEvaluationResult_employeesId_fkey	employeesId	public.Employees	id	RESTRICT	CASCADE
TeamLeadEvaluationResult_questionId_fkey	questionId	public.Question	id	RESTRICT	CASCADE
TeamLeadEvaluationResult_teamLeadEvaluationId_fkey	teamLeadEvaluationId	public.TeamLeadEvaluation	id	RESTRICT	CASCADE
TeamLeadEvaluationResult_templateDetailId_fkey	templateDetailId	public.TemplateDetail	id	RESTRICT	CASCADE

#### 2.1.1.1.24. Table: TemplateDetail

##### Fields


Pos	Name	Type	Not Null	Others
1	id 	int4(32)	✓	Default: nextval('TemplateDetail_id_seq'::regclass)
2	title	varchar(100)	✓	
3	templateId	int4(32)	✓	
4	description	text	✓	
5	score	int4(32)	✓	

##### Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
TemplateDetail_templateId_fkey	templateId	public.TemplateHeader	id	CASCADE	CASCADE


### 2.1.1.1.25. Table: TemplateHeader

#### Fields

Pos	Name	Type	Not Null	Others
1	id 	int4(32)	✓	Default: nextval('"TemplateHeader_id_seq"'::regclass)
2	template_name	varchar(100)	✓	
3	description	text	✓	

### 2.1.1.1.26. Table: User

#### Fields


Pos	Name	Type	Not Null	Others
1	id 	text	✓	
2	first_name	varchar(100)	✓	
3	last_name	varchar(100)	✓	
4	middle_name	varchar(100)	✓	
5	email	varchar(100)		Index: User_email_key
6	username	varchar(100)	✓	Index: User_username_key
7	password	varchar(100)	✓	
8	accessToken	text		
9	refreshToken	text		
10	role	text	✓	
11	createdAt	timestamp(3)	✓	Default: CURRENT_TIMESTAMP
12	updatedAt	timestamp(3)	✓	

#### Indexes

Name	Method	Fields
User_email_key	btree	email
User_username_key	btree	username

## 2.1.1.1.27. Table: WorkExperience

## Fields

Pos	Name	Type	Not Null	Others
1	id 	int4(32)	✓	Default: nextval('"'WorkExperience_id_seq" "'::regclass)
2	company_name	text		Index: WorkExperience_applicantIn...
3	job_title	text		
4	work_year_started	text		
5	work_year_ended	text		
6	applicantInformationId	int4(32)		Index: WorkExperience_applicantIn...

## Indexes


Name	Method	Fields
WorkExperience_applicantInformationId_company_name_key	btree	applicantInformationId, company_name

## Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
WorkExperience_applicantInformationId_fkey	applicantInformationId	public.ApplicantInformation	id	SET NULL	CASCADE

## 2.1.1.1.28. Table: \_prisma\_migrations

## Fields

Pos	Name	Type	Not Null	Others
1	id 	varchar(36)	✓	
2	checksum	varchar(64)	✓	
3	finished_at	timestamp(6)		
4	migration_name	varchar(255)	✓	
5	logs	text		

Server: superhure (PostgreSQL) > Database: superhure\_db > Schema: public

6	rolled_back_at	timestampz(6)		
7	started_at	timestampz(6)	✓	Default: now()
8	applied_steps_count	int4(32)	✓	Default: 0