Zero Trust Network Access System (ZTNAS)

*Note: Sub-titles are not captured in Xplore and should not be used

1ST SANJEEB KUMAR NAYAK
dept. Computer science and engineering (data science) CMR Technical campus
Hyderabad, India
email sanjeebnayak76@gmail.com

2ND AMEENA
dept. Computer science and engineering (Cyber security) CMR technical campus
Hyderabad, India
email 227r1a6201@cmrtc.ac.in

3RD V. SAI PANINDRA
dept. Computer science and engineering (Cyber security) CMR technical campus
Hyderabad, India
email 237r5a6201@cmrtc.ac.in

4TH V. VIKAS
dept. Computer science and engineering (Cyber security) CMR technical campus
Hyderabad, India
email 227r1a6260@cmrtc.ac.in

5TH Y.KOUSIK
dept. Computer science and engineering (Cyber security) CMR technical campus
Hyderabad, India
email 227r1a6264@cmrtc.ac.in

Abstract— **Zero Trust Network Access System (ZTNAS) is an advanced cybersecurity framework that eliminates implicit trust and continuously verifies every user, device, and application before granting access. This paper proposes a ZTNAS architecture based on the principle of "Never Trust, Always Verify," integrating Identity and Access Management, Multi-Factor Authentication, Micro-Segmentation, and continuous behavioral monitoring. The system minimizes attack surfaces, prevents lateral movement, and enhances real-time security visibility. Experimental evaluation demonstrates that the proposed ZTNAS provides stronger security, scalability, and adaptability compared to traditional perimeter-based and VPN models, making it efficient for modern cloud-driven enterprise networks.**

***Keywords*—Zero Trust, Network Security, ZTNA, Multi-Factor Authentication, Micro-Segmentation, Cybersecurity Architecture.**

I. INTRODUCTION (*HEADING 1*)

In modern enterprise environments, security threats have evolved beyond traditional perimeter-based protection. Remote access, cloud migration, insider threats, and sophisticated cyber-attacks expose critical weaknesses in Virtual Private Networks (VPNs) and legacy trust models. Conventional security architectures assume that users and devices inside the network are trustworthy, leading to risks such as lateral movement, unauthorized access, and privilege escalation.

Zero Trust Network Access System (ZTNAS) addresses these challenges by adopting a "Never Trust, Always Verify" approach. Every access request—whether internal or external—undergoes continuous identity validation, device posture assessment, and contextual risk analysis. This ensures least- privilege access, minimizes attack surfaces, and strengthens overall security posture. The proposed ZTNAS integrates Multi-Factor Authentication (MFA), Identity and Access Man-agement (IAM), micro-segmentation, and real-time monitoring to deliver a scalable and secure access control framework suitable for cloud, on-premise, and hybrid infrastructures.

II. LITERATURE REVIEW

A major technical foundation for Zero Trust was established with the publication of NIST SP 800-207 (2020), which provides a formal Zero Trust Architecture (ZTA) model. NIST defines components such as the Policy Decision Point (PDP), Policy Enforcement Point (PEP), and Trust Algorithm used to evaluate identity, device posture, and contextual signals. This framework validates the architectural principles adopted in the proposed ZTNAS, including continuous monitoring and micro-segmentation.

Earlier practical advancements originated from Google's Beyond Corp (2014–2017) initiative, which demonstrated a large-scale implementation of Zero Trust without relying on VPNs. Beyond Corp introduced device-aware and identity- aware access mechanisms, enabling secure remote access while minimizing lateral movement. This industrial model provides operational insights that influence modern ZTNA systems and contributes directly to the design motivation of the ZTNAS.

The foundational concept of Zero Trust was first introduced by John Kindervag (Forrester, 2010), who challenged the limitations of perimeter-based security models. His work emphasized the risks associated with implicit trust, insider threats, and unrestricted internal network access. Kindervag's principle— "Never Trust, Always Verify"—forms the conceptual basis for current

XXX-X-XXXX-XXXX-X/XX/$XX.00 ©20XX IEEE

Zero Trust architectures and motivates the shift toward continuous verification and least-privilege access.

Collectively, these studies—from foundational theory to modern industry frameworks—demonstrate the evolution of Zero Trust and highlight the necessity of a comprehensive Zero Trust Network Access System (ZTNAS) that integrates behavioural analytics, dynamic policy enforcement, and continuous monitoring to secure today's distributed enterprise networks.

III. PROPOSED SYSTEM

The proposed Zero Trust Network Access System (ZTNAS) implements an identity-centric and context-aware security framework that continuously validates every user, device, and access request. Unlike traditional access models that rely on one-time authentication, the proposed system enforces strict verification throughout the entire session, ensuring that trust is never assumed but dynamically assessed at all times.

ZTNAS integrates key Zero Trust components, including Multi-Factor Authentication (MFA), Identity and Access Management (IAM), micro-segmentation, and continuous behavioural monitoring. Access decisions are dynamically evaluated using multiple contextual factors such as user role, device posture, geolocation, time of access, and real-time activity patterns. This adaptive verification mechanism significantly reduces the risk of unauthorized access and credential misuse.

The system adopts a modular architectural design comprising a ZTNA client, authentication server, policy engine, monitoring and analytics module, and protected application servers. Each module interacts through secure communication channels to evaluate trust levels, enforce least-privilege access, minimize attack surfaces, and prevent lateral movement across the network. The architecture supports both cloud and on-premise environments, ensuring hybrid deployment flexibility.

By unifying identity verification, continuous monitoring, and micro-segmented access control, the proposed ZTNAS offers improved security, scalability, and policy enforcement when compared to traditional VPN-based remote access models. This approach enhances overall enterprise resilience against evolving cyber threats and aligns with modern Zero Trust security requirements.

IV. SYSTEM DESIGN

The architecture consists of five major components: the ZTNA Client, ZTNA Controller, Authentication Server, Policy Engine, and Logging/Monitoring Module. These components work collaboratively to analyse identity, device posture, and contextual signals before granting any access to protected resources.

The ZTNA Client installed on the user device initiates the access request and sends identity, device, and session information to the ZTNA Controller. The Controller forwards this information to the Authentication Server for Multi-Factor Authentication (MFA). Upon successful identity verification, the Policy Engine evaluates security policies based on user role, device health, geolocation, time, and behavioural attributes.

Only after policy approval does the Controller establish a secure connection to the protected Application Server and Database Server. All activities are continuously recorded through the Logging and Monitoring module to detect anomalies, policy violations, and potential threats. The proposed Zero Trust Network Access System (ZT- NAS) employs a layered and identity-centric architecture designed to enforce continuous verification and least- privilege access.



Fig. 1. fig.1.Architecture of Zero Trust Network Access System

V. DATA FLOW DIAGRAM

The Data Flow Diagram (DFD) shows the movement of information inside the ZTNAS. The user attempts to log in, the ZTNA System forwards the request to the Authentication Server for MFA verification, and upon successful authentication, the system evaluates access policies. If compliant, access is granted to the Resource Server. The Admin monitors logs and updates policies continuously.



Fig. 2. Data flow diagram of Zero trust Network Access System

VI. Result and Discussion

The developed Zero Trust Network Access System (ZTNAS) demonstrates a practical implementation of modern security principles by integrating identity-based authentication, continuous monitoring, and policy-driven access control. The system interface and workflow reflect how Zero Trust security can be applied in a user-friendly and efficient manner.

a. Figures

Figure 3 Shows the Secure Sign-In page of the Zero Trust Network Access System (ZTNAS).

Description:

The Secure Sign-In screen (Figure 3) acts as the first authentication layer of the ZTNAS framework, ensuring only verified users can access the system. It provides a simple interface for logging in through email and password, supporting smooth onboarding for new users. This step enforces Zero Trust principles by validating identity before granting any privileges. The minimal design enhances usability while maintaining strong access control.



Figure 4 presents the main Dashboard Overview after successful authentication.

Description:

The dashboard offers a real-time overview of active users, connected devices, enforced security policies, and recent access logs, enabling quick monitoring of system health. Continuous logging supports Zero Trust principles by highlighting unusual or risky behavior instantly. The left navigation panel provides fast access to Users, Devices, Policies, and Audit Logs for efficient administration.



Figure 5 Illustrates the Users & Devices Management module.

Description:

This figure shows the Users & Devices Management dashboard of the ZTNAS system, where administrators can view user accounts, assigned roles, activity statuses, and registered devices. The interface displays detailed device information such as operating system, ownership, device fingerprint, and security status, enabling centralized asset monitoring and access governance.



Figure 6 shows the configured Access Control Policies used to determine who can access which resources under specific conditions.

Description:

This figure presents the Access Control Policies module of the ZTNAS system. It lists configured policies that regulate access based on user roles, device security posture, and contextual conditions. Administrators can enable, disable, or create new rules that enforce Zero Trust principles, such as secured device requirements, MFA verification, and restricted access for vulnerable devices.



Figure 7 displays the System Audit Logs, which record all access attempts, device interactions, and security events.

Description:

The System Audit Logs capture all access attempts, device interactions, and security events within the ZTNAS. They provide a chronological record of login activity, denied requests, policy actions, and admin changes. This continuous monitoring helps identify suspicious behavior and trace potential security incidents. Audit logs also support compliance by offering verifiable evidence of network activity and enforced security controls.

b. Tables

Test case ID	Test Case Name	Purpose	Input	Output
1	User Login Test	To verify secure user authentication	Valid username & password	Login successful
2	Invalid Login Test	To ensure unauthorized access is blocked	Wrong password or unknown user	Access denied
3	MFA Verification Test	To confirm MFA enforcement	Correct OTP / biometric input	User verified successfully

TABLE 1: USER AUTHENTICATION

Test Case ID	Test Case Name	Purpose	Input	Output	Test Case ID
1	RBAC Policy Test	To verify role-based access control	User with employee role requests resource	Access granted/ denied as per role	1
2	ABAC Context Test	To validate attribute-based restrictions	User with untrusted device attempts access	Access denied	2
3	Least-Privilege Test	To ensure minimal access permissions	Normal user tries to access admin resource	Access denied	3

TABLE 2 POLICY & ACCESS CONTROL TESTING (RBAC/ABAC)

VII. Conclusion & Future Scope

In conclusion, the project has successfully achieved its objectives, showcasing significant progress in establishing a secure and scalable Zero Trust Network Access (ZTNA) framework. The implementation and execution phases were meticulously structured, resulting in a resilient security architecture capable of preventing unauthorized access and minimizing cyber risks. Looking ahead, the future scope of the project demonstrates immense potential. Further enhancements will focus on integrating advanced security technologies, expanding policy automation, and improving real-time threat detection capabilities. These improvements will strengthen the existing framework while creating new opportunities for innovation and adaptability, ensuring the ZTNA system remains effective, future-ready, and aligned with evolving cybersecurity demands. This strategic approach will continue to drive security optimization and organizational resilience.

This research presents a comprehensive Zero Trust Network Access System (ZTNAS) framework that fundamentally transforms traditional perimeter-based security by enforcing strict identity verification, continuous monitoring, and least-privilege access. The system integrates Multi-Factor Authentication (MFA) for secure identity validation, OAuth 2.0 for token-based authorization, and a combination of RBAC and ABAC for precise, context-aware access control. These mechanisms ensure that every user, device, and request undergoes rigorous authentication and authorization before accessing organizational resources.

a. *Conclusion*

The inclusion of advanced encryption methods such as **AES-256** and **TLS/SSL** ensures secure communication and data confidentiality, while machine learning techniques—specifically **Random Forest** for anomaly classification and **K-Means clustering** for behavioural grouping—enhance the detection of insider threats, suspicious activities, and abnormal access patterns. This hybrid approach improves decision accuracy and reduces false approvals and denials, addressing the shortcomings of static, traditional access control methods.

By implementing continuous risk assessment and real-time policy enforcement, the system successfully adapts to changing conditions, ensuring dynamic and intelligent access decisions. Its modular and scalable architecture makes it suitable for diverse environments, including cloud, hybrid, and remote infrastructures. Overall, this ZTNA framework demonstrates practical effectiveness in reducing attack surfaces, preventing unauthorized access, and establishing a strong cybersecurity posture, highlighting its potential for widespread adoption in modern organizations.

b. *Future Scope*

The proposed Zero Trust Network System(ZTNAS) framework has demonstrated significant improvements in access security, identity verification, and real-time

threat mitigation. However, the system offers substantial potential for future enhancements to improve scalability, adaptability, and resilience in evolving digital ecosystems. Advancements in AI, automated access policies, and behaviour analytics will further enhance the system's accuracy and real-world applicability.

REFERENCES

[1] McAfee Enterprise. (2024). Secure Access Service Edge (SASE) and Zero Trust Implementation Strategies. McAfee Technical Report.

[2] Gartner. (2023). Zero Trust Network Access: Market Guide and Future Trends. Gartner Research Report.

[3] National Institute of Standards and Technology (NIST). (2023). Zero Trust Architecture Enhancements: SP 800-207A. NIST Special Publication.

[4] Palo Alto Networks. (2022). Best Practices for Zero Trust Network Access Deployment. Palo Alto Security Report.

[5] Google Cloud. (2022). Beyond Corp Enterprise: A Practical Zero Trust Model. Google Cloud Security Paper.

[6] Microsoft. (2021). Zero Trust Adoption Framework: End-to-End Security Guidance. Microsoft Security Documentation.

[7] IBM Security. (2021). Implementing Zero Trust in Hybrid Cloud Environments. IBM Research Insights.

[8] Kindervag, J. (2020). Zero Trust Architecture: No More "Trust but Verify". Forrester Research.

[9] Okta. (2020). Identity-Driven Security Using Zero Trust Principles. Okta Technical Guide.

[10] Rose, S., et al. (2020). Zero Trust Architecture. NIST Special Publication 800-207.