# CodeIgniter 4.0 Structural Compatibility Conflict Register

Oct 15, 2026 · @Shantha

## 0. Scope, basis and the restriction as applied in this review

**Documentation review only.** This register was prepared from the reports and static materials already held in this session. No system, database, folder or file on your computer was opened, searched, created, changed, moved, copied, renamed or deleted; no query, test, build, installation, migration or script was run; live, development, avenir_rv and the cloud test database were not accessed. **[Observed]**

**Nothing is approved or changed by this register.** r3.3, r3.4, r3.5, the Security and Emergency Containment Proposal, Addendum A1, A2, the R0 report, the Stage One report, the follow-up package, Revision 1 and the follow-up report stand unchanged. Every "proposed wording" below is a proposal for your decision. **[Proposal]**

**The restriction as applied.** The exact text of the standing CodeIgniter 4.0 structural restriction is not among the materials available to me, so this review applies it as your instruction of 15 October describes it: no instruction or proposal may rely on C:\AvenirEvidence; on files or evidence stored outside C:\wamp64\www; on drive-root or external folders; on outside workspaces; on standalone or external scripts; on symbolic links; or on any transfer, copy, export or storage outside the existing approved CodeIgniter 4.0 project structure. Where the restriction's own wording would narrow or widen a finding, that finding is marked for your confirmation. **[Assumption, stated]**

**What "the existing approved project structure" means here.** The CodeIgniter 4.0 application at C:\wamp64\www\avenir, with its standard folders: app\ (code, configuration, database migrations and seeds, commands), public\ (the only folder the web server is meant to serve), writable\ (WRITEPATH: the folder the framework writes to, kept out of the web root by the project's .htaccess rules) and the project's own installer libraries. Which paths under that structure are **approved** for evidence, backups and releases is not stated in any material I hold; each candidate below is therefore cited with the record that shows it was used, and marked UNRESOLVED where approval is not on record. I have not invented or created any directory. **[Observed: project layout as read in R0 and Stage One]**

**Labels.** [Observed] = quoted or read from a material listed in section 1. [Deduced] = follows from observed facts. [Proposal] = for your decision. UNRESOLVED — OWNER/IT CONFIRMATION REQUIRED = the approved path or component is not confirmed by the materials; the register stops at the documentation proposal.

# 1. Materials reviewed and how they were searched

| Material | Form held | Reviewed for |
|---|---|---|
| Development Baseline and Design Report (r1): Three Existing Faults | text copy | kits, scripts, test environments |
| Revised Design r3 (payment allocation, InnoDB stage) | text copy | backups (9d), rehearsal (9e), scripts |
| Revised Design r3.3 Review Draft | text copy | section 17 (environments, backups, transfers), RB and NC tests, unresolved items |
| Revised Design r3.4 | text copy (parts) | section 17, RB tests, “what was and was not done” |
| Revised Design r3.5 (main tab) | text copy | section 17a–17e, test rules, header |
| Accounting Exceptions Register and A0 Review Package (r3.5 tab) | text copy | A0 data handling |
| Security and Emergency Containment Proposal r3.5 | text copy | C0.14, CT.10, approvals table |
| Next-Step Review Package: Addendum A1 to r3.5 | text copy | R0b rules (section 10), containment prerequisites, C0.14 row |
| Next-Step Package A2 | text copy | target (section 3), capture rules, C0.14 cross-reference |
| R0 Read-Only Verification Report and its evidence summary | text copies | code copies, transfers, “not done” statements |
| Stage One Report: Target, R30 and R20–R23 | text copy | section 9 (what the run did), section 10 (departures) |
| Stage One Follow-up Package | text copy | section 5 (evidence inventory and durable home), 6, 7 |
| Stage One Follow-up Package — Revision 1 | text copy | section 6, 7, 8 |
| Stage One Follow-up Report: Checks Through E1 (as at rev 7, before today's sections 1–5 and 8, and those sections) | document read | section 0, 2, 7 (rollback), 8, 9 |

| Material | Form held | Reviewed for |
|---|---|---|
| tf-hotel-codes-r1 installation record of 6 October 2026 | text copy | the backup and release paths actually used |
| The session's task record and the avenir-payment-approval skill text | in session | earlier paths used (tf_releases, tf_backups); document-storage instructions |

**Method.** Each text copy was searched for: AvenirEvidence; drive paths (C:); "outside C:\wamp64\www" and like phrases; external, drive root, workspace, scratch, cloud, uploads area, staged; symbolic link, symlink, junction, mklink; standalone script, script, kit, apply, installer, spark, Commands, migration; export, transfer, copy, archive, zip, backup, USB, Desktop, OneDrive, Downloads, share. Every hit was read in context. Hits that name only accounting matters (bank transfers, shared voucher numbers, archive tables in the ledger) were set aside as not about storage. **[Observed]**

**Not reviewed.** Documents not held as text in this session (for example the reports of the earlier kits before 14 October other than the 6 October installation record) and any instruction that exists only on your computer. If the restriction is meant to reach those, they need a separate pass. **[Observed]**

**Result in one line.** 20 register entries: 7 on evidence location and outside workspaces (section 2), 13 on C0.14, backups, transfers, scripts and kits, the cloud code copy and the cloud test copy (section 3). No symbolic link, junction or mklink instruction exists in any reviewed material.

## 2. Conflict register: evidence-folder and external-location proposals

Each entry gives the seven items you asked for. Impact is marked for the four concerns in turn: security · backup integrity · evidence preservation · rollback.

## SC-01 — Follow-up package, section 5 “Proposed durable location” and section 7 item 6

| Item | Entry |
|---|---|
| Existing wording | “Where: a new folder outside C:\wamp64\www, for example C:\AvenirEvidence\2026-10-14-stage1, or a folder you name. Anything under www can be served by Apache, so evidence must not go there. The application folder is not touched.” … “What it needs from you: folder access for that one path, granted on your computer. Nothing is written until you approve. The folder can then be made read-only and copied to your usual backup.” Section 7: “Choose a folder outside C:\wamp64\www and grant access to it.” |
| Intended purpose | a durable, owner-controlled home for the Stage One evidence, off the web server's document root, with checksums |
| Why it conflicts | names a drive-root folder (C:\AvenirEvidence) outside the project and asks for folder access outside it; storage outside the approved structure |
| CI4 component / approved path | WRITEPATH (writable), the framework folder for files the application writes and the web server must not serve. Path used on your instruction of 15 October: C:\wamp64\www\avenir\writable\AvenirEvidence\2026-10-14-stage1\ [follow-up report section 8]. Whether that path is approved under the restriction: **UNRESOLVED — OWNER/IT CONFIRMATION REQUIRED** |

| Item | Entry |
|---|---|
| Impact | security: **yes** — under the document root, so non-exposure rests on writable.htaccess (“Require all denied”) and the root .htaccess rewrite, i.e. on Apache honouring .htaccess (AllowOverride); IT to confirm · backup integrity: no · evidence preservation: **yes** — evidence then sits in a folder the application process can write to, and inside the folder a restore replaces; “made read-only and copied to your usual backup” needs restating for the new location · rollback: **yes** — a folder-level restore of avenir would replace or remove the evidence unless writable\AvenirEvidence is excluded |
| Proposed wording | “Where: inside the project’s writable folder, which the web server does not serve (writable.htaccess: Require all denied): C:\wamp64\www\avenir\writable\AvenirEvidence\2026-10-14-stage1, or the project path you confirm. No folder outside C:\wamp64\www\avenir is used, and no new folder access is needed. The application’s code, public\ and data are not touched. The folder is excluded from any application-folder restore and listed in SHA256SUMS.” Section 7: “Confirm the evidence path inside the project’s writable folder.” |

## SC-02 — Revision 1, section 6 “Proposed durable location” and section 8 “Decisions for you”

| Item | Entry |
|---|---|
| Existing wording | “Where: a new folder outside C:\wamp64\www, for example C:\AvenirEvidence\2026-10-14-stage1, or one you name. Anything under www can be served by Apache.” … “What it needs from you: folder access for that one path. Nothing is written until you approve, and the application folder is not touched.” Section 8: “Evidence: a folder outside C:\wamp64\www, with access granted, and whether to save the R20.2 body if it still exists.” |

| Item | Entry |
|---|---|
| Intended purpose | as SC-01, carried into the revision |
| Why it conflicts | as SC-01 |
| CI4 component / approved path | as SC-01 (UNRESOLVED) |
| Impact | as SC-01 |
| Proposed wording | Section 6: as SC-01. Section 8: “Evidence: confirm the project evidence path under writable; and whether to save the readable part of the R20.2 body there, token removed.” |

## SC-03 — Follow-up package section 5 and Revision 1 section 6: the evidence inventory

| Item | Entry |
|---|---|
| Existing wording | “The evidence is in four places today. None of them is durable, and none is on your computer in a place you control.” — “Result files (this session′s workspace) … The files disappear with this session.” — “Code-check outputs (the linked shell′s scratch area on your computer, outside your folders)” — “Staged copies (this session′s uploads area)” |
| Intended purpose | an honest inventory of where the Stage One evidence sat before a durable home existed |
| Why it conflicts | it records evidence held in outside workspaces (the session workspace, its uploads area, the linked shell′s scratch area) and, by implication, a capture practice that would recur: evidence written outside first and moved in later |

| Item | Entry |
|---|---|
| CI4 component / approved path | capture directly into the project evidence path (SC-01). The shell on your computer can write there directly: the code-checks\ files were written that way on 15 October [follow-up report section 8]. Whether even a transit copy outside the project is allowed: **UNRESOLVED — OWNER/IT CONFIRMATION REQUIRED** |
| Impact | security: yes — staging target files out of the project for a diff is a code export; ending it removes that · backup integrity: no · evidence preservation: **yes** — files that "disappear with this session" are the preservation risk the restriction removes · rollback: no |
| Proposed wording (a dated note added under the inventory; the inventory itself stays as a record) | "Note, 15 October: under the structural restriction, evidence is written into the project evidence folder at the moment of capture. No copy is kept in the session workspace, the uploads area or the shell's scratch area beyond the capture step, and any transit copy is deleted once the SHA-256 of the project copy is verified." |

## SC-04 — Stage One report, section 9 "What the run did and did not do" and section 10 "Two departures from A2"

| Item | Entry |
|---|---|
| Existing wording | "Copies of the desk controller, Bulk.php and Vouchers.php went to this session's workspace, to compare them with the code copy." — "Working lists (checksums, search output) went to the linked shell's own scratch area, outside your folder." — "The result files are kept in this session's workspace, not on your computer. A2 section 3 says they go in a folder you choose, and none has been chosen." |
| Intended purpose | transparency about every file that left or was written during the run |

| Item | Entry |
|---|---|
| Why it conflicts | three application files were copied to an outside workspace; working lists went to a scratch area outside the project; result files were held in an outside workspace |
| CI4 component / approved path | comparisons by checksum list inside the linked project folder (sha256sum there against a list of expected values), with working lists and results written to the project evidence path (SC-01). For a line-by-line diff the other side is the code copy (SC-16), so that method changes with SC-16: **UNRESOLVED** |
| Impact | security: yes (code copies outside the project) · backup integrity: no · evidence preservation: yes (results held only in a session) · rollback: no |
| Proposed wording | The sentences are a true record of 14 October and are not reworded. Add after section 10: “Note, 15 October: under the structural restriction, no application file is copied out of the project; comparisons use checksum lists in the linked folder, and working lists and results are written to the project evidence folder.” |

## SC-05 — Follow-up report, section 0 status table (as it stood at revisions 1–7)

| Item | Entry |
|---|---|
| Existing wording | “Waiting for you — Evidence folder (section 8) — needs C:\AvenirEvidence to exist; contents prepared” |
| Intended purpose | status of the evidence folder prerequisite |
| Why it conflicts | names C:\AvenirEvidence |
| CI4 component / approved path | already replaced on 15 October, before this review, by the writable path (SC-01); the row now reads “done: C:\wamp64\www\avenir\writable\AvenirEvidence\2026-10-14-stage1 (your corrected location) …” |
| Impact | none beyond SC-01 |

| Item | Entry |
| --- | --- |
| Proposed wording | no further change; the row depends on SC-01′s path confirmation |

## SC-06 — Follow-up report, sections 2 and 8 (15 October): the capture route and the method files

| Item | Entry |
| --- | --- |
| Existing wording | Section 2: “… its SHA-256 was computed in the browser, verified again after transfer to the session workspace, and once more on your computer (SHA256SUMS).” Section 8: “Each raw response′s SHA-256 was computed in the browser before transfer, verified in the session workspace after transfer, and matches the value in SHA256SUMS computed on your computer”; the folder table: “followup-run\ … the sender (runner.js) and the saver (avr_save.py)” |
| Intended purpose | an integrity chain for each raw response; a record of the capture method |
| Why it conflicts | every response transited an outside workspace before reaching the project folder; two standalone scripts (an in-page JavaScript sender and a Python saver that runs in the session workspace) are stored in the project′s evidence folder |
| CI4 component / approved path | none confirmed. The browser pane runs in the desktop app, not in the linked folder, so a capture that never leaves your computer needs a different method (for example phpMyAdmin′s own export saved by you into the evidence folder, or a CodeIgniter command inside the project that runs the approved statements and writes the file under writable). **UNRESOLVED — OWNER/IT CONFIRMATION REQUIRED** |

| Item | Entry |
|---|---|
| Impact | security: yes — raw responses (tokens removed; no credentials) passed through the session workspace; a project-side command would instead need a read-only database account configured in the project · backup integrity: no · evidence preservation: **recorded, not weakened** — the three checksums agree, so the transit did not alter the evidence; the method files are a record only · rollback: no |
| Proposed wording | Section 2, added sentence: “This route (browser pane → session workspace → project folder) is recorded as the route used on 15 October. Under the structural restriction any later capture writes into the project folder by a method you approve, without an outside workspace.” Section 8, folder table: “runner.js and avr_save.py: a record of the method only; not application code, never run from the project.” |

## SC-07 — Addendum A1, section 10 “Rules for every check” and A2, section 5 capture rule

| Item | Entry |
|---|---|
| Existing wording | A1: “One output file per check, with its SHA-256, kept where you decide.” A2: “counts, ledger codes, record numbers and login ids; saved to one file per check with its SHA-256, in a folder you choose” |
| Intended purpose | leave the storage location to the owner |
| Why it conflicts | it permits any location, including one outside the project; no project path is named |
| CI4 component / approved path | the project evidence path (SC-01), one dated sub-folder per stage: **UNRESOLVED** until SC-01 is confirmed |
| Impact | security: no · backup integrity: no · evidence preservation: yes (depends on the path chosen) · rollback: no |

| Item | Entry |
| --- | --- |
| Proposed wording | “One output file per check, with its SHA-256, kept in the project evidence folder under writable\ that you confirm, in a sub-folder named for the stage and date.” |

## 3. Conflict register: C0.14, backups, transfers, scripts, kits and the cloud copies

### SC-08 — Security and Emergency Containment Proposal r3.5, Part C, C0.14 “How it runs” (and CT.10; Addendum A1 containment table, C0.14 row; A2 cross-reference)

| Item | Entry |
| --- | --- |
| Existing wording | r3.5 Security proposal: “read-only SELECT statements under a read-only database account, once a day on development; the output file and its SHA-256 are kept outside C:\wamp64\www”. CT.10: “every planted event listed; every table′s hash equal before and after; the output file′s SHA-256 recorded”. A1 table, C0.14 row: “one output file and its SHA-256; nothing in the database — outside C:\wamp64\www”. A2: “C0.14, extended, would list authorised vouchers with fewer authorisation rows than lines for the accountant” (location by reference) |
| Intended purpose | a daily detection list that writes nothing to the database, whose output the application cannot alter and the web server cannot serve |
| Why it conflicts | output stored outside www; “once a day” implies a scheduled job and a script outside the application |

| Item | Entry |
| --- | --- |
| CI4 component / approved path | component: a CodeIgniter command in app\Commands (run as php spark), using the project's own database configuration for the read-only account, writing the file and its SHA-256 under writable. Path: a sub-folder of the project evidence path (for example writable\AvenirEvidence\c0.14) — **UNRESOLVED — OWNER/IT CONFIRMATION REQUIRED**. The daily trigger (Windows Task Scheduler or any other) lies outside the project: **UNRESOLVED — OWNER/IT** |
| Impact | security: **yes** — the list names ledger ids and counts and would sit under the document root (depends on the .htaccess protection); the read-only account's credential moves into the project's configuration (app\Config\Database.php or .env), where CodeIgniter keeps credentials today · backup integrity: no · evidence preservation: **yes** — C0.14 detects deletions only against the previous day's list, so that list must be unalterable; inside writable\ it is writable by the web server process, and only the recorded SHA-256 would show tampering · rollback: no |
| Proposed wording | "How it runs: read-only SELECT statements under a read-only database account, run by a CodeIgniter command inside the project (app\Commands), once a day on development; the output file and its SHA-256 are written to the project evidence path under writable\ that you confirm. How the daily run is triggered is for you and IT to decide." A1 row: "one output file and its SHA-256; nothing in the database — the project evidence path under writable\ (to be confirmed)". CT.10 unchanged. |

## SC-09 — Revised Design r3, section 9d “Verified backup and restore” and 9e “Rehearsal on isolated copies”

| Item | Entry |
|---|---|
| Existing wording | “Backups: a full dump of the database … plus a separate dump of the eight tables alone. The SHA-256 of each file is recorded. Both are stored outside C:\wamp64\www, which the web server serves.” — “Proof that the backup restores: the full dump is restored into the isolated cloud copy, never on development’s MySQL server …” — 9e: “Order: (1) the cloud test copy, a MySQL 8.0 restore of development’s backup; (2) avenir_rv’s own database …” |
| Intended purpose | backups off the served tree and independent of the folder they protect; restore proof on a server other than development’s |
| Why it conflicts | storage outside www; restore proof and rehearsal in an outside workspace |
| CI4 component / approved path | paths used on 6 October for the hotel-codes release: writable\app_backups\ (a SQL dump and a tar.gz archive of the app folder) and writable\tf_backups\ (the Admin copy of the TourFlow tables) [tf-hotel-codes-r1 installation record]. Whether either is approved under the restriction: **UNRESOLVED — OWNER/IT CONFIRMATION REQUIRED**. A “server other than development’s” inside the project does not exist: avenir_rv shares development’s MySQL server; a second MySQL instance (option T2) is outside the project: **UNRESOLVED — OWNER/IT** |
| Impact | security: **yes** — dumps hold supplier and driver bank details, logins with password hashes and guest data; under the document root their non-exposure rests on .htaccess · backup integrity: **yes** — a backup stored inside the folder it protects is lost with that folder (section 4) · evidence preservation: no · rollback: **yes** — the restore proof loses its separate server unless T2 is approved; an app-folder archive kept inside the app folder is included in the next archive unless excluded |

| Item | Entry |
| --- | --- |
| Proposed wording | “Both are stored in the project backup path under writable\ that you confirm, which the web server does not serve; whether a further copy must be held outside the project for disaster recovery is your and IT′s decision. Proof that the backup restores: the full dump is restored on a separate MySQL instance you approve, never on development′s database.” 9e order: “(1) avenir_rv′s own database, refreshed from the latest verified backup …” with the cloud step removed. |

## SC-10 — r3.3 section 17a item 2, 17b, 17c; r3.4 section 17 (same text); r3.5 sections 17a, 17b, 17c, 17d; tests RB.1, RB.2, RB.3, RB.9, NC.8; restore-proof option T1

| Item | Entry |
|---|---|
| Existing wording | 17a: “Full backup … written outside C:\wamp64\www, with its SHA-256 recorded.” 17b (r3.5): “a full backup with its SHA-256 and file manifest, stored outside C:\wamp64\www, and a verified restore on a separate server before the stage runs … A backup without a verified restore does not meet this prerequisite.” 17c: “Source: outside C:\wamp64\www on your computer”; “Destination: only the isolated cloud test server in this session’s workspace, restored into one named database …”; “Protection: transfer only through this session’s link to your computer (no e-mail, no third-party storage) … the cloud copy is deleted after the proof”. Options: “T1 transfer to the isolated cloud server (full proof; data leaves your computer within this session); T2 a second, separate MySQL instance on your computer (data stays local; needs an installation you approve); T3 a masked copy without a restore proof (weaker; under T3 no development stage can meet 17b).” RB.1: “inventory file written outside C:\wamp64\www”; RB.2: “backup file and manifest outside C:\wamp64\www”; RB.3: “transfer through this session’s link only”; RB.9: “delete the cloud copy … the local file kept”; 17d: S6p “on an isolated copy of a fresh development backup (transfer under 17c, or T2)” |
| Intended purpose | backups independent of the served tree; a provable restore before any development stage; a controlled, approved transfer with hashes at both ends |
| Why it conflicts | storage outside www; transfer to an outside workspace; a cloud copy of development’s data |

| Item | Entry |
|---|---|
| CI4 component / approved path | backup path as SC-09 (UNRESOLVED). Restore proof: option T2 (a second MySQL instance on your computer) is the only option in the materials that keeps data local and still proves the restore; it is outside the project structure, so its standing under the restriction is **UNRESOLVED — OWNER/IT CONFIRMATION REQUIRED**. Option T1 falls away; option T3 gives no proof |
| Impact | security: improves — no development data leaves your computer · backup integrity: **yes** — as SC-09 · evidence preservation: no · rollback: **yes, significant** — 17b makes a verified restore a prerequisite of every development stage; with T1 gone and T2 not yet approved, no stage (including any approved C0 technical item) can meet 17b until T2 exists |
| Proposed wording | 17a item 2 and 17b: “written to the project backup path under writable\ that you confirm”; 17b second half: “and a verified restore on a separate MySQL instance on your computer (option T2) before the stage runs”. 17c: suspended in full — “No transfer outside your computer is proposed. The restore proof uses option T2 once you and IT approve it.” RB.1, RB.2: “written to the project backup path”; RB.3 and RB.9: “not applicable under the restriction”; NC.8: “no transfer; the reports show no bank account number, password hash or personal detail”; 17d: “(restored under T2)”. The options list: “T1 withdrawn under the structural restriction.” |

## SC-11 — Addendum A1, “Before installing it on development”

| Item | Entry |
|---|---|
| Existing wording | “A fresh development backup with its SHA-256 and manifest, kept outside C:\wamp64\www, and a verified restore on a separate server (r3.5 17b). Under option T3 no verified restore exists, so no guard could be installed.” |

| Item | Entry |
|---|---|
| Intended purpose | the backup prerequisite before any containment guard is installed |
| Why it conflicts | as SC-10 |
| CI4 component / approved path | as SC-10 (UNRESOLVED) |
| Impact | as SC-10: rollback — no guard can be installed until the restore-proof route is settled |
| Proposed wording | “A fresh development backup with its SHA-256 and manifest, kept in the project backup path you confirm, and a verified restore on a separate MySQL instance on your computer (option T2). Without a verified restore no guard is installed.” |

## SC-12 — Follow-up report, section 7 “Rollback”

| Item | Entry |
|---|---|
| Existing wording | “Backup: a full verified backup of files and database is taken before any install, as in earlier stages, so data can be restored if a defect wrote anything.” |
| Intended purpose | the pre-install backup for Stage A |
| Why it conflicts | “as in earlier stages” points both to 17b (outside www) and to the 6 October practice (inside writable); the location is undefined |
| CI4 component / approved path | as SC-09 (UNRESOLVED) |
| Impact | rollback: yes — the restore depends on where the backup is and whether it was proven |
| Proposed wording | “Backup: a full backup of files and database, with SHA-256 and manifest, written to the project backup path you confirm and proven by a restore on a separate MySQL instance you approve, before any install.” |

## SC-13 — Kits and standalone scripts: r1 implementation plan; r3 9e and stage table; r3.3/r3.4/r3.5 17a; r3.3 NC.3, RB.5, RB.6; follow-up report section 7 “Rollback”

| Item | Entry |
| --- | --- |
| Existing wording | r1: “One kit (tf-faults-r1) … original-file checksums; a guard that refuses live and anything unexpected; apply and rollback with md5 read-back. Separate scripts, each needing its own approval: the two schema changes …; any data repair”. r3 9e: “Run the exact conversion script with the stated session settings, timing each table.” r3 stage table: “the scripts refuse any database other than avenir_restore_verify_20261011”. 17a: “Guard in every rehearsal script: exactly one permitted database name … no live address or credential exists in any script.” NC.3: “every script and configuration in the kit”. Follow-up report: “Kit: each install ships with a copy of every file it replaces and a checksum list taken before and after. To roll back: put the before-copies back and confirm their checksums match the pre-install list.” |
| Intended purpose | controlled installation and rollback with checksums; guarded rehearsal and conversion steps |
| Why it conflicts | a kit is an archive with standalone apply and rollback scripts; conversion and rehearsal scripts run outside the application: standalone or external scripts |

| Item | Entry |
| --- | --- |
| CI4 component / approved path | components already in the project: the installer libraries (for example app\Libraries\HotelRates\Installer.php) with SQL under app\Database\Sql\ [6 October pre-check list] and the Setup screen used for later releases [session record]; framework components: app\Database\Migrations (with down methods) and app\Commands for conversion and rehearsal steps, using the project's own connection configuration. Kit storage path used before: writable\tf_releases\ [session record] — **UNRESOLVED — OWNER/IT CONFIRMATION REQUIRED**. Which component replaces the kit's apply and rollback: **UNRESOLVED** |
| Impact | security: improves — no database name or credential in a script; the exact-database guard becomes code in the project · backup integrity: no · evidence preservation: no · rollback: **yes** — the before-copies and checksum read-back are today's rollback; a migration-based install needs an equivalent file restore and a tested down path before it is relied on |
| Proposed wording | "Install, rollback, schema and conversion steps are delivered as CodeIgniter components inside the project: migrations under app\Database\Migrations with a tested down method, commands under app\Commands, and the project's existing installer libraries; with the same guards as before (exact database name checked before every statement, checksums of every replaced file before and after, before-copies kept under the project backup path you confirm). No standalone script is run from outside the project." |

## SC-14 — The static code copy in the cloud workspace: r3.4 and r3.5 headers; R0 report; follow-up package and Revision 1 (“Files are the code copy …”); follow-up report section 0

| Item | Entry |
|---|---|
| Existing wording | r3.5: “Built from: … the static code copy already held in the cloud workspace.” r3.4: “written from … the static code copy already held in the cloud workspace”. R0: “Four code files were copied to the cloud workspace to compare them with the earlier code copy (code only, no data).” Follow-up package / Revision 1: “Files are the code copy where its checksum equals the target's, and the staged target files for the desk and its libraries.” Follow-up report section 0: “the 23 reviewed files equal the target's by SHA-256” |
| Intended purpose | review the code without touching development, and prove by checksum that the reviewed text equals the project's |
| Why it conflicts | a copy of the application's code is held in an outside workspace; files are staged out of the project for comparison |
| CI4 component / approved path | reviews read in the linked project folder, read-only, with checksums taken there; no copy outside. Whether a transient read-only copy is permitted: **UNRESOLVED — OWNER/IT CONFIRMATION REQUIRED** |
| Impact | security: **yes** — application code (and whatever configuration the copy includes) sits outside your computer; ending the copy removes that · backup integrity: no · evidence preservation: no — the SHA-256 records of past reviews remain valid · rollback: no |
| Proposed wording | “Code reviews are made in the linked project folder, read-only; no copy of the application is held outside it. Earlier reviews made on the code copy stand as recorded, each verified by SHA-256 against the project's files at the time.” |

## SC-15 — The isolated cloud test copy as a test environment: r1 testing plan; r3 9e; r3.3/r3.4/r3.5 test rules and E2; follow-up report section 9 “Test environment”

| Item | Entry |
|---|---|
| Existing wording | r1: “Testing: first the cloud test copy, then avenir_rv, with TEST accounts and TEST rows only.” r3.5: “How every test runs: first on the isolated cloud test copy, then on avenir_rv …”; E2: “the isolated cloud copy, then avenir_rv”. Follow-up report: “Stage A must be tested on an isolated copy before any install. This investigation excluded the cloud test database and avenir_rv, so you would need to name the copy to use or approve building a new one.” |
| Intended purpose | rehearse every change on an isolated copy before development |
| Why it conflicts | an outside workspace holding a restored copy of development’s data |
| CI4 component / approved path | avenir_rv at C:\wamp64\www\avenir_rv with its own database avenir_restore_verify_20261011 on the same MySQL server [r3.3 section 17a; R0]. It is a second copy of the project, inside www but outside C:\wamp64\www\avenir: whether it counts as the approved structure: **UNRESOLVED — OWNER/IT CONFIRMATION REQUIRED** |
| Impact | security: improves — data stays on your computer · backup integrity: no · evidence preservation: no · rollback: **yes** — avenir_rv shares development’s MySQL server, so the exact-database guard becomes the only barrier between a rehearsal and development’s database; the MySQL 8.0 parity check in r3 is lost |
| Proposed wording | “First on avenir_rv (C:\wamp64\www\avenir_rv, database avenir_restore_verify_20261011), with TEST accounts, groups and rows only, under the exact-database guard; no cloud copy. Never development before your approval; never live.” |

## SC-16 — Exports of the reports into the evidence folder: follow-up package section 5; Revision 1 section 6; follow-up report section 8

| Item | Entry |
|---|---|
| Existing wording | “PDF exports of the Stage One report and this package”; “PDF exports of the Stage One report and both packages”; “PDF exports … into reports\” |
| Intended purpose | durable copies of the reports beside the evidence |
| Why it conflicts | not in direction: the exports go into the project. Recorded because the reports' originals are held outside it (in this workspace's documents). If the restriction requires documentation itself to live in the project, the exports are the mechanism and their location follows SC-01 |
| CI4 component / approved path | the reports\ sub-folder of the project evidence path (SC-01): UNRESOLVED with SC-01 |
| Impact | security: no · backup integrity: no · evidence preservation: yes (positive) · rollback: no |
| Proposed wording | no change; add “into the reports\ sub-folder of the project evidence path” once SC-01 is confirmed |

## SC-17 — Symbolic links, junctions, mklink

| Item | Entry |
|---|---|
| Finding | no instruction or proposal in any reviewed material refers to a symbolic link, junction or mklink. **[Observed]** |
| Proposed wording | none needed |

## SC-18 — The R20.2 response body: follow-up package section 5; Revision 1 section 6; follow-up report section 8

| Item | Entry |
|---|---|
| Existing wording | “Kept apart: the R20.2 body, only if you approve saving it, with the session token replaced by ‘[token removed]’ before it is written.” |
| Intended purpose | preserve what remains of an uncaptured response |
| Why it conflicts | the body sits in the browser pane's log (outside the project) and its saving would follow the SC-06 route |
| CI4 component / approved path | the project evidence path (SC-01); route UNRESOLVED with SC-06 |
| Impact | evidence preservation: yes — the log lasts only while the tab stays open |
| Proposed wording | “Kept apart: the readable part of the R20.2 body, only if you approve, token removed, written to the project evidence path by the route you approve.” |

## SC-19 — The restore-proof decision U12 (r3.3 unresolved list; r3.5; A1)

| Item | Entry |
|---|---|
| Existing wording | r3.3 U12: “Transfers — no file chosen; option T1, T2 or T3 not chosen — your approval of the exact file and SHA-256, and of the option”; A1: “Which copy, and the transfer or restore option (T1, T2 or T3, U12), are yours to decide.” |
| Intended purpose | keep the restore-proof route an owner decision |
| Why it conflicts | T1 is a transfer to an outside workspace |
| CI4 component / approved path | T2 (outside the project; UNRESOLVED) or T3 (no proof) |
| Impact | rollback: yes — see SC-10 |

| Item | Entry |
|---|---|
| Proposed wording | “U12: option T1 withdrawn under the structural restriction; the choice is between T2 (a second MySQL instance on your computer, needing IT's installation) and T3 (no verified restore, which blocks every development stage under 17b).” |

### SC-20 — Outside the project but recorded for your decision: the payment-approval working instructions

| Item | Entry |
|---|---|
| Existing wording | avenir-payment-approval skill: “Save every payment document in Desktop › TOUR PAYMENTS (PDF + DOCX)”; “not already on the supplier ledger or the Com Bank statements on the Desktop (COMBANK folder)”; rate sheets are read from Desktop folders linked to the session (HOTEL RATES, winter RTS) |
| Intended purpose | business documents for the live staff system's payment work, kept where you keep them |
| Why it is listed | they are storage instructions outside C:\wamp64\www, but they concern business documents, not the CodeIgniter project or its evidence. Whether the restriction reaches them is your call |
| CI4 component / approved path | none proposed; **UNRESOLVED — OWNER CONFIRMATION REQUIRED** on scope |
| Impact | none on the project; moving business documents into the project folder would expose them to the same .htaccess dependence as SC-01 |
| Proposed wording | none until you say whether the restriction applies |

## 4. Application storage, backups and independent evidence: separation and the risks for you and IT to decide

**Three kinds of file, three different needs.** [Deduced from the materials; no solution chosen]

| Kind | What it is | Who writes it | What it must survive | Where the materials put it today |
|---|---|---|---|---|
| Ordinary CodeIgniter application storage | cache, logs, sessions, uploads, debug output: files the running application needs or produces | the web server process, through the framework | nothing beyond normal operation; most of it can be regenerated | writable\ (WRITEPATH), by framework design |
| Backups | database dumps, archives of the application folder, before-copies of replaced files, manifests | the person or process taking the backup, before a change | the loss or corruption of the thing they protect: the database, the application folder, the whole disk | r3/r3.3/r3.4/r3.5/A1: outside C:\wamp64\www; 6 October practice: writable\app_backups\ and writable\tf_backups\ |
| Independent evidence | read-only query outputs, checksum lists, plans, reports, SHA256SUMS | the investigation, at capture time | later changes to the system, restores of the application folder, and any party's wish to alter it | follow-up package/Revision 1: C:\AvenirEvidence; 15 October: writable\AvenirEvidence\ |

**What the restriction changes.** Backups and independent evidence move into the same folder tree as the application they protect or describe. The framework makes no claim about either: WRITEPATH is designed for the first kind only. Keeping the other two kinds there is possible, and is what was done on 6 and 15 October, but it changes their independence in the ways below. These are recorded for you and IT to weigh; I choose none of them. **[Proposal: a list of risks, not a recommendation]**

| # | Risk | Affects | What the materials say |
|---|---|---|---|
| R-1 | A backup inside the folder it protects is lost with that folder: disk failure, accidental deletion, a bad restore that replaces the whole folder, or malware that encrypts the tree | backup integrity, disaster recovery | r3 9d and r3.5 17b placed backups outside www for this reason |
| R-2 | An archive of the application folder stored inside that folder is included in the next archive unless excluded; archives grow and nest | backup integrity, disk space | the 6 October record shows app archives under writable\app_backups\ |
| R-3 | Rollback by restoring the application folder from an archive kept inside the folder being replaced is circular: the restore must first copy the archive out, or exclude writable\ | rollback | the follow-up report's rollback relies on before-copies in the kit and a full backup |
| R-4 | Evidence inside writable\ is writable by the web server process; the application, or any code path in it, could alter or delete it. SHA256SUMS detects tampering; it does not prevent it | evidence preservation | Stage One and the follow-up run rely on SHA-256 lists for detection |
| R-5 | Non-exposure of dumps and evidence under the document root rests on writable.htaccess (Require all denied), the root .htaccess rewrite, and Apache honouring .htaccess (AllowOverride). A configuration change or a missing file exposes bank details, password hashes and evidence | security | the restriction's own rationale ("anything under www can be served") was the reason the earlier documents went outside www |

| # | Risk | Affects | What the materials say |
|---|---|---|---|
| R-6 | The verified-restore prerequisite (r3.5 17b) needs a separate server. Without the cloud server (T1), only a second local MySQL instance (T2) proves a restore; T3 proves nothing. Until T2 is approved and installed, no development stage can meet 17b | rollback, backup integrity | r3.5 17b, 17c; A1 prerequisites |
| R-7 | Evidence held inside the system under review is weaker, to an accountant or auditor, than a copy held outside under the owner's control; independence is a property of location as well as of checksums | evidence preservation | the follow-up package proposed “a place you control” |
| R-8 | Checks that assert “no file in the folder, including writable, changed” (Stage One section 9) will now flag evidence and backup writes; the no-change proofs need writable\AvenirEvidence and the backup paths excluded explicitly | evidence preservation, verification | Stage One F11 and the manifest checks |
| R-9 | All three kinds share one volume and one folder tree: a full disk or a permissions change affects the application, its backups and its evidence together | disaster recovery | not addressed in any material |

**What would preserve independence inside the structure, if you and IT want it.**
Recorded as options you may consider, not as a choice: a separate top-level folder under writable\ for each kind (application storage, backups, evidence) with its own .htaccess and exclusion from folder-level restores; evidence sub-folders made read-only after SHA256SUMS is written; a periodic copy of backups and evidence to a location IT

designates outside the tree, if the restriction allows an exception for disaster recovery; and IT's confirmation of AllowOverride for the www tree. Any of these is a decision for you and your IT professional.

## 5. Unresolved items requiring owner or IT confirmation

Each of these stops at the documentation proposal. No directory has been created or named as approved by me.

| # | Item | Needed from | Entries |
|---|---|---|---|
| U-1 | The exact text of the standing CodeIgniter 4.0 structural restriction, so that this register can be checked against it rather than against my reading of your instruction | you | all |
| U-2 | Whether C:\wamp64\www\avenir\writable\AvenirEvidence\ (used on 15 October on your instruction) is the approved evidence path, and its sub-folder naming | you | SC-01, SC-02, SC-05, SC-07, SC-16, SC-18 |
| U-3 | Whether writable\app_backups\ and writable\tf_backups\ (used on 6 October) are approved backup paths, or another path under writable\ is | you, IT | SC-09, SC-10, SC-11, SC-12 |
| U-4 | Whether writable\tf_releases\ is an approved path for releases, and which CodeIgniter component replaces the kit's apply and rollback scripts (migrations with down methods, commands, the existing installer libraries) | you, IT | SC-13 |
| U-5 | The restore-proof route: whether a second MySQL instance on your computer (T2) may be installed, given that it lies outside the project; without it, no development stage meets 17b | you, IT | SC-09, SC-10, SC-11, SC-19 |
| U-6 | Whether avenir_rv (C:\wamp64\www\avenir_rv) counts as part of the approved structure for rehearsals | you, IT | SC-15 |

| # | Item | Needed from | Entries |
|---|---|---|---|
| U-7 | Whether a transit copy through the session workspace is permitted at capture time, or every capture must write into the project folder directly; and, if directly, which method you approve for statements sent through phpMyAdmin | you, IT | SC-03, SC-04, SC-06, SC-18 |
| U-8 | Whether a read-only code copy may be held outside the project for review, or all reviews must read the linked folder only | you | SC-14 |
| U-9 | How C0.14′s daily run would be triggered, and where its read-only database credential would be configured | you, IT | SC-08 |
| U-10 | Confirmation by IT that Apache honours .htaccess for the www tree (AllowOverride), on which the non-exposure of writable\ rests | IT | SC-01, SC-08, SC-09, R-5 |
| U-11 | Whether documentation (the reports themselves) must also be held inside the project, which would make the PDF exports mandatory rather than optional | you | SC-16 |
| U-12 | Whether the restriction reaches business documents outside the project (payment reports and bank statements on the Desktop) | you | SC-20 |
| U-13 | Whether an exception is wanted for disaster recovery: a periodic copy of backups and evidence to a location IT designates outside the tree | you, IT | section 4, R-1, R-7, R-9 |

Until U-2 to U-6 are answered, every “proposed wording” in sections 2 and 3 that names a path remains a proposal with the path marked “that you confirm”.

## 6. Consolidated proposed replacement wording (proposal only; nothing changed)

Grouped by document, so that each document can be approved or declined on its own. Paths written “that you confirm” stay open until section 5 is answered. No document has been edited.

**Stage One Follow-up Package** (unchanged document; a dated note is proposed rather than rewording a package that Revision 1 already replaced for review)

- Section 5 “Proposed durable location”, section 7 item 6 (SC-01) and the inventory (SC-03): one note at the end of section 5: “Note, 15 October: superseded by the structural restriction. Evidence is kept inside the project at the writable\ path you confirm, which the web server does not serve; no folder outside the project and no new folder access. Evidence is written into that folder at capture time; any transit copy is deleted once the project copy's SHA-256 is verified.”

**Stage One Follow-up Package — Revision 1** (the operative package)

- Section 6 “Proposed durable location” (SC-02): “Where: inside the project's writable folder, which the web server does not serve (writable.htaccess: Require all denied): C:\wamp64\www\avenir\writable\AvenirEvidence\2026-10-14-stage1, or the project path you confirm. No folder outside C:\wamp64\www\avenir is used and no new folder access is needed. The application's code, public\ and data are not touched. The folder is excluded from any application-folder restore and listed in SHA256SUMS.”
- Section 6 inventory (SC-03): the dated note as above.
- Section 6 “Kept apart” (SC-18): “the readable part of the R20.2 body, only if you approve, token removed, written to the project evidence path by the route you approve.”
- Section 8 “Decisions for you”, evidence line (SC-02): “Evidence: confirm the project evidence path under writable; and whether to save the readable part of the R20.2 body there, token removed.”

**Stage One Report** (a record of 14 October; not reworded)

- After section 10 (SC-04): “Note, 15 October: under the structural restriction, no application file is copied out of the project; comparisons use checksum lists in the linked folder, and working lists and results are written to the project evidence folder.”

**Stage One Follow-up Report: Checks Through E1**

- Section 2, after “Capture, for every statement” (SC-06): “This route (browser pane → session workspace → project folder) is recorded as the route used on 15 October. Under the structural restriction any later capture writes into the project folder by a method you approve, without an outside workspace.”
- Section 8 folder table, followup-run row (SC-06): “runner.js and avr_save.py: a record of the method only; not application code, never run from the project.”
- Section 7 “Rollback”, backup line (SC-12): “Backup: a full backup of files and database, with SHA-256 and manifest, written to the project backup path you confirm and proven by a restore on a separate MySQL instance you approve, before any install.”
- Section 7 “Rollback”, kit line (SC-13): “Install and rollback are delivered as CodeIgniter components inside the project (migrations with a tested down method, commands, the existing installer libraries), with checksums of every replaced file before and after and

before-copies kept under the project backup path you confirm. No standalone script is run from outside the project."

- Section 9 "Test environment" (SC-15): "Stage A must be tested on avenir_rv (C:\wamp64\www\avenir_rv, its own database), with TEST accounts and rows only, under the exact-database guard; no cloud copy."

**Addendum A1**

- Section 10, rules for every check (SC-07): "One output file per check, with its SHA-256, kept in the project evidence folder under writable\ that you confirm, in a sub-folder named for the stage and date."
- Containment table, C0.14 row (SC-08): "one output file and its SHA-256; nothing in the database — the project evidence path under writable\ (to be confirmed)".
- "Before installing it on development" (SC-11): "A fresh development backup with its SHA-256 and manifest, kept in the project backup path you confirm, and a verified restore on a separate MySQL instance on your computer (option T2). Without a verified restore no guard is installed."
- Copy and restore option (SC-19): "Which copy (avenir_rv) and the restore option (T2, or T3 with no proof) are yours to decide; T1 is withdrawn."

**Next-Step Package A2**

- Section 5 capture rule (SC-07): "saved to one file per check with its SHA-256, in the project evidence folder under writable\ that you confirm".

**Security and Emergency Containment Proposal r3.5** (you asked that it not be changed now; wording held for later)

- Part C, C0.14 "How it runs" (SC-08): "read-only SELECT statements under a read-only database account, run by a CodeIgniter command inside the project (app\Commands), once a day on development; the output file and its SHA-256 are written to the project evidence path under writable\ that you confirm. How the daily run is triggered is for you and IT to decide."

**Revised Design r3.3, r3.4 and r3.5** (you asked that they not be changed now; wording held for later; the same text in each)

- 17a item 2 (SC-10): "Full backup … written to the project backup path under writable\ that you confirm, with its SHA-256 recorded."
- 17b (SC-10): "Before each development stage …: a full backup with its SHA-256 and a file manifest, stored in the project backup path you confirm, and a verified restore on a separate MySQL instance on your computer (option T2) before the stage runs. A backup without a verified restore does not meet this prerequisite."

- 17c (SC-10): replaced in full by “No transfer outside your computer is proposed. The restore proof uses option T2 once you and IT approve it.”
- 17d (SC-10): “(restored under T2)” in place of “(transfer under 17c, or T2)”.
- Restore-proof options (SC-10, SC-19): “T1 withdrawn under the structural restriction. T2: a second, separate MySQL instance on your computer (data stays local; needs an installation you approve). T3: a masked copy without a restore proof (weaker; under T3 no development stage can meet 17b).”
- Test rules “How every test runs” and E2 (SC-15): “first on avenir_rv, with TEST accounts, groups and rows only, under the exact-database guard; never development before your approval, never live.”
- RB.1 and RB.2 (SC-10): “written to the project backup path”; RB.3 and RB.9: “not applicable under the structural restriction”; NC.8: “no transfer; the reports show no bank account number, password hash or personal detail”.
- 17a “Guard in every rehearsal script” and NC.3 (SC-13): “Guard in every rehearsal command (app\Commands): exactly one permitted database name, checked before every statement … no live address or credential in any command or configuration outside the project's own.”
- Header “Built from … the static code copy already held in the cloud workspace” (SC-14): left as a true record; later reviews: “read in the linked project folder, read-only; no copy held outside it.”
- U12 (SC-19): “option T1 withdrawn; the choice is between T2 and T3.”

**Revised Design r3 and r1** (superseded by r3.3–r3.5 for review; listed for completeness)

- r3 9d and 9e (SC-09): “Both are stored in the project backup path under writable\ that you confirm … the full dump is restored on a separate MySQL instance you approve”; order “(1) avenir_rv's own database …” with the cloud step removed.
- r1 implementation plan (SC-13): “One release delivered as CodeIgniter components inside the project … Separate migrations, each needing its own approval … Testing: on avenir_rv with TEST accounts and TEST rows only.”

**R0 report, Stage One inventory statements, follow-up report section 0** (SC-05, SC-14): records of what was done; no rewording proposed.

**Payment-approval working instructions** (SC-20): no wording until you say whether the restriction applies.

**What this register does not do.** It does not approve any correction, does not change any document, does not create or name a directory as approved, and does not start any technical action, transfer or permission change. It waits for your explicit approval, item by item.