

Theoretical Foundations of Cognition and Artificial Intelligence An Interdisciplinary Review

Asst. Prof. Dr. Vrishali Tryambak Kulkarni¹, Saiprasad Shrikant Kulkarni²

¹*Assistant Professor, Panchavati College of Management and Computer Science*

²*Student, Panchavati College of Management and Computer Science*

Panchavati College of Management and Computer Science, Nashik, Maharashtra | Academic Year 2025–2026

Abstract - This paper explores the theoretical foundations that underpin cognition and artificial intelligence (AI). It examines major cognitive theories—classical, connectionist, embodied, and enactive—and their correspondence to AI paradigms. The study highlights how interdisciplinary insights from psychology, neuroscience, linguistics, philosophy, and computer science shape our understanding of intelligent behavior in both humans and machines. It concludes by outlining key challenges and future research directions.

Key Words: Cognition, Artificial Intelligence, Connectionism, Embodied Cognition, Cognitive Architecture, Neuro-Symbolic AI, Deep Learning.

1. INTRODUCTION

Human cognition has long been a subject of scientific investigation. With the advent of AI, understanding the mechanisms of thinking, reasoning, learning, and decision-making has become increasingly significant. The theoretical foundations of cognition provide essential frameworks for designing intelligent systems. Conversely, AI models offer testable implementations of cognitive theories, enabling deeper insights into mental processes.

This paper analyzes the major theoretical traditions in cognitive science and how they relate to contemporary AI research.

2. CLASSICAL THEORIES OF COGNITION

2.1 Symbolic Representations

The classical approach to cognition posits that the mind operates on symbolic representations through rule-based manipulation. This view, rooted in the computational theory of mind, suggests that human cognition resembles a digital computer.

2.2 Influence on Early AI

Early AI systems, such as expert systems and logic-based models, adopted symbolic reasoning. These systems were interpretable and capable of solving structured problems but lacked adaptability and robustness.

3. CONNECTIONISM

3.1 Neural Network Models

Connectionism proposes that cognition arises from the interactions of simple processing units, similar to neurons. It emphasizes distributed representations and learning from examples. Unlike classical symbolic systems, connectionist models rely on statistical learning, making them more flexible in handling noisy or ambiguous data.

3.2 Deep Learning

Deep learning, as a modern manifestation of connectionism, has revolutionized AI by enabling machines to excel in perception, language processing, and pattern recognition. These models approximate brain-like computation but still differ significantly from biological neural systems.

3.2.1 Hierarchical Feature Learning

Deep neural networks automatically learn hierarchical representations—from low-level features (edges, shapes) to high-level abstractions (objects, concepts). This mirrors aspects of the visual cortex, where neurons respond selectively to increasingly complex patterns.

3.2.2 Optimization and Learning Dynamics

Deep learning relies heavily on gradient-based optimization. However, learning dynamics remain poorly understood. Research continues on loss landscapes, generalization, and implicit biases in stochastic gradient descent (SGD).

3.2.3 Limitations and Open Problems

- Lack of transparency: Deep networks often function as black boxes.
- Data dependence: Performance relies on large datasets, unlike human cognition.
- Poor extrapolation: Training distribution constraints limit out-of-distribution reasoning.

4. EMBODIED AND SITUATED COGNITION

4.1 Cognition Beyond the Brain

Embodied cognition asserts that cognitive processes are grounded in the physical interactions between an agent and its environment. The mind is not isolated; rather, it is shaped by bodily constraints and sensory experiences.

4.2 Applications in AI and Robotics

This perspective has influenced robotics, reinforcement learning, and situated AI, where systems learn through interaction rather than abstract computation.

5. ENACTIVE COGNITION

Enactivism views cognition as dynamic sense-making. Perception and action are inseparable, and intelligence emerges from ongoing engagement with the world.

5.1 Implications for AI

Reinforcement learning, active inference, and autonomous adaptive systems draw inspiration from enactive principles. These approaches focus on continuous interaction and self-organization.

6. COGNITIVE ARCHITECTURE

6.1 Unified Theories of Mind

Cognitive architectures such as ACT-R, SOAR, and LIDA aim to model the entire cognitive system. They provide structured frameworks for integrating memory, decision-making, and perception.

6.1.1 ACT-R

ACT-R models cognition as interactions between modules governed by production rules. It simulates tasks such as mental arithmetic, memory recall, and language comprehension.

6.1.2 SOAR

SOAR emphasizes problem spaces and operators, and it supports learning through chunking—creating new rules based on experience.

6.1.3 LIDA

LIDA integrates global workspace theory, emphasizing cycles of attention, perception, and action selection.

6.2 Relevance to AI Design

Architectures create interpretable models bridging symbolic reasoning and learning-based methods.

6.2.1 Modern Applications

- Human–computer interaction modeling
- Cognitive robotics

- Simulation of expert decision-making

6.3 Limitations and Research Directions

- Difficulty integrating deep learning into symbolic architectures
- Limited scalability to real-world environments
- Need for neuromorphic implementations

7. PHILOSOPHICAL FOUNDATIONS

7.1 The Nature of Mind and Intelligence

Philosophical debates—such as functionalism, intentionality, and the mind-body problem—provide context for understanding artificial cognition.

7.1.1 Functionalism

Functionalism argues that mental states are defined by their causal roles, not their material substrate—supporting the possibility of artificial minds.

7.1.2 Intentionality

This refers to the aboutness of mental states. Whether AI systems truly possess intentionality or simply simulate it remains an open question.

7.1.3 Consciousness and Qualia

Can AI experience subjective phenomena? Theories such as Global Workspace, Integrated Information Theory (IIT), and Higher-Order Thought (HOT) offer competing accounts of consciousness but remain contested.

7.2 Ethics and Epistemology

7.2.1 Machine Morality

Debates include whether AI should follow utilitarian, deontological, or virtue-ethical principles.

7.2.2 Epistemic Limits of AI

AI may possess vast computational power but still lack commonsense reasoning, grounding, or true understanding.

7.2.3 Alignment and Responsibility

Philosophers highlight the problem of ensuring AI goals remain aligned with human values.

8. INTEGRATION OF COGNITIVE AND AI APPROACHES

8.1 Hybrid Models

Hybrid cognitive-AI models aim to combine symbolic reasoning with neural networks, leveraging strengths of both. Examples include neuro-symbolic systems and differentiable programming.

8.2 Neuroscience-Inspired AI

Brain-inspired models such as spiking neural networks and memory-augmented networks attempt to capture biological mechanisms more closely.

9. CHALLENGES AND OPEN QUESTIONS

- How can AI systems achieve human-level generalization?
- Can consciousness or subjective experience emerge through computation?
- What are the limits of brain-inspired architectures?
- How can ethical principles be embedded into cognitive-AI systems?

10. CONCLUSION

The theoretical foundations of cognition provide essential insights for understanding and engineering artificial intelligence. Classical symbolic theories highlight the importance of structured reasoning, logic, and explicit representations, forming the basis for early AI systems and continuing to influence contemporary neuro-symbolic

methods. Connectionist models reveal how learning and pattern recognition can emerge from distributed representations, enabling breakthroughs in deep learning and neural computation. Meanwhile, embodied and enactive perspectives push the boundaries of cognition beyond internal computation, emphasizing the crucial role of interaction, context, and adaptive behavior.

AI research increasingly draws from multiple cognitive traditions rather than relying on a single paradigm. Cognitive architectures integrate symbolic, neural, and procedural mechanisms, offering unified models of perception, memory, and decision-making. Philosophical perspectives challenge researchers to confront questions about consciousness, agency, intentionality, and moral responsibility—issues that grow more urgent as AI systems become more autonomous and pervasive.

Looking ahead, the convergence of cognitive science and AI presents promising opportunities and unresolved challenges. Understanding how humans generalize, reason abstractly, and adapt to new situations remains a central scientific problem. Achieving human-level flexibility may require architectures that combine the strengths of symbolic reasoning, neural learning, embodied interaction, and dynamic sense-making. At the same time, the ethical and epistemic implications of increasingly powerful AI systems demand frameworks grounded in transparency, fairness, and human values.

ACKNOWLEDGEMENT

The authors would like to thank the faculty and staff of Panchavati College of Management and Computer Science, Nashik, Maharashtra, for their constant guidance and support throughout this research work.

REFERENCES

1. Newell, A., & Simon, H. A. (1976). Computer science as empirical inquiry: Symbols and search. *Communications of the ACM*, 19(3), 113–126.
2. Rumelhart, D. E., & McClelland, J. L. (1986). *Parallel Distributed Processing*. MIT Press, Cambridge, MA.
3. LeCun, Y., Bengio, Y., & Hinton, G. (2015). Deep learning. *Nature*, 521(7553), 436–444.
4. Varela, F. J., Thompson, E., & Rosch, E. (1991). *The Embodied Mind*. MIT Press, Cambridge, MA.
5. Anderson, J. R. (1983). *The Architecture of Cognition*. Harvard University Press, Cambridge, MA.
6. Laird, J. E., Newell, A., & Rosenbloom, P. S. (1987). Soar: An architecture for general intelligence. *Artificial Intelligence*, 33(1), 1–64.
7. Franklin, S., & Graesser, A. (1997). Is it an agent, or just a program? A taxonomy for autonomous agents. *Intelligent Agents III*, Springer, Berlin.
8. Bengio, Y. (2009). Learning deep architectures for AI. *Foundations and Trends in Machine Learning*, 2(1), 1–127.
9. Marcus, G. (2019). *Rebooting AI: Building Artificial Intelligence We Can Trust*. Pantheon Books, New York.
10. Lake, B. M., Ullman, T. D., Tenenbaum, J. B., & Gershman, S. J. (2017). Building machines that learn and think like people. *Behavioral and Brain Sciences*, 40, e253.