Status	Finished
Started	Sunday, 18 October 2026, 12:49 PM
Completed	Sunday, 18 October 2026, 12:51 PM
Duration	2 mins 12 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

a. Opens the file in read mode

b. Appends "Adding new data" to the end of the file ✓

c. Raises an error because the file is opened in append mode

d. Overwrites the file with "Adding new data"

The correct answer is: Appends "Adding new data" to the end of the file

Question **2**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for appending data, we use _____

a. outfile = open(“c:\\scores.txt”, “rw”)

b. outfile = open(file = “c:\scores.txt”, “w”)

c. outfile = open(“c:\\scores.txt”, “a”) ✓

d. outfile = open(file = “c:\\scores.txt”, “w”)

The correct answer is:
outfile = open(“c:\\scores.txt”, “a”)

Question **3**

Correct

Mark 1.00 out of 1.00

Which method is used to sets the position of a file pointer

a. fseek()
b. tell()
c. seek() ✓
d. ftell()

The correct answer is: seek()

Question **4**

Correct

Mark 1.00 out of 1.00

What does the flush() method do in file handling?

a. Moves the file cursor to the beginning
b. Flushes the internal buffer to the file ✓
c. Closes the file
d. Deletes the file content

The correct answer is: Flushes the internal buffer to the file

Question **5**

Correct

Mark 1.00 out of 1.00

How can you read a file line by line efficiently in Python?

a. Using the read() method
b. Using a for loop ✓
c. Using the readlines() method
d. Using the readline() method

The correct answer is: Using a for loop

Question **6**

Correct

Mark 1.00 out of 1.00

Which method is used to truncate a file to a specific size?

a. reduce()
b. truncate() ✓
c. resize()
d. shrink()

The correct answer is: truncate()

Question **7**

Correct

Mark 1.00 out of 1.00

What does the seek() method do in file handling?

a. Writes data to the file
b. Deletes the file
c. Reads the file line by line
d. Moves the file cursor to the specified position ✓

The correct answer is: Moves the file cursor to the specified position

Question **8**

Correct

Mark 1.00 out of 1.00

How do you check if a file is closed in Python?

a. file.closed()
b. file.closed ✓
c. file.isclosed()
d. file.is_closed()

The correct answer is: file.closed

Question **9**

Correct

Mark 1.00 out of 1.00

If the file is opened in write mode and already exists, it truncates the existing content and places the filehandle at the beginning of the file.

Select one:

- True ✓
- False

The correct answer is 'True'.

Question **10**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

- a. move the file pointer five characters behind from the current position
- b. moves the file pointer to the end of a file
- c. move the file pointer to beginning of the file
- d. move the file pointer five characters ahead from the current position ✓

The correct answer is:
move the file pointer five characters ahead from the current position

Question **11**

Correct

Mark 1.00 out of 1.00

What is the use of seek() method in files?

a. sets the file's current position within the file

b. sets the file's current position at the offset ✓

c. sets the file's previous position at the offset

d. none of the mentioned

The correct answer is:
sets the file's current position at the offset

Question **12**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

a. The access mode of the file

b. The encoding of the file

c. The file's read/write position

d. The buffer size for the file operations ✓

The correct answer is: The buffer size for the file operations

Question **13**

Incorrect

Mark 0.00 out of 1.00

What is the purpose of the with statement in Python file handling?

a. To delete a file

b. To write data to a file

c. To automatically close the file after its suite finishes

d. To read data from a file ✗

The correct answer is: To automatically close the file after its suite finishes

Question **14**

Correct

Mark 1.00 out of 1.00

What is the default mode in which the open() function opens a file?

a. Write
b. Binary
c. Append
d. Read ✓

The correct answer is: Read

Question **15**

Correct

Mark 1.00 out of 1.00

Which method is used to read a specific number of characters from a file?

a. readline()
b. read(size) ✓
c. readlines()
d. readchar()

The correct answer is: read(size)