Status	Finished
Started	Tuesday, 29 September 2026, 4:18 PM
Completed	Tuesday, 29 September 2026, 4:21 PM
Duration	3 mins 15 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Choose the correct option.

a. In Python, a tuple can contain only integers as its elements.

b. In Python, a tuple can contain either string or integer but not both at a time.

c. In Python, a tuple can contain only strings as its elements.

d. In Python, a tuple can contain both integers and strings as its elements. ✓

Question **2**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {10, 20, 30, 40, 50}
set2 = {60, 70, 10, 30, 40, 80, 20, 50}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. True ✓

True

b. False

False

c. False

True

d. True

False

Question **3**

Correct

Mark 1.00 out of 1.00

Write the Output of the following Code?

t = (15,83,83,52,60,45,52,85,100)

print(min(t)+max(t)+t.count(52))

- a. Error
- b. 2
- c. 117 ✓
- d. 100

Question **4**

Correct

Mark 1.00 out of 1.00

Select which is true for Python tuple?

- a. A tuple maintains the order of items ✓
- b. We can change the tuple once created
- c. None of these
- d. A tuple is unordered

Question **5**

Correct

Mark 1.00 out of 1.00

Which of the following is a Python tuple?

- a. {1,3,8,9,41}
- b. [1,2,3,4]
- c. ("Wonder")
- d. (1,4,5,6,7) ✓

Question **6**

Correct

Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

a. Name Error

b. TypeError: update() doesn't allow list as a argument.

c. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✓

d. {'Yellow', 'Orange', 'Black', ["Blue", "Green", "Red"]}

Question **7**

Correct

Mark 1.00 out of 1.00

```
What is the output of the following code?
```

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

a. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓

b. (10, 20, 30, 40) (40, 50, 60, 70, 80)

c. (30, 40, 50)(40, 50, 60, 70, 80)

d. (30, 40, 50) (10, 20, 30, 40)

Question **8**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (55, 44, 33, 22, 11)
x = [t1[i] for i in range(0, len(t1), 2)]
print(x)
```

- a. [55, 33, 11] ✓
- b. (55,33,11)
- c. [(55,33,11)]
- d. ([55,33,11])

Question **9**

Correct

Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")

print type(a)
```

- a. str
- b. <class 'str'> ✓
- c. <class 'int'>
- d. <class 'tuple'>

Question **10**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

a. {0,0,9}

b. {0,9} ✓

c. It will throw an error as there are two 0 while creating the set.

d. {9}

Question **11**

Correct

Mark 1.00 out of 1.00

Select all the correct options to remove "ECE" from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

a. remove.sampleSet("ECE")

b. sampleSet.delete("ECE")

c. sampleSet.discard("ECE") ✓

d. del.sampleSet("ECE")

Question **12**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

a. i,ii ✓

b. iii

c. All of the above

d. ii

Question **13**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

t = (58, 47, 36, 25, 14, 3)

x = t[2:-1]

print(x)

- a. (36, 25, 14) ✓
- b. (58,47,36,25)
- c. Error
- d. (3,14,25)

Question **14**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

- a. (1,2,3,4,5,6) ✓
- b. (1,2,3)(4,5,6)
- c. (1,2,3,3,2,1)
- d. Error

Question **15**

Incorrect

Mark 0.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

a. {‘rec’, True, (‘cse’, ‘ece’)} ✗

b. {‘rec’, 1, (‘cse’, ‘ece’)}

c. {‘rec’, 1, (‘cse’, ‘ece’),True}

d. Error