Status	Finished
Started	Sunday, 11 October 2026, 6:10 PM
Completed	Sunday, 11 October 2026, 6:17 PM
Duration	7 mins 9 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which statement is used to create an empty dictionary?

a. d1 =

b. d1 = dict{ }

c. d1 = [ ]

d. d1 = { } ✓

Question **2**

Correct

Mark 1.00 out of 1.00

All elements in dictionary are separated by ____.

a. dot(.)

b. Comma(,) ✓

c. Colon (

d. Semicolon(;)

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

a. dict ✓

b. create

c. convert

d. dictionary

Question **4**

Correct

Mark 1.00 out of 1.00

The key-value pair in dictionary is called _____.

- a. item ✓
- b. paired value
- c. pair item
- d. value

Question **5**

Correct

Mark 1.00 out of 1.00

clear() method is used to delete the dictionary.

- a. False ✓
- b. True

Question **6**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={}
a['a']=1
a['b']=[2,3,4]
print(a)
```

- a. Error
- b. {'b': [2, 3, 4], 'a': 1} ✓
- c. {'b': [2], 'a': [3]}
- d. {'b': [2], 'a': 1}

Question **7**

Correct

Mark 1.00 out of 1.00

_____ function returns the value corresponding to the key passed as the argument.

a. values
b. update
c. get ✓
d. del

Question **8**

Correct

Mark 1.00 out of 1.00

Which of the following is an example of dictionary?

a. C = ( )
b. D = { } ✓
c. None of the mentioned
d. L = [ ]

Question **9**

Correct

Mark 1.00 out of 1.00

Keys in dictionary are _____.

a. Immutable ✓
b. Mutable
c. integers
d. antique

Question **10**

Correct

Mark 1.00 out of 1.00

A = {"A" : "Apple", "B" : "Ball", "C" : "Cat"} Which of the following statement will return : dict_items([('A', 'Apple'), ('B', 'Ball'), ('C', 'Cat')])

a. print(A.get)
b. print(A.Items) ✓
c. print(A.values)
d. print(A.keys)

Question **11**

Correct

Mark 1.00 out of 1.00

Suppose d = {"john":40, "peter":45}, to delete the entry for "john" what command do we use?

a. del d["john"] ✓

b. d.delete("john":40)

c. del d("john":40)

d. d.delete("john")

Question **12**

Correct

Mark 1.00 out of 1.00

What is the value of counter after the code is run?

```
phrase = "Cheese!!!! Cheese!!!! Python is a programming Language.Python!!"
counter = 0
letters = {}
for word in phrase.split():
    for letter in word:
        letter = letter.lower()
        if letter not in letters.keys():
            letters[letter] = 0
        letters[letter] += 1
for key in letters.keys():
    if letters[key] > 2:
        counter += 1
print(counter)
```

Answer: 9 ✓

Question **13**

Correct

Mark 1.00 out of 1.00

Write the output of the following codes.
>>>dl={1:10,2:20,3:30,4:40, 5:50}
>>>dl.items ()

a. Error
b. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)] ✓
c. [1, 2, 3, 4, 5]
d. [10, 20, 30, 40, 50]

Question **14**

Correct

Mark 1.00 out of 1.00

pop function delete and ____ the element of dictionary.

a. add
b. return ✓
c. not return
d. display

Question **15**

Correct

Mark 1.00 out of 1.00

We can repeat the values of Key in Dictionary?

a. False
b. True ✓