

Complete Guide about GOOGLE drive API

Step 1: Setup in Google Cloud Console

1. Go to `console.cloud.google.com`
2. Create a new project (or use an existing one)
3. Navigate to:
APIs & Services ? Credentials
4. Click Create Credentials ? OAuth client ID
 - o Choose Web application
 - o Set Authorized redirect URI to:

`http://localhost:8081/oauth2/callback/google`

5. Save your:
 - o ? `client_id`
 - o ? `client_secret`

Step 2: Configure OAuth Consent Screen

1. Go to:
APIs & Services ? OAuth consent screen
2. Set User type to External
3. Add your Gmail to Test Users
4. Save

Step 3: Get Authorization Code (in Browser)

Open this URL in your browser (replace line breaks with one line):

```
https://accounts.google.com/o/oauth2/v2/auth?
client_id=YOUR_CLIENT_ID
&redirect_uri=http://localhost:8081/oauth2/callback/google
&response_type=code
&scope=https://www.googleapis.com/auth/drive
&access_type=offline
&prompt=consent
```

? Log in ? Click "Allow"
You'll be redirected to:

`http://localhost:8081/oauth2/callback/google?code=ABC123...`
Use code start from ABC to before &
and use in next step

Step 4: Exchange Code for Access + Refresh Token (in Postman)

1. Create a POST request to:

`https://oauth2.googleapis.com/token`

2. Body ? x-www-form-urlencoded:
KeyValue
`client_id` your client ID
`client_secret` your client secret
`code` the code from URL
`grant_type` authorization_code
`redirect_uri` `http://localhost:8081/oauth2/callback/google`
Response will include:
 - * `access_token` ?
 - * `refresh_token` ?

?? Step 5: Reuse Refresh Token to Get New Access Token (Later)
POST to:

`https://oauth2.googleapis.com/token`
Body (x-www-form-urlencoded):

KeyValueclient_idyour client IDclient_secretyour client secretrefresh_token saved refresh token grant_type refresh_token? This gives you a fresh access_token every time (valid 1 hour)

BELOW ARE THE ORIGINAL TOKENS I GET AFTER DOING ABOVE STEPS

I used msrl4gcloud@gmail.com for all

Client ID
737784796770-nlsceksi77cv3p8saknekkpc4bld7f8a.apps.googleusercontent.com
Client Secret
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

Generate a New Authorization Code
[https://accounts.google.com/o/oauth2/v2/auth?](https://accounts.google.com/o/oauth2/v2/auth?client_id=737784796770-nlsceksi77cv3p8saknekkpc4bld7f8a.apps.googleusercontent.com&redirect_uri=http://localhost:8081/oauth2/callback/google&response_type=code&scope=https://www.googleapis.com/auth/drive&access_type=offline&prompt=consent)
[client_id=737784796770-nlsceksi77cv3p8saknekkpc4bld7f8a.apps.googleusercontent.com](https://accounts.google.com/o/oauth2/v2/auth?client_id=737784796770-nlsceksi77cv3p8saknekkpc4bld7f8a.apps.googleusercontent.com&redirect_uri=http://localhost:8081/oauth2/callback/google&response_type=code&scope=https://www.googleapis.com/auth/drive&access_type=offline&prompt=consent)
[&redirect_uri=http://localhost:8081/oauth2/callback/google](https://accounts.google.com/o/oauth2/v2/auth?client_id=737784796770-nlsceksi77cv3p8saknekkpc4bld7f8a.apps.googleusercontent.com&redirect_uri=http://localhost:8081/oauth2/callback/google&response_type=code&scope=https://www.googleapis.com/auth/drive&access_type=offline&prompt=consent)
[&response_type=code](https://accounts.google.com/o/oauth2/v2/auth?client_id=737784796770-nlsceksi77cv3p8saknekkpc4bld7f8a.apps.googleusercontent.com&redirect_uri=http://localhost:8081/oauth2/callback/google&response_type=code&scope=https://www.googleapis.com/auth/drive&access_type=offline&prompt=consent)
[&scope=https://www.googleapis.com/auth/drive](https://accounts.google.com/o/oauth2/v2/auth?client_id=737784796770-nlsceksi77cv3p8saknekkpc4bld7f8a.apps.googleusercontent.com&redirect_uri=http://localhost:8081/oauth2/callback/google&response_type=code&scope=https://www.googleapis.com/auth/drive&access_type=offline&prompt=consent)
[&access_type=offline](https://accounts.google.com/o/oauth2/v2/auth?client_id=737784796770-nlsceksi77cv3p8saknekkpc4bld7f8a.apps.googleusercontent.com&redirect_uri=http://localhost:8081/oauth2/callback/google&response_type=code&scope=https://www.googleapis.com/auth/drive&access_type=offline&prompt=consent)
[&prompt=consent](https://accounts.google.com/o/oauth2/v2/auth?client_id=737784796770-nlsceksi77cv3p8saknekkpc4bld7f8a.apps.googleusercontent.com&redirect_uri=http://localhost:8081/oauth2/callback/google&response_type=code&scope=https://www.googleapis.com/auth/drive&access_type=offline&prompt=consent)

GOOGLE DRIVE TOKENS (this is output after tokens generation) (include the code came from above link):

```
{
  "access_token":
"ya29.a0AS3H6NzFLt5jIt3c9IhdjSsEUlkKJ6FCHow9c5BhFfIVK88ET7eamqDEHZ3ygTQ6peeSe8ZFWDA
GXh-8aV_IsM3CCE6Rtqgjs7_5I6lojZwxcF777ADYvi-t4F5vSN4SAJ1JE9jaFT-
2Zd9kmQVUu9TfFfUFaHnhfMzcJxLdaCgYKAccSARYSFQHGx2MiOHRyD33_bsvteq11ZTwvBw0175",
  "expires_in": 3599,
  "refresh_token": "1//0g-oZu8IGp1VsCgYIARAAGBASNwF-
L9Irtu90tVbkRqGXVMF52dzfZIElOIwD_7HghrbqNrnJV-vNT-2ZZvLUGLpYh_0w3HBLPjk",
  "scope": "https://www.googleapis.com/auth/drive",
  "token_type": "Bearer",
  "refresh_token_expires_in": 604799
}
```

Newly refereshed access token (Valid Only 1hr from generation)

```
"a0AS3H6NzhvwLeDFoFmQ6mor_5D-
QSJh_zMDSfU9okj3HmVgp7mewKiidBgRFw8g7R13BG67_9KS7AdToXfbiWiI8vgValpbokcK3ZRsvv3KFiE
ofjyA4Hm0HOJXt2KYw9iApdn1CREuadP8nzm0IOtX6fhVPhQYhxKmDCnm6CaCgYKAbASARYSFQHGx2MiK_V
2vzGh72Pz5aDtkZ3c-Q0175"
```

COMPLETE GUIDE TO GET ONE DRIVE APIS

Step 1. App Registration (Azure Portal)

- * Go to portal.azure.com
- * Navigate to:
Azure Active Directory ? App registrations ? New registration
- * Fill:
 - o Name: CloudFlex OneDrive App
 - o Redirect URI:
<http://localhost:8081/onedrive/callback>

- * Click Register
- * Copy:
 - o Client ID
 - o Tenant ID

Step 2. Create Client Secret

- * Go to: Certificates & Secrets ? New client secret
- * Add a description ? copy the secret value

Step 3. Set Required API Permissions

- * API Permissions ? Microsoft Graph ? Delegated permissions
 - o ? Files.ReadWrite.All
 - o ? offline_access
 - o ? User.Read
- * Click "Grant admin consent"

Step 4. Get Authorization Code (User Login)

- * Open this URL in browser:

```
https://login.microsoftonline.com/common/oauth2/v2.0/authorize?
client_id=YOUR_CLIENT_ID
&response_type=code
&redirect_uri=http://localhost:8081/onedrive/callback
&scope=Files.ReadWrite.All offline_access User.Read
&response_mode=query
```

- * After login, copy the code from:

```
http://localhost:8081/onedrive/callback?code=XYZ...
```

Step 5. Exchange Code for Tokens (Postman)

POST to:

```
https://login.microsoftonline.com/common/oauth2/v2.0/token
Body (x-www-form-urlencoded):
KeyValueclient_id(from Azure)client_secret(generated secret)code(from Step
4)grant_typeauthorization_coderedirect_urihttp://localhost:8081/onedrive/callbacksc
opeFiles.ReadWrite.All offline_access User.Read? Response:
* access_token (valid for 1 hour)
* refresh_token (valid ~90 days)
```

Step 6. Use Access Token for OneDrive API

GET List files:

```
https://graph.microsoft.com/v1.0/me/drive/root/children
```

Header:

```
Authorization: Bearer YOUR_ACCESS_TOKEN
```

Step 7. Refresh Expired Access Token (Postman)

POST to:

```
https://login.microsoftonline.com/common/oauth2/v2.0/token
Body:
KeyValueclient_idyour app client IDclient_secretyour app secretrefresh_tokensaved
refresh tokengrant_typerefresh_tokenscopeFiles.ReadWrite.All offline_access
User.Read
```

BELOW ARE THE ORIGINAL TOKENS I GET AFTER DOING ABOVE STEPS

AZURE


```

sR42UpVnG230x5vGAbMicHl8mu8n4tj-
b3tRfOPzuqJWzefEx9lZHvpf5rLnTknHEl19v6rb1d3bE0p11l1lQZbMw5axYEcFSDDJCFa9Z9AWe8AWp3W
5ieEIKLK0-
Ru9w3lfbE7fv39KcKXn6zZvhUq69EcNkUFUG3F9PFttitN_egPzlg7yEb6mTa5qk9OjOv0BE0kmpSuYl0C-
9_Bes4GB1Au89NPjOx9UQqdbfjWqjWu7FztfrJ3_GCNVXnARloVzkyJnclZ54imZrw6neQm2sQakcaByojx
iJXqoUJxligGtb7bUlZLejKU7YOB68ZiKuh-xyuzAwbelIkinyl8cC-
jjCb0H35x930QStxSQIOYmi4DdeOL2tM2sOuX-300FMSQSCPwsVEaC7j7KGdbR5GMrtbuVPPvgxQG-
8CphFCFuXEm1zjQ0aQVjrmGjCyksZtEmk6WGHc3YzB71R9ZvJU3D-
407x57QRgcSfWwHJgmqWTP64RrVcStIntpRGhX2e5pLLtTtEr6pdsjL4Fk5FWrhQgNHwRpDyTP6xBiruV-
VcA2f2dgh1arzFxDmucJOBWASBwfcOEog"
}

```

Newly generated access token(valid 1 hr only)

valid

[illegible]