



VRSEC

VELAGAPUDI RAMAKRISHNA
SIDDHARTHA ENGINEERING COLLEGE
(Sponsored by Siddhartha Academy of General & Technical Education)

B. Tech – Artificial Intelligence and Data Science

20AI&DS3304 – JAVA PROGRAMMING

Title:

MOVIE TICKET BOOKING

**Home Assignment
Submitted by,**

218W1A5436 , 218W1A5435 , 218W1A5440

Second Year

ONLINE MOVIE TICKETS BOOKING

An Online MovieTickets Interface is developed. It has following functionalities of Booking of Movie Tickets.

Implementation:

List of Packages, Interfaces and Classes used along with the Files.

List of Packages used:

- ❖ Moviereserve

List of Interfaces used:

- ❖ adnum

List of Classes used:

- ❖ Langselect
- ❖ Timeselect
- ❖ Movieselect
- ❖ Seatselection

Files:

- ❖ MoviesInfo.txt

Source Code:

Package Moviereserve:

```
import java.util.*;

public class Langselect
{
    String option;

    int opt,i;

    String[] lang = new String[5];

    Scanner sc = new Scanner(System.in);

    public String Language()
    {
        System.out.println("Available Languages...");

        lang[0]="Telugu";
```

Home Assignment

```
lang[1]="English";
lang[2]="Hindi";
lang[3]="Tamil";
lang[4]="Kannada";
for(i=0;i<5;i++)
{
    System.out.println("\t\t"+(i+1)+" "+" \t"+" "+lang[i]);
}
System.out.println("Select language:");
opt=sc.nextInt();
if(opt > 4)
{
    System.out.println("Wrong choice selected....!");
    Language();
}
else
{
    switch(opt)
    {
        case 1:
            option = lang[0];
            break;
        case 2:
            option = lang[1];
            break;
        case 3:
            option = lang[2];
            break;
        case 4:
            option = lang[3];
            break;
        case 5:
            option = lang[4];
```

```
        break;
    default:
        System.out.println("Wrong option selected...!");
    }
}
return option;
}
}

package Moviereserve;

import java.util.*;

public class Movieselect
{
    int i,choice,n;
    String password,mname;
    String[] names = new String[10];
    Scanner sc = new Scanner(System.in);

    public String SMovie()
    {
        System.out.println("-----");
        System.out.println("\tWELCOME TO THE MOVIE RESERVES");
        System.out.println("-----");
        System.out.println("\n");
        System.out.println("Available movies:");
        names[0] = "Avatar";
        names[1] = "Saaho";
        names[2] = "Aadipurush";
        names[3] = "Salaar";
        System.out.println("-----");
        for(i=0;i<4;i++)
        {
            System.out.println("\t\t"+(i+1)+" "+" \t"+ " "+names[i]);
        }
    }
}
```

Home Assignment

```
System.out.println("Enter your choice Movie :");
choice = sc.nextInt();
if(choice > 3)
{
    System.out.println("Wrong choice selected...");
    SMovie();
}
else
{
    switch(choice)
    {
        case 1:
        {
            mname=names[0];
            break;
        }
        case 2:
        {
            mname=names[1];
            break;
        }
        case 3:
        {
            mname=names[2];
            break;
        }
        case 4:
        {
            mname=names[3];
            break;
        }
        default:
            System.out.println("Wrong choice selected...!");
    }
}
```

```
        }
    }
    return mname;
}

public void changeDetails()
{
    System.out.println("Enter the password :");
    password = sc.nextLine();
    if(password == "Password")
    {
        System.out.println("Enter number of movies to be updated:");
        n = sc.nextInt();
        for(i=0;i<n;i++)
        {
            System.out.println("Enter"+" "+(i+1)+" "+"movie name :");
            names[i] = sc.nextLine();
        }
    }
    else
    {
        System.out.println("Check your password.Wrong password entered...!");
    }
}

}

package Moviereserve;

import java.util.*;
import java.lang.*;

class GException extends Exception
{
    GException(String msg)
    {
        System.out.println("The problem is :"+msg);
    }
}
```

```
}

class RException extends Exception
{
    RException(String msg)
    {
        System.out.println("The problem is :"+msg);
    }
}

public class Seatselection
{
    int i,j,choice,flg,tfl;
    Scanner sc = new Scanner(System.in);
    public int[] Seatno()
    {
        System.out.println("Enter the number of tickets you want : ");
        int n = sc.nextInt();
        int[] seatno = new int[n];
        List<Integer> seats = new ArrayList<Integer>();
        int[] temp = new int[200];
        int[] booked = new int[200];
        System.out.println("Total seats:");
        //System.out.println("\n_____");
        for(i=0;i<101;i++)
        {
            flg=0;
            for(j=0;j<booked.length;j++)
            {
                if(i == booked[j])
                {
                    flg=1;
                }
                else
            }
        }
    }
}
```

```
        {
            flg=0;
        }
    }
    if(flg==0)
    {
        System.out.print(i+" ");
    }
}
try
{
    System.out.println("\n\nSelect your seat numbers:");
    try
    {
        for(i=0;i<n;i++)
        {
            choice = sc.nextInt();
            if(choice >100)
            {
                throw new RException("Cannot book this seat");
            }
            tfl=0;
            for(j=0;j<booked.length;j++)
            {
                if(choice == booked[i])
                {
                    tfl =1;
                }
                else
                {
                    tfl = 0;
                }
            }
        }
    }
}
```

```
        if(tfl == 0)
        {
            seatno[i] = choice;
            booked[i+1] = choice;
            seats.add(choice);
        }
        else
        {
            throw new GException("\nCannot book this seat");
        }
    }
}
catch(GException e)
{
    System.out.println("This seat is already booked...!");
    System.out.println("Seats Unavailable:");
    System.out.println(seats);
    System.out.println("Please select another Seat");
    Seatno();
}
}
catch(RException e1)
{
    System.out.println("This seat doesnot exist...!");
    Seatno();
}
}
return seatno;
}
}

package Moviereserve;
import java.util.*;
public class Timeselect
```

```
{

    int choice,timing,i;

    String total;

    String[] temp = new String[10];

    String[] time = new String[10];

    Scanner sc = new Scanner(System.in);

    public String Timeselect()

    {

        temp[0] = "Matinee show";

        temp[1] = "First show";

        temp[2] = "Noon show";

        temp[3] = "Second show";

        temp[4] = "Midnight show";

        System.out.println("Shows are given by the following timings");

        for(i=0;i<5;i++)

        {

            System.out.println("\t\t\t" + (i+1) + " \t\t\t" + temp[i]);

        }

        System.out.println("Shows times are fixed and are here...");

        time[0]="9:30AM - 12:00PM";

        time[1]="12:30PM - 3:00PM";

        time[2]="3:30PM - 6:00PM";

        time[3]="6:30PM - 9:00PM";

        time[4]="9:30PM - 12AM";

        for(i=0;i<5;i++)

        {

            System.out.println("\t\t\t" + (i+1) + " \t\t\t" + time[i]);

        }

        System.out.println("Enter the time : ");

        choice = sc.nextInt();

        if(choice>5)

        {

            System.out.println("Wrong choice selected...!");

        }

    }

}
```

```
        Timeselect();
    }
    else
    {
switch(choice)
{
    case 1:
    {
        total = temp[0]+" "+time[0];
        break;
    }
    case 2:
    {
        total = temp[1]+" "+time[1];
        break;
    }
    case 3:
    {
        total = temp[2]+" "+time[2];
        break;
    }
    case 4:
    {
        total = temp[3]+" "+time[3];
        break;
    }
    case 5:
    {
        total = temp[4]+" "+time[4];
        break;
    }
    default:
    {
```

Home Assignment

```
        System.out.println("Wrong choice selected....!");
    }

    }

    }

    return total;
}

}

import java.util.*;
import java.lang.*;
import java.io.*;
import Moviereserve.*;
interface adnum
{
    int addition(int num);
}
class MThread extends Thread
{
    MThread(String msg)
    {
        System.out.println("Your Tickets are getting ready.....!");
    }
}
class Methods
{
    Scanner sc = new Scanner(System.in);
    String time,mov,lang;
    int i,no;
    double total;
    int[] data = new int[20];
    void getTicket()throws InterruptedException,IOException
```

Home Assignment

```
{  
  
    Moviereserve.Movieselect m = new Moviereserve.Movieselect();  
    Moviereserve.Seatselection s = new Moviereserve.Seatselection();  
    Moviereserve.Timeselect t = new Moviereserve.Timeselect();  
    Writer w = new FileWriter("MovieInfo.txt",true);  
    Moviereserve.Langselect l = new Moviereserve.Langselect();  
    MThread thread;  
    mov=m.SMovie();  
    lang=l.Language();  
    time = t.Timeselect();  
    data=s.Seatno();  
    no = data.length;  
    adnum a;  
    a = (n)->{return n*150;};  
    total = a.addition(no);  
    thread = new MThread("Your ticket is getting ready");  
    thread.start();  
    thread.sleep(1000);  
  
    System.out.println("\n\t\t_____");  
    System.out.println("\t\t\t\tTICKET");  
  
    System.out.println("\t\t_____");  
    thread.sleep(400);  
    System.out.println("\t\tVijayalakshmi Theatre");  
    System.out.println("\n");  
    thread.sleep(400);  
    System.out.println("\t\tMovie\t\t:"+mov);  
    thread.sleep(400);  
    System.out.println("\t\tLanguage\t:"+lang);  
    thread.sleep(400);  
    System.out.println("\t\tMovie time\t:"+time);  
    thread.sleep(400);  
    System.out.print("\t\tYour seats\t:");
```

Home Assignment

```
        for(i=0;i<data.length;i++)
        {
            System.out.print(data[i]+" ");
        }
        thread.sleep(400);
        System.out.println("\n\t\tTotal cost\t:"+total);
        System.out.println("\n");
        thread.sleep(400);
        System.out.println("\t\tThanks for visiting Vijayalakshmi
Theatre");
        thread.sleep(400);
        System.out.println("\t\tEnjoy your movie.....");
        thread.sleep(400);

        System.out.println("\t\t_____");
        w.write("Movie\t\t: "+mov+"\n");
        w.write("Language \t: "+lang+"\n");
        w.write("Time \t\t: "+time+"\n");
        w.write("Your Seats\t: ");
        for(i = 0; i < data.length; i++)
        {
            w.write(data[i]+" ");
        }
        w.write("\nPrice \t\t: " + total);
        w.write("\n_____");
        w.write("\n\n");
        w.close();
    }
    void changeMovies()
    {
        Moviereserve.Movieselect m = new Moviereserve.Movieselect();
        m.changeDetails();
    }
}
```

```
class Test
{
    public static void main(String[] args)
    {
        int opt;
        Scanner sc = new Scanner(System.in);
        Methods mth = new Methods();
        do
        {
            System.out.println("\t1\t getTicket");
            System.out.println("\t2\t Quit\n");
            System.out.println("Select an option:");
            opt = sc.nextInt();
            switch(opt)
            {
            case 1:
                try
                {
                    mth.getTicket();
                    System.exit(0);
                }
                catch (InterruptedException e)
                {
                }
                finally
                {
                    break;
                }
            case 2:
                System.exit(0);
            default:
                System.out.println("Wrong choice selected....!");
            }
        }
    }
}
```

```
        }  
        }while(opt < 3);  
    }  
}
```

Outputs:

```
C:\Users\HP\Desktop>java Test  
        1      getTicket  
        2      Quit  
Select an option:  
1
```

Movieselect

```
Select an option:  
1  
-----  
        WELCOME TO THE MOVIE RESERVES  
-----  
Available movies:  
-----  
        1      Avatar  
        2      Saaho  
        3      Aadipurush  
        4      Salaar  
Enter your choice Movie :  
2
```

Langselect

```
Enter your choice Movie :
2
Available Languages...
      1      Telugu
      2      English
      3      Hindi
      4      Tamil
      5      Kannada
Select language:
2
```

Timeselect

```
Select language:
2
Shows are given by the following timings
      1      Matinee show
      2      First show
      3      Noon show
      4      Second show
      5      Midnight show
Shows times are fixed and are here...
      1      9:30AM - 12:00PM
      2      12:30PM - 3:00PM
      3      3:30PM - 6:00PM
      4      6:30PM - 9:00PM
      5      9:30PM - 12AM
Enter the time :
2
```

Seatselect

```
Total seats:
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27
28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51
52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75
76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99
100
Select your seat numbers:
2
3
```

Ticket

Your Tickets are getting ready.....!

TICKET

Vijayalakshmi Theatre

Movie	:Saaho
Language	:Telugu
Movie time	:Matinee show 9:30AM - 12:00PM
Your seats	:1 2 3
Total cost	:450.0

Thanks for visiting Vijayalakshmi Theatre
Enjoy your movie.....

Error Output Expected while selecting booked seats

```
Select your seat numbers:
2
2
The problem is :
Cannot book this seat
This seat is already booked...!
Seats Unavailable:
[2]
Please select another Seat
Enter the number of tickets you want :
```

File Output

Home Assignment

```
MovieInfo - Notepad
File Edit Format View Help

Movie      : Saaho
Language   : Telugu
Time       : Matinee show 9:30AM - 12:00PM
Your Seats : 1 2 3
Price      : 450.0

Movie      : Saaho
Language   : Hindi
Time       : Noon show 3:30PM - 6:00PM
Your Seats : 23 45
Price      : 300.0

Movie      : Saaho
Language   : English
Time       : Noon show 6:30PM - 9:00PM
Your Seats : 34 45
Price      : 300.0
```