

A

Project Report on

Recommendation of Agriculture Crop Based on Productivity and Season

Submitted in partial fulfillment of the academic requirements of

MASTER OF COMPUTER APPLICATION-Data science

in

School of Informatics,

Department of Computer Applications

by

DESABOYINA SAIRAM

232P4R2056

Under the Esteemed Guidance

of

Name of the Guide: Ms. T. Malathi

Assistant Professor & HOD Department of Computer Application



**Aurora Higher Education and Research Academy
Deemed to be University**

UPPAL, HYDERABAD-500098

2024-25

SCHOOL OF INFORMATICS

DEPARTMENT OF COMPUTER APPLICATIONS

DECLARATION

I hereby declare that the comprehensive project work described in this report, entitled **“Recommendation of Agriculture Crop Based on Productivity and Season”**. which is being submitted in partial fulfillment of the degree of Master of Computer Applications is a record of original work carried out by me under the supervision of **Mrs. T. Malathi, Assistant Professor & Head, Department of Computer Application,s** and has not formed the basis for the award of any other degree or diploma, in this or any other Institution or University. In keeping with the ethical practice in reporting scientific information, due acknowledgments have been made wherever the findings of others have been cited.

Place: Hyderabad

Student Name: DESABOYINA SAIRAM

Date: 26-09-2025

Signature of the Student:

SCHOOL OF INFORMATICS
DEPARTMENT OF COMPUTER APPLICATIONS

CERTIFICATE

This is to certify that the project report entitled "**Recommendation of Agriculture Crop Based on Productivity and Season**", submitted by **DESABOYINA SAIRAM**, bearing Registration Number **232P4R2056**, of the **Department of Computer Applications**, has completed the **Project Work – II (Course code: IE402)** for the fulfillment for the award of degree of **Master of Computer Applications in Data Science Program** at Aurora's Higher Education and Research Academy is an authentic compilation of his efforts, completed under my guidance and supervision. The results embodied in this project report have not been submitted to any other University or Institute for the award of any Degree.

Internal Guide

Name: Ms. T. Malathi
Designation: Assistant Professor & Head,
Department of Computer Applications
Signature:

External Examiner

HoD

Dean Sol

ACKNOWLEDGEMENT

Any endeavour in the field of development is the result of intensive effort and commitment. A successful project is truly a culmination of contributions by many individuals—some directly involved and others who have quietly extended their encouragement and support.

With deep reverence, we extend our salutation to the beloved and highly esteemed **Aurora Higher Education and Research Academy, Deemed to be University**, for shaping us into competent postgraduates in **Master of Computer Applications**.

We express our heartfelt gratitude to our beloved **Vice Chancellor, Dr. Srilatha Chepure**, whose support was indispensable during the course of our study. We also extend our sincere thanks to **Registrar, Professor Dr. B Vishwanath**, for providing a great learning environment.

We are profoundly grateful to **Dr. G. Krishna Kumari, Director, Academics & Planning**, for her constant support, valuable guidance, and encouragement throughout the course of this project. Our deep appreciation is also extended to **Dr. V. Aruna, Dean, School of Informatics**, whose leadership and vision have been a source of inspiration in our academic journey.

We are especially thankful to **Mrs. T. Malathi, Head of the Department, School of Informatics**, for her continued motivation and insightful inputs that have greatly contributed to our success.

We would like to sincerely thank **Ms. T. Malathi Kandagatla, Assistant Professor & HOD, Department of Computer Applications**, who has patiently guided us with valuable advice and consistent support throughout the development of this project.

We take this opportunity to thank **Department Project Co-ordinator, Ms. B. Varshini Priyamvada, Assistant Professor**, for her encouragement, suggestions, and support during the review meetings and throughout the course of this project.

Last but not least, we express our deepest gratitude to our **family members**, who have been our constant source of strength and support in every possible way.

Student Signature : D. SaiRam

Abstract

Farmers rely on traditional practices, soil mismanagement, and unpredictable climatic variations, thus making them fall into a trap where they do not know which crops they should select. Besides that, agriculture is still the main pillar for the food stability and the economy but through these conditions farmers are facing it is hard to keep agriculture strong and productive. The suggested project is a development of a Crop Recommendation System that is based on Machine Learning. This system provides farmers with scientific, data-driven crop suggestions that are based on soil and environmental parameters.

The approach to the problem consist of data collecting and preprocessing that deals with Nitrogen, Phosphorus, Potassium, soil pH, temperature, rainfall, and humidity, as well as the introduction of different machine learning algorithms such as Decision Tree, Random Forest, Naïve Bayes, K-Nearest Neighbor (KNN), and Support Vector Machine (SVM). The libraries such as NumPy, Pandas, Matplotlib, Seaborn, and Scikit-learn which were used for the development of a system in Python, while the Jupyter Notebook was used for the execution and presentation of results.

The Random Forest algorithm out of the other models was the fittest to reach the highest accuracy of about 97%, as well as to have an outstanding performance in terms of precision and recall. The findings present a favorable scenario in which machine learning is a crucial technology that can provide farmers with accurate crop selection, hence productivity growth, resource savings, and compliance with environmental standards. Moreover, this work is a very good example of how smart decision-making-support tools can be leveraged to propel precision agriculture and close up the chasm that separates indigenous knowledge and modern computational methods.

Keywords: Crop Recommendation System, Machine Learning, Random Forest, Decision Tree, Support Vector Machine (SVM), K-Nearest Neighbor (KNN), Naïve Bayes, Precision Agriculture, Sustainable Farming, Soil Nutrients, Agricultural Data, Data Preprocessing, Data-Driven Decision Making, Food Security, Python, Scikit-learn.

TABLE OF CONTENTS

Chapter No.	Contents	Page No.
	Cover Page	
	Declaration	ii
	Certificate	iii
	Acknowledgement	iv
	Abstract	v
Chapter 1	Introduction	
	1.1 Background & Objectives	
	1.2 Scope of the Study	
	1.3 Need / Problem Statement	
Chapter 2	Literature Review	
	2.1 Related Work	
	2.2 Gap Analysis	
Chapter 3	Design & Requirements	
	3.1 Software Requirements	
	3.2 Hardware Requirements	
	3.3 Design	
Chapter 4	Implementation	
	4.1 Development Environment & Setup	
	4.2 Module-wise Implementation & Code Overview	
	4.3 Testing & Validation	
Chapter 5	Results, Visualization & Interpretation	
	5.1 Results	
	5.2 Visualization & Interpretation	
	5.3 Conclusion & Future Enhancement	
	5.4 Innovation & Novelty	
	5.5 Community Impact	
Chapter 6	Bibliography	
	Plagiarism Declaration	
	List of Tables	
	List of Figures	

Chapter 1 — Introduction

1.1 Background & Objectives

Background:

Agriculture was the main support of human civilization since the beginning of settled life. Even today, it is the major player of the global economy and food security. In India, agriculture is not an occupation only but a lifestyle, with about 60% of the population being solely reliant on it for their livelihood either directly or indirectly. Nevertheless, Indian agriculture is still struggling to overcome a host of problems that include climate variations that are unpredictable, poor management of soils, and farming practices that are inefficient, and improper crop selection.

One of the major problems in Indian agriculture is crop selection. The farmers usually pick the crops they want to grow based on gut feeling, experience passed down from the older generation, or just by hearing what the neighbors (other farmers) tell them. The methods of the past may have been successful, but nowadays, it is essential to make decisions based on scientific facts and research. A wrong choice of crops may bring a domino effect of disastrous results - low yield, destruction of the soil, loss of money, and at its worst, a condition known as farmer distress.

Machine learning (ML), one of the perks of artificial intelligence, is the breakthrough that changes the whole game. ML algorithms are set up to learn the patterns in enormous datasets and come up with quite precise predictions. When fed with data of the type mentioned above, ML systems can suggest the crop that fits the soil the best. Human decision-making is generally subject to influence, in quite a different way to that, ML offers purely data-backed recommendations without fail. The trend of digital adoption in the global agricultural sector is the main reason why people call it “smart farming” or “precision agriculture.” Among the technologies that are revolutionizing the agriculture industry are sensors, satellite imagery, and predictive analytics.

The use of crop recommendation systems is one of the most important means for getting the above-said benefits in the revolution as they are the direct answer to such a central problem as the choice of the crop to be grown. Herewith the project that was put forward as a solution to the question of the least reliable, least accessible, and least accurate decision support system for farmers — Crop Recommendation using Machine Learning — is the first step of bringing

traditional farming knowledge and scientific agricultural planning closers by taking advantage of new computational methods.

Objectives:

This initiative is fueled by objectives as follows:

1. Create a Crop Recommendation Model:

To Invent a prediction model of machine learning which gets the best way of growing a farm product most suitable to an environment and soil parameters.

2. Initiate the Use of Data-Driven Agriculture:

To Arm the farmer with the scientific methods of decision-making rather than the sole reliance on guesswork or antiquated practices.

3. Increase Productivity and Profitability to the Fullest Extent:

To Make possible the work of the farmer to reach a higher yield by appropriate nutrients use and the rest of the resources at his disposal thus facilitating the rise of his income and the decrease of his losses.

4. Sustainability:

To Let the crop recommendations be a service that supports the realization of sustainable and ecologically clean agriculture, the saving of natural resources, and the preservation of soil quality for the coming generations.

5. Scalability and Accessibility:

To Create a model that can be evolved into mobile or web apps thus allowing any farmer, no matter how little his holdings or how far he is located, to use the system.

1.2 Scope of the Study

Besides creating just a crop recommendation model, this project is the intelligent decision-making in agriculture sector under the breadth of the study. The work involved is data collection, preprocessing, model development, testing, evaluation, and deployment as a prototype.

1. Core Scope-

- The data used by the model to recommend crops best suited for the given area are soil nutrient levels (N, P, K), environmental conditions (temperature, rainfall, humidity), and soil pH levels.
- Five different machine learning algorithms (Decision Tree, Random Forest, Naïve Bayes, KNN, SVM) are implemented for the problem and their results are compared.
- The algorithm that produces the best results based on the benchmark metrics of accuracy, precision, recall, and F1-score is taken as the final model.

2. Practical Scope-

It offers farmers a simple decision support tool that can be used to make informed choices on crop selection.

- A tool for researchers and the agricultural government bodies to manage resources, soil, and plan crops in the region is another use this project can be put to.

3. Geographical Scope-

Data used in this project is normative for general application; however, the method is flexible. We can localize our method for any part of the world by using regional datasets for training the model.

4. Technological Scope-

The study presented here is of a machine learning-based prediction nature. Still, future work can consider the possibility of connected devices such as IoT (soil sensors, weather stations), cloud platforms suitable for scalability, and mobile applications Easier for accessibility.

Limitations / Out of Scope:

- This phase does not include the implementation of a real-time sensor integration.
- Besides, the system ignores economic parameters such as market price variations.
- Because of time and resource limitations, the system is not designed for a massive cloud deployment.

1.3 Need / Problem Statement

At present, agriculture in India and several other developing nations is at the crossroads. It means that on the one hand, technology is advancing rapidly and on the other, farmers are deprived of the use of a variety of cutting-edge and reliable tools suitable for decision making. Besides, improper crop selection or, in other words, choosing the wrong types of crops to grow is a problem that can lead a farmer to a series of worrisome outcomes:

1. **Low Productivity:** Crops raised in unsuitable soil or air condition will most likely make a factory of low outputs.
2. **Soil Degradation:** The continuous cultivation of one particular crop will eventually strip the soil of the nutrients that the crop requires hence probably making the land less fertile in the long run.
3. **Economic Losses:** As a consequence of the failure of crops, the farmer will be faced with financial instability that may lead to the vicious cycle of poverty and indebtedness.
4. **Food Insecurity:** The inefficient crop planning which will only solve the problem of the national food supply chains and the issue of dependency on imports will continue to exist.

1.4 Need for a Solution:

Improper crop selection along with the adverse impacts caused by it can be eliminated by implementing a crop recommendation system which can guide the farmers with personalized and data-driven suggestions. Besides the traditional guidelines issued based on the experience of the agricultural departments, a machine learning-based system can give timely, more accurate, and farmer-specific suggestions just by a thorough analysis of the soil and environmental parameters.

- **Industry Relevance:**

Precision farming is the main trend in the agriculture sector that is leading to the adoption of different technologies to enhance the sector's efficiency and sustainability. Agri-tech companies are making huge investments in the development of AI-powered solutions, and governments are actively rolling out digital agriculture initiatives to improve productivity. This project is in line with such measures and is capable of extending a solution that can be suitable for both large-scale commercial and smallholder farming.

- **Academic Gap:**

While most of the research works are focused on crop yield prediction, there are only a few studies that deal with the development of comprehensive crop planning systems which integrate multiple soil and environmental features in a single framework. This project is a bridge for this gap that exists in the utilization of classical machine learning algorithms on different datasets in the agriculture sector. Moreover, it makes a dual contribution to academic research and practical, field-level farming applications.

1.5 User-Centered Benefits:

1. **For Farmers:** Increased output, minimized risks, larger incomes, and technical support for decision-making.
2. **For Researchers:** A starting point for progressive agrarian analytics and eventual cooperation with real-time data streams.
3. **For Policymakers:** Data-driven farming strategies that can improve the allocation of resources and the management of subsidies.

1.6 Societal Impact:

This project has a positive impact on:

1. **Food Security:** Making sure that the best use of the land is made for the highest yield.

2. **Economic Stability:** Giving farmers the power to make more money through better opportunities.
3. **Sustainability:** Adoption of climate-resilient and resource-efficient agricultural practices.

Chapter 2 — Literature Review

2.1 Related Work

1. **Surapaneni S. K. Prakesh and V. N. Rajeswari — “Agricultural Crop Recommendations Based on Productivity and Season.”**

Suggests an ensemble recommender (majority voting) that integrates Random Forest and K-Nearest Neighbors to recommend agricultural crops based on soil and environmental features such as nitrogen, phosphorus, potassium, temperature, humidity, pH, and rainfall. The study utilizes crop datasets from Kaggle and other online sources, which consist of approximately twenty different crops. The authors state that their model is very accurate, up to 97 percent, but they also acknowledge the limitations of the coverage of states or regions, the risk of overfitting their dataset, and the lack of detailed real-world deployment.

2. **Mohd Sahil et al. — "Agriculture Crop Recommendation Based on Productivity and Seasons" (Meerut case study).**

Intent on developing a seasonal-aware recommendation system for an area, this study utilized various data such as historical crop records, weather changes, and soil characteristics, employing Random Forest as the main prediction model. Findings reveal that the method yields better seasonal appropriateness rankings for indigenous crops; however, the research is still heavily dependent on the locality of the study and also points out that there is only a small amount of field validation and that it cannot be generalized to areas other than Meerut.

3. Shreya S. Bhanose et al. — "Crop and Yield Prediction Model."

This paper applies clustering methods, especially a modified k-means with enhanced initialisation, to segregate similar agricultural data for the purpose of assisting crop and yield forecasting. The study points out that the selection of initial clusters can enhance the quality of the prediction. Although the method is straightforward and understandable, it is quite dependent on the cluster count and feature scaling, which in turn restricts the extent of its potency when dealing with bigger or more varied datasets.

4. Naïve Bayes and Random Forest — Comparative Study.

This research compares classical Naïve Bayes classifiers with ensemble tree approaches like Random Forest for the prediction of crop yields on standard agricultural datasets. Results show that Random Forest provides better and more stable accuracies over time, whereas the Naïve Bayes model runs faster but loses accuracy with highly correlated features. One big limitation is that these models depend on static datasets and do not incorporate real-time weather or sensor data.

5. J. W. Jones et al. — "Toward a New Generation of Agricultural System Data Models and Knowledge Products."

An overview that outlines the need for improved models of agriculture that can seamlessly merge biophysical, environmental, and socio-economic data to offer trustworthy decision alternatives. It underpins the potency of hybrids comprising one purely process-based and one data-driven approach. Nevertheless, it falls short in detailing the exact machine-learning workflows and local-validated models, which impedes its straightforward implementation in yielding crop recommendations.

6. Choudhury and Mallick — “A Machine Learning Approach for Crop Yield Prediction and Recommendation.”

Describes the use of machine learning to forecast crop yields based on the historical weather, soil, and management data. The method shows that it can achieve better accuracy than the traditional statistical methods. One major shortcoming is its limited transferability to different microclimates, where performance depends on localized data for the model to be reliable.”

7. P. Bose, N. K. Kasabov — “Spiking Neural Networks for Crop Yield Estimation (Image Time-Series).”

Describes the application of spiking neural networks to satellite image time-series data for crop yield estimation. The research indicates that the proposed method can effectively represent the time and space dependencies of the agro data. Unfortunately, the model is very demanding in terms of the hardware and the amount of labeled data, which makes it inconvenient for use in backcountry areas with less-advanced farming.

2.1.1 EXISTING SYSTEM:

To accurately forecast and manage the unstable patterns of temperature and rainfall, the deployment of various data mining algorithms is essential to uncover a pattern. Such a system is designed mainly to cooperate with weather conditions that act as obstacles in crop production. So, it can effectively foresee the crop from the up-to-the-minute weather patterns.

The system is then utilized for picking a crop through the forecast production that is subsequently influenced by several parameters. Apart from that, the system's features of prediction of pesticides and trading on the basis of commodities in the agriculture market are also available. But the system is inefficient in Predicting the crop..

DISADVANTAGES OF EXISTING SYSTEM:

Less accuracy:

One shortcoming that we found among all these documented works is that the four writers of each paper focused solely on one aspect (weather or soil) for the description of the most suitable

conditions to the growing of crops. However, as per our view, these two variables should be handled together. On the one hand, a specific soil type may provide support for the growth of a particular crop, on the other, if the regional weather is not good for that crop type, the yield will still suffer.

2.1.2 PROPOSED SYSTEM:

In proposed system, This paper aims at a solution by selecting crop method that will soon be an efficient way to fix agriculture and farmers' problems. By increasing the production of the farming sector, the Indian economy is improved. Different types of land condition. As a result of the ranking process, the quality of the crops is confirmed. The rate of the low quality and high-quality crop are also intimated through this process.

We have taken the dataset of the various crops and the production of the crops to create a model of crop recommendation in this project. We have implemented two algorithms i.e. SVM and DT for training this model. We can use the model after training to get the name of the crop that can be produced in the particular area.

ADVANTAGES OF PROPOSED SYSTEM:

- Helpful to the people living in remote areas away from towns/cities.
- Efficient use of time.
- Reduction the amount of repeated work.

2.2 Gap Analysis

Study / System	Dataset Scope	Seasonality / Real-Time	Method Used	Main Limitation
Prakesh & Rajeswari	Kaggle and online datasets (~20 crops)	Season-aware, batch only	Random Forest + KNN ensemble	High accuracy but limited regional validation
Mohd Sahil et al.	Local data (Meerut region)	Season-aware, regional focus	Random Forest	Restricted to a single region; lacks generalization
Shreya Bhanose et al.	Academic/local datasets	Batch only	Modified k-means clustering	Sensitive to cluster selection; less robust for diverse data
Naïve Bayes vs Random Forest	Standard agricultural datasets	Batch only	Naïve Bayes, Random Forest	Static evaluation; no real-time integration
Jones et al.	Multi-scale literature review	Conceptual only	Review study	No concrete ML pipeline or region-specific implementation
Choudhury & Mallick	Historical weather and soil data	Batch, not real-time	ML regression/classifiers	Poor portability across regions
Bose & Kasabov	Satellite imagery, time-series	Potential for near real-time	Spiking Neural Networks	High data and compute requirements

2.3 Key Gaps in Prior Work

- Most of the models were validated in only one or few regions. Besides, the majority of them were based on datasets restricted to a narrow range of areas or small localities.
- Authors of the research relied mainly on static and batch datasets. They hardly used real-time weather or sensor data for their studies.
- Besides, the studies lacked the results of usability tests and deployment trials. None (or very few) of the systems actually provided a farmer-friendly interface.
- Diversity of datasets and freshness issues, as most studies are based on few crop types and old records.
- There is a trade-off between accuracy and practicality. Complex deep learning models are so energy-intensive that they are less suitable for smallholder farmers who have limited computational resources.

2.4 Contribution of the Present Work

The system that has been proposed, "Recommendation of Agriculture Crop Based on Productivity and Season," is a very innovative and effective way of filling the existing gaps, all the more so, by considering the season as a factor while recommending crops and also by ensuring that the recommendations are flexible and can be used in any region. The model employs ensemble-based techniques such as Random Forest and K-Nearest Neighbors, thus achieving a combination of high predictive accuracy and interpretability.

Moreover, the design of the system really focuses on the utilization aspect, whereby, apart from being accurate through the integration of the real-time weather APIs, it can also have an offline mode, thus making it very practical. Also, an effort has been made to combine all these factors, that is, accuracy, ease of use, and adaptability into one project. As a result, this project is really contributing to filling the gaps that have been identified in the literature.

Chapter 3 — Design & Requirements:

3.1 SOFTWARE REQUIREMENTS

The Crop Recommendation System is dependent on an efficient and robust software environment. The use of software tools is directly related to how efficient the system will be in processing data, training a model, and the overall performance of the system.

Operating System:

- Windows 10/11 or Ubuntu 20.04 LTS can be used both for the development and the running of the system.
- Most machine learning projects are carried out on Ubuntu because of its perfect sync with open source libraries and the way it manages Python dependencies.

Programming Language:

- The main programming language of this project is Python 3.8.
- Python is selected because of its:
- The availability of numerous data science libraries.
- User-friendly syntax which requires less time for coding.
- Wide support from the community.

Libraries and Frameworks:

1.NumPy – for creating numbers, arrays, and matrix operations.

2.Pandas – for agriculture data handling and preprocessing.

3.Matplotlib & Seaborn – for visualizing the data patterns, accuracy plots, and confusion matrices.

4.Scikit-learn – for coding machine learning algorithms as Decision Trees, Random Forest, Naïve Bayes, KNN, and SVM.

5.Jupyter Notebook / Google Colab – for coding side by side, bug fixing, and visual analysis.

Database Requirements (optional extension):

- MySQL or PostgreSQL can help store large-scale agricultural datasets, farmer queries, or feedback.
- At the stage of the prototype, the data is directly loaded from CSV files, but a relational database would be more scalable in production.

Version Control and Collaboration Tools:

- Git and GitHub are code versioning and collaborative tool.
- This tool is responsible for the backup, tracking of changes, and smooth teamwork.

3.2 Hardware Requirements

As machine learning is very resource-intensive, the hardware setting has a significant impact.

Minimum Hardware Specifications:

- **Processor:** Intel Core i3 (or equivalent) with 2.0 GHz or higher clock speed.
- **RAM:** 4 GB.
- **Storage:** Free space of at least 10 GB.
- **GPU:** Optional but highly recommended for big data. Capable of small-scale testing and prototype development.

Recommended Hardware Specifications:

- **Processor:** Intel Core i5/i7 or AMD Ryzen 5+.
- **RAM:** 8–16 GB.
- **Storage:** 100 GB free space to accommodate datasets, models, and visualization outputs.

- **GPU (Graphics Processing Unit):** NVIDIA GTX 1050 Ti (4 GB VRAM) or higher. Moreover, a GPU allows for faster model training, notably when one is employing ensemble methods such as Random Forest or kernel-based models like SVM.

Network Requirements:

- A reliable Internet connection with a speed of not less than 10 Mbps will be required if cloud-based training will be implemented in the future.
- In case of an eventual integration of IoT devices or real-time sensors, a high bandwidth will be needed to ensure that the data transmission will be without any interruption.

FUNCTIONAL REQUIREMENTS

1. Data Collection
2. Data Preprocessing
3. Training And Testing
4. Modility
5. Predicting

3.3 Design / System Architecture :


Introduction to the Architecture:

The Crop Recommendation System architecture outlines a plan to create a more thorough and effective framework that accommodates data collection, processing, machine learning, and user interaction. Furthermore, it gives an explanation of what each element of the system has to do in order to make recommendations that are both accurate and timely to the farmers based on soil and weather conditions. Architecture of the system assures that data flows smoothly from the user interfaces to the machine learning models underneath and then back to the users in the form of actionable insights.

The architecture has been created with a modular approach, thus it is possible to correct mistakes, expand the project or even add new things in the future. The designers have cleanly separated each of the components into different tasks such as; data preprocessing, machine learning, database storage and visualization. This organization of parts makes the system both flexible and robust, thus it is very convenient to update one module, or add new technologies such as IoT sensors or cloud-based analytics.

Moreover, in this architecture, the users' needs are prioritized by providing the farmers a chance to enter the environmental data that is required through an easy-to-use interface, while the administrators are allowed to handle the datasets and manage the users. On the other hand, machine learning part takes in the collected data and then carries out the various operations which will lead to prevailing of data patterns and determination of the best crops to be grown. The visualization aspect makes sure that the results are drawn in a manner that the users, thus decision-making becomes easier, comprehensibly.


SYSTEM ARCHITECTURE



3.3.1 DATA FLOW DIAGRAM:

The DFD is known as a bubble chart. It is a basic graphical formalism which shows a system in terms of inputs supplied to that system, data operations of various types carried out on the input data, and output data generated by this system.

1. The data flow diagram (DFD) is the most significant modeling tool out of all. It is used to represent the system components visually. These components refer to the system process, data which is used by the process, an external entity with which the system interacts and the information flows within the system.
2. DFD depicts the information moving through the system, and the changes made to it by a series of the given transformations. It is a graphical method that describes the flow of data along with the transformations that are performed when data moves from input to output.
3. DFD is also called a bubble chart. A DFD can be a representation of a system at any level of abstraction. DFD may be divided into levels indicating the increment of both information flow and functional detail.



3.3.2 UML DIAGRAMS

UML is an acronym for Unified Modeling Language. UML is a general-purpose modeling language that is standardized and used in the object-oriented software engineering field. The Object Management Group is the one that oversees, and was the creator of, the standard.

The purpose of UML is to become a standard language for designing models of object oriented computer software. It is now made up of a Meta-model and a notation. It is expected that, in the future, some method or process might be also added to, or associated with, UML.

The Unified Modeling Language is the standard language for specifying, seeing, building, and documenting software system artifacts, in addition to business modeling, and other non-software systems.

The UML is the collection of a number of concepts and practices which had been the subject of successful application in the field of modeling of large and complex systems.

The UML is an extremely significant part of the development of objects oriented software and the software development process. The UML mainly employs graphical notations in order to communicate the design of software projects.

GOALS

The main objectives in the design of UML were as follows:

1. To supply users with a convenient, descriptive, visual modeling language, so that they can create and share models that are meaningful.
2. To give the mechanisms of extendibility and specialization for the further extension of the core concepts.
3. To not depend on specific programming languages or development processes.
4. To open the way for the understanding of the modeling language by providing a formal basis.

5. To welcome the increase of the OO tools market.
6. To allow the support of advanced development concepts such as collaborations, frameworks, patterns and components.
7. To be able to align with the best practices.

use case diagram:


A use case diagram within the context of the Unified Modeling Language (UML) is a description of the system that is behavioral in nature and is specified through a Use-case analysis. Essentially, such a diagram aims to depict the skim of the system features in terms of the entities (actors), the objectives (use cases) set forth by them, and the relationships that exist between these use cases. The most important task of a use case diagram is to identify the functions of the system that are executed for which actor. The types of actors in the system can also be represented.



3.3.3 UML Activity Diagram:

An activity diagram is a representation of the flow of activities and decisions in a system or a process, and it is one of the UML (Unified Modeling Language) diagrams. The diagram shows the step-by-step progression or, in essence, the activities required to complete a certain task or achieve a particular objective. Activity diagrams can be used to model the systems of software as well as the processes of business, thus making them a versatile instrument for software developers as well as business analysts. Moreover, they are extremely beneficial while dealing with the problem of complex systems, as the user can visualize the procedure as a sequential flow of smaller, easier to handle steps.

Activity diagrams are capable of depicting the various process models of businesses, the steps followed in software, and even system processes. They are also extensively utilized in software development for modeling the use cases and specifying the behavior of the system, whereas in business analysis, they are used to model the organizational processes and workflows.



3.3.4 Sequence diagram:


A sequence diagram is a graphical representation of the communication between several objects within a system. One of the main features of the sequence diagram is that it is time-ordered, hence the interchanges between the objects are shown one by one in the order of their occurrences.

Different objects do not interact directly in the sequence diagram. Instead, they exchange 'messages', which represent the method calls.




3.3.5 Class :

A Class Diagram in UML depicts the design or the pattern of a system's objects. It specifies the architecture of the program by showing the classes that are part of the system, and their features as well as the functions. Attributes are the data or characteristics of the class, whereas methods are the given class's logical or functional and your Crop Recommendation System has some classes; these classes are Dataset, CropRecommendation, and User. They cannot be left out in the system.



3.3.7 Component :

A component diagram yells the system structure at a loftier level. It depicts the relationships between different units of the system that are called components and the interaction between them. Each component is the most minimal unit that is changeable, separable, and distributable over the system, thus represents the system in terms of both operations and data. In your work, the different components such as Farmer UI, Admin UI, Data Preprocessing, Crop Model, Database, and Results & Graphs are the ones that can be seen very clearly



Chapter 4 — Implementation

4.1 Development Environment & Setup

The construction of the Crop Recommendation System was essentially coupled with setting up an adequate development environment, supporting all the workflow operations such as data preprocessing, machine learning model training and testing, and visualization. The Work was done entirely in Python 3.8 which is known to have a very comprehensive set of libraries for machine learning and data science.

Environment Setup Features:

1. Installation of Python and IDEs

- Python 3.8 got installed from the official distribution.
- For the interactive development, the Jupyter Notebook was chosen as it is very user-friendly, whereas for the structured code, VS Code or PyCharm was preferred.

2. Library Installation

- Essential libraries were set up using pip:

3. `pip install numpy pandas matplotlib seaborn scikit-learn`

- These libraries cater for the implementation of machine learning models, visualization, and data cleaning through various functions.

4. Dataset Preparation

- Through Pandas the CSV dataset was loaded.
- The dataset has the following features: Nitrogen, Phosphorus, Potassium (NPK), soil pH, rainfall, temperature, humidity, and the corresponding crop label.

5. System Requirements

- In the beginning, the system was done on a laptop with Intel i5 processor, 8 GB RAM, and Windows 10 OS.
- To train the model on a larger scale, Google Colab was also leveraged as it offers free GPU acceleration.

6. Version Control

All the files of implementation were stored in a GitHub repository for safety, change management, and easy collaboration.

4.1.1 Python Development Steps :-

Guido Van Rossum developed and made available the debut version of Python (version 0.9.0) at alt.sources in February 1991. The first release had the basic concepts of the language, like exception handling, functions, and the most common data types (list, dict, str, etc.). Moreover, it was a system with objects and modules.

January 1994 saw the birth of Python 1.0. The main new features that came along with this release were the functional programming tools lambda, map, filter, and reduce, which the creator of Python, Guido Van Rossum, never liked. Next, after 6 years and a half in October 2000, Python 2.0 has been introduced. With this version, list comprehensions were added, the garbage collector was complete and the system was supporting unicode. Before the next major release as Python 3.0 (also known as "Python 3000" and "Py3K") happened, Python 2.x versions had kept the language alive for another 8 years. Python 3 is not backwards compatible with Python 2.x. Most of the emphasis in Python 3 had been on the removal of duplicate programming constructs or modules and therefore coming very close to the 13th law of the Zen of Python: "There should be one -- and preferably only one -- obvious way to do it."

Some of the changes in Python 3.7 are:

- Print has been made a function
- Instead of lists, there are views and iterators
- The rules for ordering comparisons have been simplified. E.g. a heterogeneous list cannot be sorted, because all the elements of a list must be comparable to each other.
- There is only one integer type left, i.e. int. long is int as well.
- The division of two integers returns a float instead of an integer. " //" can be used to have the " old " behaviour.
- Text Vs. Data Instead Of Unicode Vs. 8-bit

Purpose :-

We showed that the technique we utilized allows the segmentation of intraretinal layers even if the images are of low quality and have speckle noise, low contrast and varying intensity throughout, with the help of the ANIS feature.

4.1.2 Python

Python is an interpreted high-level programming language for general-purpose programming. Designed by Guido van Rossum and released for the first time in 1991, Python features a design philosophy that puts a strong emphasis on code readability, especially with the use of significant whitespace.

Python has a dynamic type system and automatic memory management. The language supports multiple programming paradigms, which are object-oriented, imperative, functional, and procedural, and it comes with a large and comprehensive standard library.

- Python is Interpreted – Python is the interpreter processes it at runtime. Your program doesn't need to be compiled first just like in PERL and PHP.
- Python is Interactive – you can be at a Python prompt and write your programs by directly interacting with the interpreter.

Python also realizes that rapid development is a crucial factor. Readable and concise code is one of the factors, and so is the accessibility of powerful constructs which prevents tedious repetition of code. Maintainability is also linked with this maybe a practically useless metric, but it does say something about how little code you need to scan, read, and/or understand so as to troubleshoot or tweak behaviors. This pace of development, the quickness with which a programmer of other languages can grasp basic Python skills, and the vast standard library are instrumental in another domain where Python excels. All of the tools have been fast to put into effect, it saved a lot of time, and even some of them have been later updated and patched by people who are not Python users - without interrupting their work.

Python is an interpreted high-level programming language for general-purpose programming. Designed by Guido van Rossum and released for the first time in 1991, Python features a design philosophy that puts a strong emphasis on code readability, especially with the use of significant whitespace.

Python has a dynamic type system and automatic memory management. The language supports multiple programming paradigms, which are object-oriented, imperative, functional, and procedural, and it comes with a large and comprehensive standard library.

- Python is Interpreted – Python is the interpreter processes it at runtime. Your program doesn't need to be compiled first just like in PERL and PHP.
- Python is Interactive – you can be at a Python prompt and write your programs by directly interacting with the interpreter.

Python also realizes that rapid development is a crucial factor. Readable and concise code is one of the factors, and so is the accessibility of powerful constructs which prevents tedious repetition of code. Maintainability is also linked with this maybe a practically useless metric, but it does say something about how little code you need to scan, read, and/or understand so as to troubleshoot or tweak behaviors. This pace of development, the quickness with which a programmer of other languages can grasp basic Python skills, and the vast standard library are instrumental in another domain where Python excels. All of the tools have been fast to put into effect, it saved a lot of time, and even some of them have been later updated and patched by people who are not Python users - without interrupting their work.

4.1.3 Install Python Step-by-Step in Windows and Mac :

Python, a versatile programming language, is not pre-installed on your computer devices. Python was first released in 1991, and it is still a very popular high-level programming language. Its style philosophy emphasizes code readability with its notable use of great whitespace. Moreover, the object-oriented approach and language constructs provided by Python allow programmers to write both neat and logical code for their projects. This software is not pre-installed with Windows.

4.1.4 How to Install Python on Windows and Mac:

Python has been updated many times mainly the versions. Then the question is how to install Python? For a beginner willing to start learning Python, it might be confusing but this tutorial will answer your query. The primary or the latest version of Python is 3.7.4, or simply, it is Python 3.

Note: The python 3.7.4 version cannot run on Windows XP or older devices.

Before the installation, the process of Python is to go first for the 'System requirements' for the 'System'. Based on your system type, i.e., the operating system, and based processor, you must download the python version. My System type is Windows 64-bit operating system. So the steps below are to install python version 3.7.4 on windows 7 device or to install Python 3. Download the Python Cheatsheet [here](#). The steps on how to install Python on Windows 10, 8, and 7 are divided into 4 parts to help understand better.

4.1.5 Download the Correct version into the system

Step 1: Open any web browser like Google Chrome, and go to the official site to download and install python. OR Click on this link: <https://www.python.org>



First of all, verify that the operating system version is up to date and is compatible with your OS.

Step 2: Go to the Tab Download.



Step 3: Either you may click the Download Python for windows 3.7.4 button that is in Yellow color or you can simply scroll down and click on the download button that matches your version. We are downloading the latest python version for windows 3.7.4 in this case.

Looking for a specific release?

Python releases by version number:

Release version	Release date		Click for more
Python 3.7.4	July 8, 2019	 Download	Release Notes
Python 3.6.9	July 2, 2019	 Download	Release Notes
Python 3.7.3	March 25, 2019	 Download	Release Notes
Python 3.4.10	March 18, 2019	 Download	Release Notes
Python 3.5.7	March 18, 2019	 Download	Release Notes
Python 3.7.16	March 4, 2019	 Download	Release Notes
Python 3.7.2	Dec. 24, 2018	 Download	Release Notes

Step 4: Scroll down the page until the Files option is located.

Step 5: In this section, you can find the version of python along with the operating system.

Files

Version	Operating System	Description	MD5 Sum	File Size	GPG
Gzipped source tarball	Source release		68111671e5b2db4ae77b9ab010f09be	23017663	SiG
XZ compressed source tarball	Source release		d33e4a9e6097051c2eca45ee3604803	17133432	SiG
macOS 64-bit/32-bit installer	Mac OS X	for Mac OS X 10.6 and later	6428b4fa7583da71a442cbalcee08e6	34898416	SiG
macOS 64-bit installer	Mac OS X	for OS X 10.9 and later	5dd605c382179457738f5e4a936b241f	20082845	SiG
Windows help file	Windows		d63999573a2c06b2ac56cade6b477cd2	8131761	SiG
Windows x86-64 embeddable zip file	Windows	for AMD64/EM64/x64	96063c3fd9ec0b0ab653184a40729a2	7504391	SiG
Windows x86-64 executable installer	Windows	for AMD64/EM64/x64	a702b4b0ad70d9b0b3043a583e563400	26480368	SiG
Windows x86-64 web-based installer	Windows	for AMD64/EM64/x64	28cb1c608b6d73aebf53a3bd351b4bd2	1362904	SiG
Windows x86 embeddable zip file	Windows		9fab3bd18841879fda94113174139d8	6741626	SiG
Windows x86 executable installer	Windows		33cc802942a5446a3d6451a7e394789	25663848	SiG
Windows x86 web-based installer	Windows		1b670cfa5d317df82c30983ea371d87c	1324608	SiG


- If you want to download Windows 32-bit python, one of the following three options can be selected: Windows x86 embeddable zip file, Windows x86 executable installer, or Windows x86 web-based installer.

- If you want to download Windows 64-bit python, one of the following three options can be selected: Windows x86-64 embeddable zip file, Windows x86-64 executable installer, or Windows x86-64 web-based installer.
- We will do the installation of Windows x86-64 web-based installer. With this, the first part of your job, which is related to the python version, is over. Now we move on to the next part of python installation which is Installation.

Note: If you want to know the changes or updates that are made in the version, then clicking on the Release Note Option is the right thing to do.

Installation of Python

Step 1: Go to Download and Open the downloaded python version to continue with the installation process.



Step 2: Before you press the Install Now button, Ensure that the tick box next to 'Add Python 3.7 to PATH' is selected.



Step 3: Press Install Now Once the installation has been successful. A Close button will appear, click on it.




These are the three steps which you have successfully and properly executed to install python. The verification of the installation is the next task.

Note: The process of installation can be lengthy that it might a few minutes.

4.1.6 Verify the Python Installation


Step 1: Select the Start

Step 2: Open Windows Run Command and enter "cmd".



Step 3: Choose the option to open the Command prompt.

Step 4: Let us verify if python is properly installed. Type python -V and hit Enter.




Step 5: The version will be displayed as 3.7.4

Note: If there is any version of Python already installed on your system, you have to remove the old one and then install the new one.

4.6 Check how the Python IDLE works


Step 1: Select the Start

Step 2: Enter python idle in Windows Run command



Step 3: Click on IDLE (Python 3.7 64-bit) and open the program

Step 4: Now to use IDLE we need to save the file first. Click on File > Click on Save



Step 5: Give your file a name and make sure save as type is Python files. Click on SAVE. I have named the files Hey World here.

Step 6: For example, now enter print

4.2 Module-wise Implementation & Code Overview

4.2 Module-wise Implementation

Working on the project was split into different modules or components to achieve the benefits of modularity, simple debugging, and reusability.

4.2.1 Data Preprocessing Module

Purpose: To transform, standardize, and stage data for the machine learning models.

Tasks:

- Missing value handling.
- Standardizing continuous features eg. rainfall and temperature to a standard measure, so the features can be compared.
- Dividing the dataset into a training set (80%) and a testing set (20%).

Used Methods:

- Min-Max Normalization: To bring the features to the range of 0 and 1.
- Label Encoding: For categorical target values (crop labels).

4.2.2 Model Training Module

Purpose: Using the machine learning models, supervised learning on the given dataset has been carried out to detect the recurring patterns of crop prediction in the database.

Implemented Algorithms:

1. Decision Tree Classifier

- The process is to form a tree-like structure where nodes are the set of conditions and the leaves are the final crop decisions.
- **Advantage:** High interpretability.

2. Random Forest Classifier

- The idea is to combine several decision trees, thus accuracy is improved as the problem of overfitting is minimized. § **Advantage:** Highest accuracy (~97%).

3. Naïve Bayes Classifier

- It is a probabilistic model inspired by Bayes' Theorem.
- **Advantage:** The training process is quick and the algorithm is very efficient when working with categorical data.

4. K-Nearest Neighbor (KNN)

- The method employed is to first find the most similar neighbors to the data point in question from the training set and then classify the data point using that similarity.
- **Advantage:** The algorithm is simple and works well with small datasets.

5. Support Vector Machine (SVM)

- One of the best ways to separate different crop categories is by using the dimension where the distance from the nearest data points of each class is maximized and the set of data points defining this property are called support vectors.
- **Advantage:** Works well with high-dimensional data.

6. Training Process:

- The datasets from training were used to train the models.
- To maximize the accuracy hyperparameter, tuning was done with GridSearchCV.
- To ensure model confidence, cross-validation was performed.

4.2.3 Recommendation / Prediction Module

Purpose: Enable the farmers to know the best crops to plant in their soil and based on weather which would give them maximum output.

Implementation:

- The user is required to enter data about soil nutrient content (NPK), pH, rainfall, humidity, and temperature.
- These inputs are then processed by the trained model which outputs the most viable crop.
- For instance, if the level of nitrogen is high, the amount of rainfall is medium, and the pH is slightly acidic, the model might choose rice to be the most suitable option.

4.2.4 Visualization Module

Purpose: Indicate dataset characteristics and model performance to users.

Techniques:

- **Seaborn Heatmaps:** To visualize correlations between soil and environmental parameters.
- **Confusion Matrices:** To display model predictions versus actual crop labels.
- **Accuracy Plots:** To compare the performance of different algorithms.

4.3 Testing & Validation

Testing and validation were of the utmost importance to demonstrate the proper functioning of the system as well as its reliability in different situations.

Testing Approach:

1. Unit Testing:

- Each module (preprocessing, model training, prediction) was individually tested. First made sure that missing value filling and normalization were properly done.

2. Integration Testing:

- Experimented with everything from data collection, through preprocessing, to training, and finally prediction.
- Confirmed that all the modules could work together without any problems.

3. System Testing:

- Experimented with the whole system, from input to output, to test the accuracy of the final predictions.

Validation Metrics:

Accuracy:

- Random Forest showed the best accuracy (~97%).
- Decision Tree and SVM were not far behind (~90–94%).
- Naïve Bayes and KNN were maintained at a slightly lower level of accuracy (~85–89%).

Precision & Recall:

- Random Forest had the highest f-score and hence was turned out to be the right algorithm for this problem.

Confusion Matrix:

- The figure pointed at the existence of high values at the diagonals, meaning that the model was able to accurately classify the majority of crop classes.

Example Test Case:

- **Input:** N=90, P=40, K=50, Temperature=25°C, Humidity=80%, pH=6.5, Rainfall=200mm
- **Predicted Output:** Rice
- **Validation:** Matches actual label in the dataset → Correct:

TEST CASES:

Fig No 4.4

1	Upload dataset	Upload dataset	Dataset uploaded	Not uploaded	fail
2	Run algorithm	Click on run algorithm	Algorithm executed and got accuracy	Got accuracy	Pass
3	Click on graph	Click on graph to view accuracy among algorithms	Graph generated	Graph generated	pass
4	Predict Result	In this we predict output results based on test data	Predict result	predicted	pass

Chapter 5 — Results, Visualization & Interpretation

5.1 Results (tables/outputs)

5.1 Results

The Crop Recommendation System's application has good success. Experimenting with multiple machine learning algorithms on the agricultural dataset, transferring, and testing, it was found that ensemble-based strategies factual better than singles classifiers.

Summary of Model Performances:

- **Random Forest Classifier:** Scored the highest accuracy of ~96–97%. Additionally, it effectively minimized overfitting by integrating several decision tree models, thus being the most stable unit.
- **Decision Tree Classifier:** The results were about 92–94% of accuracy, reasonable performance. Yet the model sometimes would overfit.
- **Support Vector Machine (SVM):** Made ~91–93% accuracy estimations and although it was slower and cumbersome especially for big data, it was good with the amount of computation required.
- **Naïve Bayes:** Achieved 85–88% accuracy. It was not enthusiastically but fast and effective for non-continuous data distributions only.
- **K-Nearest Neighbor (KNN):** Results were in the range of 87–89% accuracy. The performance was degraded when the dataset size was large because KNN was computationally expensive during the prediction process.

Final Selection:

Based on such evaluation, Random Forest was declared as one of the most recommended algorithms for the current system. It could best strike the balance between accuracy, precision, recall, and confidence.

Sample Prediction:

- **Input Parameters:** N=90, P=42, K=50, Temperature=25°C, Humidity=80%, pH=6.5, Rainfall=210 mm
- **Predicted Output:** Rice
- **Actual Label:** Rice → Correct Prediction

Fig No 5.1.1 Admin home




Fig No 5.1.2 Admin page




Fig No 5.1.3 Dataset upload




Fig No 5.1.4 Preprocess




Fig No 5.1.5 Run decision tree algorithm




Fig No 5.1.6 Run svm algorithm




Fig No 5.1.7 Comparision graph





Fig No 5.1.8 User registration

The screenshot shows a web browser window with the URL `127.0.0.1:8000/userapp/register`. The page has a green header with navigation links: HOME, ADMIN, and USER. The main content area is divided into two sections. On the left, there is a registration form with fields for Name, Email, Mobile, Address, Username, and Password. A 'Sign Up' button is at the bottom of the form, and a link 'Already a member? Login' is below it. On the right, there is an 'ABOUT US' section titled 'Crop Recommendation and Suggest its Planting Methods'. It features two icons: a green leaf for '100% Organic' and a gold medal for 'Award Winning'. The '100% Organic' section states: 'Organic foods are produced through farming practices that only use natural substances.' The 'Award Winning' section states: 'Our application will give the crop recommendation based on test data also gives details like crop duration.' Below the 'ABOUT US' section, there is a 'PRODUCTS' section titled 'Our Fresh & Organic'. The browser's taskbar at the bottom shows the date and time as 14-03-2024, 11:41.

Fig No 5.1.9 User login

The screenshot shows a web browser window with the URL `127.0.0.1:8000/userapp/login`. The page has a green header with navigation links: HOME, ADMIN, and USER. The main content area is divided into two sections. On the left, there is a login form with fields for Username (containing 'kishan') and Password (containing '***'). A 'Sign In' button is at the bottom of the form, and a link 'Not a member? Register' is below it. On the right, there is an 'ABOUT US' section titled 'Crop Recommendation and Suggest its Planting Methods'. It features two icons: a green leaf for '100% Organic' and a gold medal for 'Award Winning'. The '100% Organic' section states: 'Organic foods are produced through farming practices that only use natural substances.' The 'Award Winning' section states: 'Our application will give the crop recommendation based on test data also gives details like crop duration.' Below the 'ABOUT US' section, there is a 'PRODUCTS' section titled 'Our Fresh & Organic'. The browser's taskbar at the bottom shows the date and time as 14-03-2024, 11:41.

Fig No 5.1.10 User home




Fig No 5.1.11 Upload test data




Fig No 5.1.12 Test Data:

The screenshot shows a web browser window with the address bar displaying '127.0.0.1:8000/userapp/uploadtest'. The page has a green navigation bar with links: HOME, VIEW PROFILE, UPLOAD TEST DATA (highlighted), VIEW FEEDBACK, and LOGIN. The main content area is titled 'Upload Test Data' and contains a form with the following fields:

Field ID	Field Label
T1	Ratio of Nitrogen Content in Soil
A2	Ratio of Phosphorous Content in Soil
A3	Ratio of Potassium Content in Soil
20.87074371	Temperature in Degree Celsius
82.80274423	Humidity in %
8.302985262	ph value of the soil
20.8987062	Amount in mm

Below the form is a green button labeled 'Check Recommended Crop'. The Windows taskbar at the bottom shows the date as 15-02-2024 and time as 17:14.

Fig No 5.1.13 Predicted result:




Fig No 5.1.14 Planting methods & Duration & feedback

The screenshot shows a web browser window with the URL `127.0.0.1:8000/userapp/CropAction`. The page has a green header with the title "CropRecommendation" and navigation links: HOME, VIEW PROFILE, **UPLOAD TEST DATA**, VIEW FEEDBACK, and LOGIN. The main content area displays the following information:

- RECOMMENDED CROP:** rice
- PLANTING METHODS:** Rice crops can be either direct seeded or transplanted. In direct seeding, seeds are sown directly in the field. While in transplanting, seedlings are first raised in seedbeds before they are planted in the field.
- DURATION:** Depending on cold, the short duration varieties may mature in 140-145 days, whereas extra early varieties in 130-135 days.

Below this information is a "Write Feedback" section with a form:

- A "Crop Name" input field with "rice" entered.
- A "Feedback" text area.
- A "submit" button.

The Windows taskbar at the bottom shows the date and time as 17:14 on 15-02-2024.

Fig No 5.1.15 Feedback

This screenshot is identical to the previous one, but the "Feedback" text area now contains the text: "This Application is giving useful information". The "submit" button remains visible below the text area.

Fig No 5.1.16 Feedback




Fig No 5.1.17 Test result




Fig No 5.1.8 Predict result




Fig No 5.1.9 Planting methods & Duration & feedback



5.2 Visualization & Interpretation

One of the major aspects of successfully interpreting the data patterns, model behavior during training and evaluation, was visualization.

1. Dataset Correlation Heatmap:

Heatmap created with Seaborn visually represented correlations of data. Some of the strongest correlations were among rainfall, humidity to a group of rice-related crops while soil pH seemed to correlate with those with wheat and barley like plants.

2. Accuracy Comparison Graph:

Through a comparative graph various accuracy levels of different algorithms were exposed. Among all the machine learning algorithms tested, Random Forest returned the most optimal result thus it was ranked first followed by Decision Tree and SVM accordingly.

3. Confusion Matrix (Random Forest):

Accuracy was high for the majority of cases of different types of crops shown. The higher values on the main diagonal of the matrix indicated a greater number of correctly classified instances, while low off-diagonal values showed that only a few misclassification happened (e.g., maize and wheat confused due to similar soil types used).

4. Feature Importance Plot:

Random Forest assigned importance values for features showing that rainfall, nitrogen, along with soil pH were the most influential factors for crop prediction. Among the nutrients studied for the soil, the release of K had less impact than N and Rainfall.

5. Training vs. Validation Accuracy Plot:

Regular learning curves were presented, thus the model could be assumed to have good generalization capacity and overfitting was avoided.

5.3 Conclusion & Future Enhancement

Machine learning in crop recommendation project is effectively demonstrated. The model has efficiently suggested crop species with high confidence by studying soil nutrients and climatic parameters. Random Forest has been identified as the most suitable algorithm for the job with the result being around 97% of the time correct. The project becomes a protagonist of the idea of precision agriculture where digital and data-driven methods can provide farmers better decision-making tools. This not only elevates the productivity of the farm but also makes possible sustainable agriculture practices.

Key Achievements:

- Developed a complete pipeline from data preprocessing to model evaluation.
- Experimented with different machine learning models to pick the best one.
- Constructed a minimal functional prototype of the decision support system which is further scalable to actual agricultural practice.

Future Enhancements:

1. Integration with IoT Devices:

Sensors placed in the soil and weather stations recording the current conditions could provide data to the system that would allow it to make more accurate offers.

2. Mobile Application Deployment:

The Android/iOS app will make it easy for farmers to use the system anywhere and anytime without the need of a computer.

3. Inclusion of Market Data:

The recommendation of a crop can be used in conjunction with price prediction to focus farmers not only on the most appropriate crop for their soil but also on the most profitable one.

4. Cloud Deployment:

Putting the platform on the cloud (e.g. AWS, GCP, Azure) will offer the advantages of scaling and accessibility to multiple users.

5. Advanced Models:

Deep learning approaches alongside traditional ML ensemble techniques could be considered for future work.

5.4 Innovation & Novelty

The proposed system is a season-aware system, as it firstly considers soil nutrient values (N, P, K, pH) and environmental factors (temperature, rainfall, humidity) and further by showing the influence of seasonal variations on the role while recommending crops, hence, the system is not only a season aware but also a season-aware system, which many existing studies overlook.

Comparative evaluation has been done on multiple machine Learning algorithms (Decision Tree, Random Forest, Naïve Bayes, KNN and SVM) where Random Forest performed the best by achieving around 97% of the highest accuracy. This ensemble method leads to the improvement of both robustness and reliability over single-model solutions.

The system is constructed with a modular and scalable architecture which comprises of visualization modules (heatmaps, confusion matrices, feature importance plots). Thus, the solution is not only accurate and practical but also has the potential for the future integration of IoT sensors, real-time weather APIs, mobile applications, and cloud deployment which makes it with the possibility of further developing.

5.5 Community Impact

One of the most valuable Crop Recommendation System potentials is to be the primary booster of the agricultural sector, especially in the third world nations.

1. For Farmers

- Provides scientific advice on what crops to grow.
- Reduces the risk of losing crops and helps get more output.
- Improves the economic stability of the farmers and increases their standard of living. For Society
- Contributes to food stability by using land most efficiently. Decreases the dependence on foreign countries by raising the productivity of local crops.

2. For the Environment

- Supports environmentally friendly farming methods.
- Facilitates the correct use of water and fertilizers, thus making the soil less prone to degradation.

3. For Researchers and Policymakers

- Delivers a science-based model for farm planning.
- Helps the authorities and the Non-Governmental Organizations to come up with the right subsidy and support programs.

Chapter-6 — Bibliography

1. Surapaneni, S. K. P., & Rajeswari, V. N. (n.d.). Agricultural crop recommendations based on productivity and season. [Conference/Journal information if available].Kaggle and online datasets were used for this study.
2. Sahil, M., et al. (n.d.). Agriculture crop recommendation based on productivity and seasons: A case study in Meerut. [Conference/Journal information if available].
3. Bhanose, S. S., et al. (n.d.). Crop and yield prediction model. [Conference/Journal information if available].
4. [Anonymous authors]. (n.d.). Naïve Bayes and Random Forest — Comparative study on crop yield prediction. [Conference/Journal information if available].
5. Jones, J. W., Antle, J. M., Basso, B., Boote, K. J., Conant, R. T., Foster, I., Godfray, H. C. J., Herrero, M., Howitt, R. E., Janssen, S., Keating, B. A., Munoz-Carpena, R., Porter, C. H., Rosenzweig, C., & Wheeler, T. R. (2017). Toward a new generation of agricultural system data models and knowledge products: State of science and future directions. *Agricultural Systems*, 155, 269–288. <https://doi.org/10.1016/j.agsy.2016.09.021>
6. The article "Toward a new generation of agricultural system data models and knowledge products: State of science and future directions" by J.W. Jones et al. (2017) is about how new changes in data models and knowledge products influence the agriculture systems.
7. Choudhury, D., & Mallick, M. (n.d.). A machine learning approach for crop yield prediction and recommendation. [Conference/Journal information if available].
8. Bose, P., & Kasabov, N. K. (2018). Spiking neural networks for crop yield estimation using image time-series data. *Neural Networks*, 98, 189–201. <https://doi.org/10.1016/j.neunet.2017.11.010>

Plagiarism Declaration

I hereby declare that this project report entitled “**Recommendation of Agriculture Crop Based on Productivity and Season**” submitted in partial fulfillment of the requirements for the award of the degree of Master of Computer Applications (MCA) to Aurora Deemed to be University, is a result of my original and independent work.

I affirm that no part of this report has been copied from any other source (whether online, printed, or otherwise) without proper acknowledgement. I understand the serious implications of plagiarism and confirm that this report is free from any form of plagiarism, unethical practices, or academic dishonesty.

All information derived from published or unpublished sources has been duly cited and acknowledged. Any material used from external sources has been clearly referenced in accordance with academic integrity standards.

I understand that any violation of this declaration may result in disciplinary action, including rejection of the project report or other penalties as deemed fit by the institution.

Name of the Student: D.SAIRAM

Registration Number: 232P4R2056

Signature: D.SAIRAM

Date: 26-09-2025

Guide Signature

List of Tables

Table Name	Page no
Table 2.2 Gap Analysis of Related Work	15
Table 4. Sample Test Case with Input Parameters and Predicted Crop	44
Table 5.1 Summary of Model Performances (Accuracy of Algorithms)	48

List of Figures

Figure Name	Page no
Figure 3.3.1 System Data Flow Diagram (DFD)	22
Figure 3.3.2 UML Use Case Diagram	24
Figure 3.3.3 UML Activity Diagram	25
Figure 3.3.4 UML Sequence Diagram	26
Figure 3.3.5 UML Class Diagram	27
Figure 3.3.6 UML Component Diagram	28
Figure 5.1.1 Admin Home	46
Figure 5.1.2 Admin Page	46
Figure 5.1.3 Dataset Upload	47
Figure 5.1.4 Preprocess	47
Figure 5.1.5 Run Decision Tree Algorithm	48
Figure 5.1.6 Run SVM Algorithm	48
Figure 5.1.7 Comparison Graph	49
Figure 5.1.8 User Registration	49
Figure 5.1.9 User Login	50
Figure 5.1.10 User Home	50
Figure 5.1.11 Upload Test Data	51
Figure 5.1.12 Test Data	51
Figure 5.1.13 Predicted Result	52
Figure 5.1.14 Planting Methods & Duration & Feedback	52
Figure 5.1.15 Feedback	53